## California Environmental Protection Agency AIR RESOURCES BOARD

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: The following diesel or incomplete medium-duty vehicles (MDV) with a manufacturer's GVWR from 8501 to 14000 pounds are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

1973 - 1	the with a g				EN	GINE DESCRIPTIO	N	A 44 14		1 680
<u></u>	ENGIN	E FAMIL	Y I	ENGINE	EMISSION STD CATEGORY <sup>2</sup>	FUEL TYPE <sup>1</sup>	STANDARDS	ENGINE	ECS & SPECIAL FEATURES	<sup>3</sup> OBD COMPLI ANCE OBD(F)
MODEL YEAR	9GMX	(E06.058	4 MAN	JFACTURER		Gasoline	& TEST PROCEDURE	SIZES (L)		
	EXECUT	TIVE ORD		RAL MOTORS				6.0	2TWC, 2HO2S(2), SFI	
2009	A-00	6-1574-1	COR	PORATION	ULEV		Otto		The cost of the state of the state of the	
Gasoline	, LPG or	Aicohol V	Vehicles Only				EHICLE DESCRIPT			T OBD
EVAPORATIVE			CONTRACTOR OF THE							
			FUEL TANK CAPACITY	MODEL	VEH	IICLE MAKE & MOD	DELS	ENGINE (L)	ENGINE MODELS / CODES (rated power, in hp)	COMPL
EV		VE UL (K)							(rated power, in hp)	
	AILY		CAPACITY	MODEL	CK20 Chev	rolet Silverado: 25	00, 2500HD;		ENGINE MODELS / CODES (rated power, in hp) LY6 / 10 (353), 20 (312)	
FAM	NLY 0300998	UL (K)	CAPACITY (gallons)	MODEL YEAR 2009	CK20 Chev CK20 CK30 Chevrolet CK30 GMC	rrolat Silverado: 25 GMC Sierra: 2500, 2 Silverado: 3500, 35 Sierra: 3500, 3500	00, 2500HD; 2500HD 500 Cab Chassis; Cab Chassis	(L)	(rated power, in hp)	COMPL
FAM 9GMXF0 9GMXF0	NLY 0300998	UL (K) 150	CAPACITY (gallons) 26, 27, 34	MODEL YEAR 2009	CK20 Chev CK20 CK30 Chevrolet CK30 GMC G30: Chevrolet	rolet Silverado: 25 GMC Sierra: 2500, 2	00, 2500HD; 2500HD 500 Cab Chassis; Cab Chassis al Cutaway 3500,	(L) 6.0	(rated power, in hp) LY6 / 10 (353), 20 (312)	COMPL ANCE OBD(F)

\*=not applicable; GVWR=gross vehicle weight rating; 13 CCR xyz=Title 13, Califor L=liter; hp=horsepower; kw=kilowatt; (2004may26) CNG/LNG=compressed/liquefied natural gas; LPG=liquefied petroleum gas; E85=85% elhanol fuel; MF=multi fuel a.k.a BF=bi fuel; DF=dual fuel; FF=flexible fuel;

SULEY / ULEY / LEY=Super unra / utra / utra / utra / iow emission venicle;
CS=emission control system; TWC/OC=three-way/oxidizing catalyst; WU (prefix) =wam-up catalyst; DPF=diesel particulate filter; HO2S/O2S=heated/oxygen sensor; HAFS/AFS=heated/air-fuel-ratio sensor (a.k.a., universal or linear oxygen sensor); TBI=throtite body fuel injection; SF//MFI=sequential/multi port fuel injection; DGI=direct gasoline injection; GCARB=gaseous carburetor; fuel-ratio sensor (a.k.a., universal or linear oxygen sensor); TBI=throtite body fuel injection; SF//MFI=sequential/multi port fuel injection; DGI=direct gasoline injection; SCARB=gaseous carburetor; fuel-ratio sensor (a.k.a., universal or linear oxygen sensor); TBI=throtite body fuel injection; SF//MFI=sequential/multi port fuel injection; DGI=direct gasoline injection; SPL=smoke puff limiter; ID//DDI=inidirect/direct diesel injection; TC/SC=turbo/super charger; CAC=charge air cooler; EGR=exhaust gas recirculation; PAIR/AIR=pulsed/secondary air injection; SPL=smoke puff limiter; OBD(F) / (P) / (\$)=full / partial with a fine / on-board diagnostic; ECM/PCM=engine/powertrain control module; EM=engine modification; 2 (prefix)=parallel; (2) (suffix)=in series;

Following are: 1) the FTP exhaust emission standards or family emission limit(s) as applicable under 13 CCR 1956.8; 2) the EURO and NTE limits under the applicable California exhaust emission standards and test procedures for heavyduty diesel engines and vehicles (Test Procedures); and 3) the corresponding certification levels, in g/bhp-hr, for this engine family. "Diese!" CO, EURO and NTE certification compliance may have been demonstrated by the manufacturer as provided under the applicable Test Procedures in lieu of testing. (For dual- and flexible-fuel, the CERT values in brackets [] are those when tested on conventional test fuel.)

		НС	NOx		NMHC+NOx		· co		PM		нсно	
	FTP	EURO	FTP	EURO	FTP	EURO	FTP	EURO	FTP	EURO	FTP	EURO
	0.14	- LOKO		+	+		14,4	* .	0.01	1 •	0.01	•
STD FEL	0.14	+	0.70	+ +	•	•	•	•	*	*	*	*
CERT	0.08	•	0.53	+	*	•	6.8	*	*	*	0.001	•
NTE	+	<u>+</u>		*		*		*		*		*

g/bhp-hr=grams per brake horsepower-hour; FTP=Federal Test Procedure; EURO=Euro III European Steady-State Cycle; NTE=Not-to-Exceed emission limit; STD=standard or emission test gromp-nr=grams per orace norsepower-nour, FTF=receratines in toceaure; EURO-Euro in European Steauy-State Cyce; NTE=Nutro-Exceed emission intri, STD-standard or emission in cap; FEL=family emission limit; CERT=certification level; NMHC/HC=non-methane/hydrocarbon; NOx=oxides of nitrogen; CO=carbon monoxide; PM=particulate matter; HCHO=formaldehyde;

BE IT FURTHER RESOLVED: Certification to the FEL(s) listed above, as applicable, is subject to the following terms, limitations and conditions. The FEL(s) is the emission level declared by the manufacturer and serves in lieu of an emission standard for certification purposes in any averaging, banking, or trading (ABT) programs. It will be used for determining compliance of any engine in this family and compliance with such ABT programs.

BE IT FURTHER RESOLVED: The listed engine models have been certified to the optional emission standards and test procedures in 13 CCR 1956.8 applicable to diesel or incomplete MDV with a 8501-14000 pound GVWR and shall be subject to 13 CCR 2139(c) (in-use testing of engines certified for use in diesel or incomplete MDV with a 8501-14000 pound GVWR).

BE IT FURTHER RESOLVED: For the listed vehicle models the manufacturer has submitted the materials to demonstrate certification compliance with 13 CCR 1965 (emission control labels), 13 CCR 1968.2 (on-board diagnostic, full or partial compliance), 13 CCR 1976(b)(1)(F) {evaporative emission standards}, 13 CCR 2035 et seq. (emission control warranty), and 13 CCR 2235 [fill pipes and openings of motor vehicle fuel tanks]. (The braces () are for gasoline, LPG or alcohol fueled vehicles only. The brackets [] are for gasoline or alcohol fueled vehicles only.)

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations. The Bureau of Automotive Repair will be notified by copy of this Executive Order.

This Executive Order hereby supersedes Executive Order A-006-1575-1 dated September 8, 2008.

22 10 day of December 2008. Executed at El Monte, California on this

lachael Susnairt

Annette Hebert, Chief **Mobile Source Operations Division**