## California Environmental Protection Agency FORD MOTOR COMPANY AIR RESOURCES BOARD

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: The following on-road motor vehicles with a manufacturer's GVWR over 14000 pounds are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

						ENGINE D	ESCRIPTION				
		ECUTIVE MOI DRDER YE				ENGINE SIZES (L)	FUEL TYPE <sup>1</sup>	STANDARDS & TEST PROCEDURE	INTENDED SERVICE CLASS	ECS & SPECIAL FEATURES	
FORD MOTOR COMPANY	A-(	A-010-1569		10 AFM	XE06.88W2		Gasoline	Otto	HDO	TWC, SFI, 2HO2S	
Gasoline, LPG or	Alcohol '	Vehicies Or	nly				VEHICLE	DESCRIPTION		1	
EVAPORATIVE		FUEL TA						ENGINE	ENGINE MODELS / CODES		
FAMILY	UL (K)	(galion		YEAR				(L)	(rated power, in hp)		
FMXF0120GAT	150	19	19		010 F-450/550 Chassis Cab			6.8	F-450/550 Chassis Cab: 9F718L0510, 9F728N0510 (362 for call codes)		
FMXF0260GAT	150	0 40 2		2010	F-450/550 Chassis Cab			6.8	F-450/550 Chassis Cab: 9F718N0510, 9F728U0510 (362 for call codes)		

L=liter, K=1000 miles; hp=horsepowar; kw=kilowatt;

CNGLNG-compressed/liquefied natural gas: LPG-liquefied petroleum gas; E85=85% ethanol fuel; MF=multi fuel a.k.a. BF=bi fuel; DF=dual fuel; FF=flexible fuel; L/M/H HDD=light/medium/heavy heavy-duty diesel; UB=urban bus; HDO=heavy duty Otio;

3 ECS-emission control system; TVC/OC=three-way/oxidizing catalyst; WU (prefix) =warm-up catalyst; DPF=diesel particulate filter; HO2S/O2S=heated/oxygen sensor; HAFS/AFS=heated/air-fuel-ratio sensor (a k.a., universal or linear oxygen sensor); TBI=throttle body fuel injection; SFI/MFI=sequential/multi port fuel injection; DGI=direct gasoline injection; GCARB=gaseous carburetor; IDI/DDII:inject/direct diesel injection; TC/SC=turbo/super totarger; CAC=charge air cooler; EGR=exhaust gas recirculation; PAIR/AIR=pulsed/secondary air injection; SPL=smoke puff limiter; ECM/PCM=engine/powertrain control module; EM=engine modification; 2 (prefix)=parallel; (2) (suffix)=in series; (2004may26)

Following are: 1) the FTP exhaust emission standards or family emission limit(s) as applicable under 13 CCR 1956.1 (urban bus) or 13 CCR 1956.8 (other than urban bus); 2) the EURO and NTE limits under the applicable California exhaust emission standards and test procedures for heavy-duty diesel engines and vehicles (Test Procedures); and 3) the corresponding certification levels, in g/bhp-hr, for this engine family. "Diesel" CO, EURO and NTE certification compliance may have been demonstrated by the manufacturer as provided under the applicable Test Procedures in lieu of testing. (For flexible- and dual-fueled engines, the CERT values in brackets [] are those when tested on conventional test fuel. For multi-fueled engines, the STD and CERT values for default operation permitted in 13 CCR 1956.1 or 13 CCR 1956.8 are in parentheses.)

NN	NMHC		NOx		NMHC+NOx		co		PM		нсно	
FTP	EURO	FTP	EURO	FTP	EURO	FTP	EURO	FTP	EURO	FTP	EURO	
0.14	•	0.20	*	*	•	14.4	* .	0.01	*	0.01	*	
*	*		*	*	*	*	*	*	*	*	*	
0.06	*	0.07	*	•	*	6.2	*	*	*'	0.000	*	
*		*		•		*		*		*		
	FTP 0.14	FTP EURO   0.14 *   * *	FTP EURO FTP   0.14 * 0.20   * * *	FTP EURO FTP EURO   0.14 * 0.20 *   * * * *	FTP EURO FTP EURO FTP   0.14 * 0.20 * *   * * * * *	FTP EURO FTP EURO FTP EURO   0.14 * 0.20 * * * *   * * * * * * * *	FTP EURO FTP EURO FTP EURO FTP   0.14 * 0.20 * * * 14.4   * * * * * * *	FTP EURO FTP EURO FTP EURO FTP EURO   0.14 * 0.20 * * * 14.4 *   * * * * * * * *	FTP EURO FTP EURO FTP EURO FTP EURO FTP   0.14 * 0.20 * * * 14.4 * 0.01   * * * * * * * * *	FTP EURO FTP EURO FTP EURO FTP EURO FTP EURO   0.14 * 0.20 * * * 14.4 * 0.01 *   * * * * * * * * * *	FTP EURO FT	

cap; FEL=family emission limit; CERT=certification level; NMHC/HC=non-methane/hydrocarbon; NOx=oxides of nitrogen; CO=carbon monoxide; PM=particulate matter; HCHO=formaldehyde;

BE IT FURTHER RESOLVED: Certification to the FEL(s) listed above, as applicable, is subject to the following terms, limitations and conditions. The FEL(s) is the emission level declared by the manufacturer and serves in lieu of an emission standard for certification purposes in any averaging, banking, or trading (ABT) programs. It will be used for determining compliance of any engine in this family and compliance with such ABT programs.

certification compliance with 13 CCR 1965 (emission control labels), 13 CCR 1976(b)(1)(F) {evaporative emission standards}, 13 CCR 2035 et seq. (emission control warranty), and 13 CCR 2235 [fill pipes and openings of motor vehicle fuel tanks]. (The braces { } are for gasoline, LPG or alcohol fueled vehicles only. The brackets [ ] are for gasoline or alcohol fueled vehicles only.) BE IT FURTHER RESOLVED: For the listed vehicle models the manufacturer has submitted the materials to demonstrate

day of June 2009.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations. The Bureau of Automotive Repair will be notified by copy of this Executive Order. the

Executed at El Monte, California on this

arenar Annette Hebert, Chief Mobile Source Operations Division