OB Air Resources Board

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The following on-road motor vehicles with a manufacturer's GVWR over 14000. pounds are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

						ENGINE DI	ESCRIPTION					
MANUFACTURER GENERAL MOTORS LLC		EXECUTIVE MOI YE A-006-1962 20		DEL .	JOINE SAMILY	ENGINE SIZES (L)	FUEL TYPE 1	STANDARDS	INTENDED	ECS & SPECIAL FEATURES 3 2TWC, 2HO2S(2), SFI		
				AR E	NGINE FAMILY			ROCEDURE	SERVICE CLASS ²			
				15 F	GMXE06.0584		Gasoline	Otto	HDO			
Gasoline, LPG	or Alcoh	nol Vehicles O	nly				VEHICLE	DESCRIPTION	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
EVAPORATIVE		FUEL TANK CAPACITY		VEHICLE MODEL		VEHICLE M	NE & MODELO	ENGINE	EN	GINE MODELS / CODES		
FAMILY	UL (K)			YEA		VEHICLE MAKE & MODELS			(rated power, in hp)			
FSZXF0176ME0	150	30	30		5	Isuzu NPR				L96 / 90 (342)		
FSZXF0176ME0	150	30	30		5	Isuzu NPR HD				LC8 / 85 (324)		
*	*	*	*				*	*		*		
*	*	*	*				*	*		*		

* =not applicable; GVWR=gross vehicle weight rating; 13 CCR xyz=Title 13, California Code of Regulations, Section xyz; 40 CFR 86.abc=Title 40, Code of Federal Regulations, Section 86.abc; L=liter; K=1000 miles; hp=horsepower, kw=kilowatt; CNG/LNG=compressed/liquefied natural gas; LPG=liquefied petroleum gas; E85=85% ethanol fuel; MF=multi fuel a.k.a. BF=bi fuel; DF=dual fuel; FF=flexible fuel;

L/M/H HDD=light/medium/heavy heavy-duty diesel; UB=urban bus; HDO=heavy duty Otto;

EGS-emission control system; TWC/OG-three-way/oxidizing catalyst; WU (prefix) = warm-up catalyst; DPF=diesel particulate filter; HO2S/O2S=heated/oxygen sensor; HAFS/AFS=heated/air-fuel-ratio sensor (a.k.a., universal or linear oxygen sensor); TBI=throttle body fuel injection; SFI/MFI=sequential/multi port fuel injection; DGI=direct gasoline injection; GCARB=gaseous carburetor; IDI/DDI=inferded/ierct direct diesel injection; TCI/GC=turbo/super charger; CAC=charge accoler; EGR=exhaust gas recirculation; PAIR/AIR=pulsed/secondary air injection; SPL=smoother pulsed/secondary air injection; SPL=smoother pulsed/secondary air injection; CRCG=Carbarge accoler; EGR=exhaust gas recirculation; PAIR/AIR=pulsed/secondary air injection; SPL=smoother pulsed/secondary air injection; SPL=smoo

Following are: 1) the FTP exhaust emission standards or family emission limit(s) as applicable under 13 CCR 1956.1 (urban bus) or 13 CCR 1956.8 (other than urban bus); 2) the EURO and NTE limits under the applicable California exhaust emission standards and test procedures for heavy-duty diesel engines and vehicles (Test Procedures); and 3) the corresponding certification levels, in g/bhp-hr, for this engine family. "Diesel" CO, EURO and NTE certification compliance may have been demonstrated by the manufacturer as provided under the applicable Test Procedures in lieu of testing. (For flexible- and dual-fueled engines, the CERT values in brackets [] are those when tested on conventional test fuel. For multi-fueled engines, the STD and CERT values for default operation permitted in 13 CCR 1956.1 or 13 CCR 1956.8 are in parentheses.)

	NN	NMHC		NOx		NMHC+NOx		со		PM		НСНО	
	FTP	EURO	FTP	EURO	FTP	EURO	FTP	EURO	FTP	EURO	FTP	EURO	
STD	0.14	*	0.20	*	*	. *	14.4	*	0.01	*	0.01	*	
FEL	*	*	0.42	*	*	*	*	*	*	*	*	*	
CERT	0.06	*	0.19	*	*	*	2.2	*	0.005	*	0.001	*	
NTE		*		*		*		*		*		*	

g/bhp-hr=grams per brake horsepower-hour; FTP=Federal Test Procedure; EURO=Euro III European Steady-State Cycle; NTE=Not-to-Exceed emission limit; STD=standard or emission test cap; FEL=family emission limit; CERT=certification level; NMHC/HC=non-methane/hydrocarbon; NOx=oxides of nitrogen; CO=carbon monoxide; PM=particulate matter; HCHO=formaldehyde

BE IT FURTHER RESOLVED: Certification to the FEL(s) listed above, as applicable, is subject to the following terms. limitations and conditions. The FEL(s) is the emission level declared by the manufacturer and serves in lieu of an emission standard for certification purposes in any averaging, banking, or trading (ABT) programs. It will be used for determining compliance of any engine in this family and compliance with such ABT programs.

BE IT FURTHER RESOLVED: For the listed vehicle models the manufacturer has submitted the materials to demonstrate certification compliance with 13 CCR 1965 (emission control labels), 13 CCR 1976(b)(1)(F) {evaporative emission standards), 13 CCR 2035 et seg. (emission control warranty), and 13 CCR 2235 [fill pipes and openings of motor vehicle fuel tanks).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this day of July 2014.

Knnette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division