⊘ Air Resources Board

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The following on-road motor vehicles with a manufacturer's GVWR over 14000 pounds are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

| | | | | | | ENG | INE DESC | RIPTIC | N | | | | | |
|--|--|--|--|---|--|--|---|--|---|---|---|--|--|--|
| MANUFACTURE | RI | EXECUTIVE ORDER | | DEL EN | IGINE FAMILY | ENGINE SIZES FUEL TY (L) | | PE 1 STANDARD & TEST PROCEDUR | | INTENDED SERVICE CLASS ² | ECS & SPECIAL FEATURES ³ TWC, SFI, 2AFS, HO2S | OBD COMPLIANCE ⁴ EMD+ | | |
| ROUSH INDUSTRIES INC. | | 344-0047-3 | | 14 E | RIIE06.8BW5 | 6.8 | LPG | | Otto | HDO | | | | |
| Gasoline, LPG | or Alcoh Only | nol Vehicle | S | | | | | ٧ | EHICLE DESCR | IPTION | A VIII | | | |
| EVAPORATIVE | | FUEL TANK CAPACITY | | VEHICL | | VEHICLE MAKE & MODELS | | | NE | ENGINE MODELS / CODES | | | | |
| FAMILY | UL (K) | | (gallons) | | VEHICLE | IVIANE & IVI | IODELS | (L) | | (rated power, in hp) | | | | |
| FRIIF0265LPG | 150 | 45, 67, | 83 | 2015 Roush F-650 Chassis Cab | | | | 6.8 | | F-650 / EEF618AR510, EEF61HAR510, EEF61UAR510 (362 for all codes) | | | | |
| B6.abc; L=liter; K=1 CNG/LNG=comp L/M/H HDD=ligh ECS=emission of HAFS/AFS=heated. GCARB=gaseous of injection: SPL=smol | 000 miles pressed/lind/medium. control systair-fuel-racarburetor; ke puff lim | ; hp=horsep quefied natu /heavy heav stem; TWC/0 atio sensor (; ; IDI/DDI=ind niter: ECM/P | ower; ral ga y-duty DC=th a.k.a., direct/ CM=e | kw=kilow s; LPG=lid diesel; U dree-way/o universal direct dies | att; quefied petroleum B=urban bus; HD xidizing catalyst; \ or linear oxygen s el injection; TC/S | gas; E85=8: O=heavy dui NU (prefix) sensor); TBI: C=turbo/supodule; EM=e | 5% ethanol ty Otto; =warm-up c =throttle boo er charger; ngine modif | fuel; MF atalyst; dy fuel ir CAC=ch ication; | =multi fuel a.k.a. E DPF=diesel particuli njection; SPI/MFI=s narge air cooler; EC 2 (prefix)=parallel; | EFR 86.abc=Title 40, Cod IF=bi fuel; DF=dual fuel; F ulate filter; HO2S/O2S=he: equential/multi port fuel in IR=exhaust gas recirculat (2) (suffix)=in series; | F=flexible fuel; ated/oxygen sensor; jection; DGI=direct o | asoline injection; | | |

Following are: 1) the FTP exhaust emission standards or family emission limit(s) as applicable under 13 CCR 1956.1 (urban bus) or 13 CCR 1956.8 (other than urban bus); 2) the SET and NTE limits under the applicable California exhaust emission standards and test procedures for heavy-duty diesel engines and vehicles (Test Procedures); and 3) the corresponding certification levels, in g/bhp-hr, for this engine family. "Diesel" CO, SET and NTE certification compliance may have been demonstrated by the manufacturer as provided under the applicable Test Procedures in lieu of testing. (For flexible- and dual-fueled engines, the CERT values in brackets [] are those when tested on conventional test fuel. For multi-fueled engines, the STD and CERT values for default operation permitted in 13 CCR 1956.1 or 13 CCR 1956.8 are in parentheses.)

| | NN | NMHC | | NOx | | NMHC+NOx | | CO | | PM | | нсно | |
|------|------|------|------|-----|-----|----------|------|-----|-------|-----|-------|------|--|
| | FTP | SET | FTP | SET | FTP | SET | FTP | SET | FTP | SET | FTP | SET | |
| STD | 0.14 | * | 0.20 | | | , | 14.4 | * | 0.01 | * | 0.01 | * | |
| CERT | 0.07 | * | 0.08 | | * | * | 2.2 | * | 0.000 | * | 0.000 | * | |
| NTE | | * | | | | | * | | * | | * | | |

⁴ g/bhp-hr=grams per brake horsepower-hour, FTP=Federal Test Procedure; EURO=Euro III European Steady-State Cycle; NTE=Not-to-Exceed emission limit; STD=standard or emission test cap; FEL=family emission limit; CERT=certification level; NMHC/HC=non-methane/hydrocarbon; NOx=oxides of nitrogen; CO=carbon monoxide; PM=particulate matter; HCHO=formaldehyde;

BE IT FURTHER RESOLVED: For the listed vehicle models the manufacturer has submitted the materials to demonstrate certification compliance with 13 CCR 1965 (emission control labels), 13 CCR 1971.1 (on-board diagnostic), 13 CCR 1976(b)(1)(F) {evaporative emission standards}, 13 CCR 2035 et seq. (emission control warranty), and 13 CCR 2235 [fill pipes and openings of motor vehicle fuel tanks]. (The braces { } are for gasoline, LPG or alcohol fueled vehicles only.)

Vehicles certified under this Executive Order must conform to all applicable California emission regulations. The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this

_ day of February 2014.

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division