Pursuant to the authority vested in the California Air Resources Board by Health and Safety Code Division 26, Part 5. Chapter 2; and pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The following on-road motor vehicles with a manufacturer's GVWR over 14000 pounds are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

MANUFACTURE		EXECUTIVE ORDER		DEL ENG	GINE FAMILY SIZES (L)		FUEL TYPE 1		STANDARDS & TEST PROCEDURE	INTENDED SERVICE CLASS ²	ECS & SPECIAL FEATURES 3	OBD. COMPLIANCE		
ROUSH INDUSTRIES INC. A-S		344-0074-1 20		17 HR	IIE06.8BWL	6.8	LPG		Otto	HDO	TWC, HO2S, 2WR-HO2S, SFI	EMD+		
Gasoline, LPG	or Alcol Only	nol Vehicle	S	Acety Turby	Proceedings of the Con-		ALTERNATION	VE	HICLE DESCR	IPTÍON		TO MILE TO SEE		
EVAPORATIVE		FUEL TANK		VEHICLE MODEL			MAKE & MODELS		=	ENGINE MODELS / CODES				
FAMILY	UL (K)	(K) (gallons)		YEAR	VEHICLE	MARE & MODELS		(L)		(rated power, in hp)				
HRIIF0265LPG		67.5, 93,	47		Blue Bird Vision School Bus Roush Step Van					Blue Bird Vision Bus / HHF618BR5, HHF618FR5 (320 for all codes)				
		45, 67.	5						Step Van /	Step Van / HHF410TR5, HHF417TR5, HHF4178R5, HHF41ATR5, HHF416TR5, HHF4168R5 (320 for all codes)				
	150	49, 53, 7 67.5, 30,		2017	Roush F-650/750 Chassis Cab			6.8	F650 HHFC10	F650/750 Chassis Cab / HHFC10KR5, HHFC10NR5, HHFC10RR5, HHFC178R5, HHFC10PR5 (320 for all codes)				
		35, 67.5	5		Roush F-450/550 Chassis Cab Roush Motor Home				F-45	F-450/550 Chassis Cab/ HHFA10CR5, HHFA17CR5, HHFA178R5 (320 for all codes)				
		45, 67.	5							Motor Home / HHF510TR5; HHF517TR5; HHF51ATR5; HHF516TR5; HHF516TR5; HHF5178R5; HHF5168R5 (320 for all codes)				

* =not applicable; GVWR=gross vehicle weight rating; 13 CCR xyz=Title 13, California Code of Regulations, Section xyz; 40 CFR 86.abc=Title 40, Code of Federal Regulations, Section 86.abc; L=liter; K=1000 miles; hp=horsepower; kw=kllowatt;

1 CNG/LNG=compressed/liquefied natural gas; LPG=liquefied petroleum gas; E85=85% ethanol fuel; MF=multi fuel a.k.a. BF=bl fuel; DF=dual fuel; FF=flexible fuel;

L/M/H HDD=light/medium/heavy heavy-duty diesel; UB=urban bus; HDO=heavy duty Otto;

EMD=engine manufacturer diagnostic system; OBD(F) / (P) / (\$)=full / partial / partial with fine / on-board diagnostic;

Following are: 1) the FTP exhaust emission standards or family emission limit(s) as applicable under 13 CCR 1956.1 (urban bus) or 13 CCR 1956.8 (other than urban bus); 2) the SET and NTE limits under the applicable California exhaust emission standards and test procedures for heavy-duty diesel engines and vehicles (Test Procedures); and 3) the corresponding certification levels, in g/bhp-hr, for this engine family. "Diesel" CO, SET and NTE certification compliance may have been demonstrated by the manufacturer as provided under the applicable Test Procedures in lieu of testing. (For flexible- and dual-fueled engines, the CERT values in brackets [] are those when tested on conventional test fuel. For multi-fueled engines, the STD and CERT values for default operation permitted in 13 CCR 1956.1 or 13 CCR 1956.8 are in parentheses.)

	NM	NMHC		NOx		NMHC+NOx		CO		PM		нсно	
	FTP	SET	FTP	SET	FTP	SET	FTP	SET	FTP	SET	FTP	SET	
STD	0.14	*	0.05	*	*	*	14.4	*	0.01	*	0.01	*	
CERT	0.04	*	0.03	*	*	*	2.7	*	0,002	*	0.001	*	
NTE	1	*		*		*		. *		*		*	

⁴ g/bhp-hr=grams per brake horsepower-hour; FTP=Federal Test Procedure; EURO=Euro III European Steady-State Cycle; NTE=Not-to-Exceed emission limit; STD=standard or emission test cap; FEL=family emission limit; CERT=certification level; NMHC/HC=non-methane/hydrocarbon; NOx=oxides of nitrogen; CO=carbon monoxide; PM=particulate matter; HCHO=formaldehyde;

BE IT FURTHER RESOLVED: That the listed engine family is certified to the Optional Low NOx Emission Standards as specified in 13 CCR 1956.8(c)(1)(B) and section 10.B.1 of the incorporated "California Exhaust Emission Standards and Test Procedures for 2004 and Subsequent Model Heavy-Duty Otto-Cycle Engines and Vehicles" adopted Dec. 27, 2000, as last amended Sep. 1, 2017.

BE IT FURTHER RESOLVED: For the listed vehicle models the manufacturer has submitted the materials to demonstrate certification compliance with 13 CCR 1965 (emission control labels), 13 CCR 1971.1 (on-board diagnostic), 13 CCR 1976(b)(1)(F) {evaporative emission standards}, 13 CCR 2035 et seq. (emission control warranty), and 13 CCR 2235 [fill pipes and openings of motor vehicle fuel tanks]. (The braces { } are for gasoline, LPG or alcohol fueled vehicles only.)

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

This Executive Order hereby supersedes Executive Order A-344-0075 dated May 15, 2017.

Executed at El Monte, California on this

day of December 2017.

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

³ ECS=emission control system; TWC/OC=three-way/oxldizing catalyst; WU (prefix) =warm-up catalyst; WR-HO2S=wide range oxygen sensor; DPF=dlesel particulate filter; HO2S/O2S=heated/oxygen sensor; HAFS/AFS=heated/air-fuel-ratio sensor (a.k.a., universal or linear oxygen sensor); TBI=throttle body fuel injection; SFI/MFI=sequential/multi port fuel injection; OSeasonine injection; DRAB=gaseous carburetor; IDI/DDI=indired sele injection; TC/SC=turbo/super charger; CAC=charge air cooler; EGR=exhaust gas recirculation; PAIR/AIR=pulsed/secondary air injection; SPL=smoke puff limiter; ECM/PCM=engine/powertrain control module; EM=engine modification; 2 (prefix)=parallel; (2) (suffix)=in