

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-14-012:

IT IS ORDERED AND RESOLVED: The following on-road motor vehicles with a manufacturer's GVWR over 14000 pounds are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

						ENG	INE DESC	RIPTIO	N			
MANUFACTURER		EXECUTIVE ORDER		DEL EN	SINE FAMILY	ENGINE SIZES (L)	FUEL TY'PE 1		STANDARDS & TEST PROCEDURE	INTENDED SERVICE CLASS ²	ECS & SPECIAL FEATURES 3	OBD COMPLIANCE 4
POWER SOLUTIONS INTERNATIONAL INC.			20)18 JP	SIE08.8GAS	8.8	Gasoline		Otto	HDO	ECM, TWC, 2HO2S(2), SFI	OBD(\$)
Gasoline, LPG o	nol Vehicle	s	VEHICLE DESCRIPTION									
EVAPORATIVE			UEL TANK VE				LAKE A MODEL S		ΙE	ENGINE MODELS / CODES (rated power, in hp)		
FAMILY	UL (K)	CAPACITY (gallons)		MODEL VEHICLE YEAR		MAKE & MODELS		(L)				
JNVXF0424P01	150	60, 10		2018	IC Bu	E S	8.8		8.8L-NA / 8800GAS (265)			

=not applicable GVWR=gross vehicle weight rating 13 CCR xyz=Title 13. California Code of Regulations, Section xyz, 40 CFR 86.abc=Title 40. Code of Federal Regulations, Section 86 abc L=liter K=1000 miles, hp=horsepower, kw=kilowatt

1 CNG/LNG=compressed/liquefied natural gas, LPG=liquefied petroleum gas, E85=85% ethanol fuel, MF=multi fuel a k a BF=bi fuel, DF=dual fuel, FF=flexible fuel;

L/M/H HDD=light/medium/heavy heavy-duty diesel: UB=urban bus, HDO=heavy duty Otto,

Following are: 1) the FTP exhaust emission standards or family emission limit(s) as applicable under 13 CCR 1956.1 (urban bus) or 13 CCR 1956.8 (other than urban bus); 2) the SET and NTE limits under the applicable California exhaust emission standards and test procedures for heavy-duty diesel engines and vehicles (Test Procedures); and 3) the corresponding certification levels, in g/bhp-hr, for this engine family. "Diesel" CO, SET and NTE certification compliance may have been demonstrated by the manufacturer as provided under the applicable Test Procedures in lieu of testing. (For flexible- and dual-fueled engines, the CERT values in brackets [] are those when tested on conventional test fuel. For multi-fueled engines, the STD and CERT values for default operation permitted in 13 CCR 1956.1 or 13 CCR 1956.8 are in parentheses.)

	NMHC		NOx		NMHC+NOx		со		PM		нсно	
	FTP	SET	FTP	SET	FTP	SET	FTP	SET	FTP	SET	FTP	SET
STD	0.14	•	0.20	*	*	*	14.4	*	0.01	•	0.01	*
CERT	0.08	*	0.04		*	*	3.7	*	0.002	*	0.000	*
NTE	*		*		•		*		*		*	

g/bhp-hr=grams per brake horsepower-hour, FTP=Federal Test Procedure; EURO=Euro III European Steady-State Cycle; NTE=Not-to-Exceed emission limit; STD=standard or emission test cap. FEL=family emission limit; CERT=certification level, NMHC/HC=non-methane/hydrocarbon; NOx=oxides of nitrogen, CO=carbon monoxide; PM=particulate matter; HCHO=formaldehyde

BE IT FURTHER RESOLVED: That the listed engine family is certified to the Optional Low NOx Emission Standards as specified in 13 CCR 1956.8(c)(1)(B) and section 10.B.1 of the incorporated "California Exhaust Emission Standards and Test Procedures for 2004 and Subsequent Model Heavy-Duty Otto-Cycle Engines and Vehicles" adopted Dec. 27, 2000, as last amended Sep. 1, 2017.

BE IT FURTHER RESOLVED: For the listed vehicle models the manufacturer has submitted the materials to demonstrate certification compliance with 13 CCR 1965 (emission control labels), 13 CCR 1971.1 (on-board diagnostic), 13 CCR 1976(b)(1)(F) {evaporative emission standards}, 13 CCR 2035 et seq. (emission control warranty), and 13 CCR 2235 [fill pipes and openings of motor vehicle fuel tanks]. (The braces { } are for gasoline, LPG or alcohol fueled vehicles only. The brackets [] are for gasoline or alcohol fueled vehicles only.)

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this

lay of Japuary 2018.

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

³ ECS=emission control system TWC/OC=three-way/oxidizing catalyst, WU (prefix) =warm-up catalyst, WR-HO2S=wide range oxygen sensor; DPF=diesel particulate filter; HO2S/O2S=heated/oxygen sensor; HAFS/AFS=heated/air-fuel-ratio sensor (a k.a. universal or linear oxygen sensor); TBI=throttle body fuel injection, SFIMFI=sequential/multi port fuel injection, DGI=direct gasoline injection, GCABE=gaseous carburetor IDI/DDI=indirect/direct diesel injection, TC/SC=turbo/super charger, CAC=charge air cooler; EGR=xhaust gas recirculation, PAIR/AIR=pulsed/secondary air injection, SPL=smoke puff limiter; ECM/PCM=engine/powertrain control module. EM=engine modification, 2 (prefix)=parallel; (2) (suffix)=initiation. EMD=engine manufacturer diagnostic system; OBD(F) / (P) / (\$)=full / partial / partial with fine / on-board diagnostic