State of California AIR RESOURCES BOARD

EXECUTIVE ORDER U-R-1-10

Relating to Certification of New Heavy-Duty Off-Road Equipment Engines

CATERPILLAR, INC.

Pursuant to the authority vested in the Air Resources Board by Sections 43000.5, 43013 and 43018 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following Caterpillar, Inc. 1996 modelyear engine, with rated power between 175 and 750 horsepower, and exhaust emission control systems are certified as described below for use in heavy-duty off-road equipment:

<u>Typical Equipment Usage</u>: Track-Type Tractor, Track-Type Loader, Wheel

Loader, Wheel Tractor, Truck, Scraper

Fuel Type: Diesel

Engine Family	Liters (C	ubic Inches)	Exhaust Emission Control Systems and Special Features
TCP18.RZDBRN	18.0	(1099)	Turbocharger Engine Control Module Charge Air Cooler

Engine models and codes are listed on attachments. Production engines shall be in all material respects the same as those for which certification is granted.

The total hydrocarbons (THC), carbon monoxide (CO), nitrogen oxides (NOx), and particulate matters (PM) certification exhaust emission standards, in grams per brake horsepower-hour (g/bhp-hr), and the opacity of smoke emission standards, in percent (%), during acceleration (Accel), lugging (Lug), and peak (Peak) modes, for this engine family are (Title 13, California Code of Regulations, Section 2423):

Exhaust Emissions (g/bhp-hr)				Smoke Opacity (%)				
<u>THC</u>	<u>CO</u>	<u>NOx</u>	<u>PM</u>	<u>Accel</u>	<u>Luq</u>	<u>Peak</u>		
1.0	8.5	6.9	0.4	20	15	50		

The THC, CO, NOx and PM exhaust emission certification values, in g/bhp-hr, and the opacity of smoke emission certification values, in percent (%), for this engine family are:

	<u>Exha</u>	ust Emiss	sion (g/bh	Smoke	(%)		
Engine Family	THC	<u>co</u>	<u>NOx</u>	<u>PM</u>	<u>Accel</u>	<u>Lug</u>	<u>Peak</u>
TCP18.RZDBRN	0.1	1.3	6.4	0.1	14	0	28

BE IT FURTHER RESOLVED: That the listed engine models comply with the "Exhaust Emission Standards and Test Procedures--Heavy-Duty Off-Road Diesel Cycle Engines" (Title 13, California Code of Regulations, Section 2423) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed engine models also comply with the "Emission Control Labels--1996 and Later Heavy-Duty Off-Road Diesel Cycle Engines" (Title 13, California Code of Regulations, Section 2424) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2425 et seq.).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this $\frac{13}{2}$

R. B. Summerfield

Assistant Division Chief Mobile Source Division

day of Nøvember 1995.

E.O. #	U-R-1-10

Page	1	of	1

1996 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY-DUTY OFF-ROAD DIESEL ENGINES

Manufacturer	turer Caterpil			ar Inc.		_ Engine Family			TCP18.RZDBRN			
Displacement 18.0 / 1099			Liters/Cubic Inches		Engir	Engine Configuration:			V8			
All Codes in Eng.	Family:	CA	4 9S		50S	XX	Cert Test	t Proced	lures:	ARB	EPA	XX
Valves/Ports per C	ylinder	2	valves/cyl.		St	trokes	per Combi	ustion C	ycle:	4	_	
Maximum Rated P	ower:	740	HP	(552	KW)	@		2100		RPM
Ignition: Compre	ssion X	X		Comp	ressio	n with	Glow Plug	;			Spark	
Fuel Type (s):	Dedicated		Flex-Fuel		Dual	-Fuel		Diesel	XX	M100		M85
	CNG		LNG	LPG		Oth	er (specify	/)				
Diesel Cert Fuel:	40 CFR 86	.1313-94	XX			Oth	er (specify	/)				
Primary Service E	quipment:	Track-ty Industr	_	Track-	type]	Γractor	s, Wheel I	Loaders,	Whe	el Tractors,	Trucks	, Scrapers,
Exhaust ECS (e.g.	, MFI, TC,	CAC):	EM, D	I, TC,	ЕСМ,	CAC						
				(Use a	bbrev	iations	per SAE	J1930 J	UN93)		

Engine Model (Eng. Code)	Rated HP @ RPM	Fuel Rate @ Rated HP mm³/stroke (lbs/hr)	Fuel Pump & Injector Part No.	ECM/PCM Part No.	EGR Valve Part No.	PTOX / Catalytic Converter Part No.
3408 DITA	740 @ 2100	MAX 302 (284.1)	1286905/1286905	1302941		
	675 @ 2100	264 (249.1)	1286905/1286905	1302941		
	625 @ 2100	245 (230.6)	1286905/1286905	1302941		
	575 @ 2100	228 (214.3)	1286905/1286905	1302941		
	525 @ 2100	214 (201.3)	1193166/1193166	1283114		
	487 @ 2100	203 (191.4)	1193166/1193166	1278497	***	****
	458 @ 2100	191 (171.2)	1193166/1193166	1266633		
	525 @ 2000	224 (201.1)	1193166/1193166	1361507		
•	515 @ 2000	216 (193.5)	1193166/1193166	1276280		
	474 @ 2000	191 (171.7)	1193166/1193166	1286009		
	442 @ 1900	195 (166.0)	1193166/1193166	1278493		
	442 @ 1900	195 (166.0)	1193166/1193166	1306138		
	418 @ 1900	176 (151.0)	1193166/1193166	1299436		
	400 @ 1800	MIN 176 (141.9)	1193166/1193166	1305751		
	(1)					

⁽¹⁾ See the attached 13.01.02.00 Page No. 13.01.02.00-TCP18.RZDBRN-1, for a complete rating listing.

ISSUE DATE		18 JUL 95								
REVISION NUMBER	1	2	3							
REVISION DATE	02 NOV 95	08 DEC 95	26 MAR 96							