State of California AIR RESOURCES BOARD

EXECUTIVE ORDER U-R-1-13

Relating to Certification of New Heavy-Duty Off-Road Equipment Engines CATERPILLAR, INC.

Pursuant to the authority vested in the Air Resources Board by Sections 43000.5, 43013 and 43018 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following Caterpillar, Inc. 1996 modelyear engine, with rated power between 175 and 750 horsepower, and exhaust emission control systems are certified as described below for use in heavyduty off-road equipment:

Typical Equipment Usage: Industrial Equipment

Fuel Type: Diesel

Engine Family	<u>Liters (C</u>	ubic <u>Inches)</u>	Exhaust Emission Control Systems and Special Features
TCP27.RZDBRJ	27.0	(1649)	Turbocharger Smoke Puff Limitter

Engine models and codes are listed on attachments. Production engines shall be in all material respects the same as those for which certification is granted.

The total hydrocarbons (THC), carbon monoxide (CO), nitrogen oxides (NOx), and particulate matters (PM) certification exhaust emission standards, in grams per brake horsepower-hour (g/bhp-hr), and the opacity of smoke emission standards, in percent (%), during acceleration (Accel), lugging (Lug), and peak (Peak) modes, for this engine family are (Title 13, California Code of Regulations, Section 2423):

Exha	<u>ust Emissi</u>	ons (g/bhp	Smoke	<u>Opacity</u>	(%)	
THC	<u>co</u>	<u>NOx</u>	<u>PM</u>	<u>Accel</u>	<u>Luq</u>	<u>Peak</u>
1.0	8.5	6.9	0.4	20	15	50

The THC, CO, NOx and PM exhaust emission certification values, in g/bhp-hr, and the opacity of smoke emission certification values, in percent (%), for this engine family are:

	Exhai	ıst Emiss	ion (g/bh	<u>Smoke</u>	Smoke Opacity (%)			
Engine Family	THC	<u>co</u> _	<u>NOx</u>	<u>PM</u>	<u>Accel</u>	Lug	<u>Peak</u>	
TCP27.RZDBRJ		2.2	5.5	0.3	18	6	29	

BE IT FURTHER RESOLVED: That the listed engine models comply with the "Exhaust Emission Standards and Test Procedures--Heavy-Duty Off-Road Diesel Cycle Engines" (Title 13, California Code of Regulations, Section 2423) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed engine models also comply with the "Emission Control Labels--1996 and Later Heavy-Duty Off-Road Diesel Cycle Engines" (Title 13, California Code of Regulations, Section 2424) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2425 et seq.).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this

day of Moyember 1995.

R. B. Summerfield Assistant Division Chief Mobile Source Division

Page	1	of	_1_
105-		-	

1996 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET **HEAVY-DUTY OFF-ROAD DIESEL ENGINES**

Manufacturer		Caterpilla	r Inc.		Engine Family			ີ່			
Displacement		27.0 / 1	/ 1649			rs/Cub	ic Inches	Engine Co	Engine Configuration:		V12
All Codes in Eng.	Family:	CA	498		50S	XX	Cert Test	Procedures	ARB	EPA	XX
Valves/Ports per C		2,	valves/cyl.		S	trokes	per Combu	istion Cycle	: 4		
Maximum Rated F		740	HP		•	552	KW)	@	1800		RPM
Ignition: Compression XX			Compression with Glow Plus				<u></u>	_	Spark		
Fuel Type (s):	Dedicated		Flex-Fuel	·	Dual	l-Fuel		Diesel XX	M100		M85
•••	ÇNO		LNG	LPG		Otl	ner (specify	/)		<u> </u>	
Diesel Cert Fuel:	40 CFR 8	36.1313-94	xx	, h.,		Qtl	ner (specify	n)			
Primary Service E	quipment:	Indu	strial	• • •			.,-				
Exhaust ECS (e.g.	,, MFI, TO	CAC):	ЕМ, Т	C, DI,	SPL						
				(Use a	bhres	/iation	s per SAE	J1930 JUN	93)		

Engine Model Rated HP (Eng. Code) @ RPM		Fuel Rate Fuel Pump @ Rated HP & Injector mm³/stroke Part No. (lbs/hr)		ECM/PCM Part No.	EGR Valve Part No.	PTOX / Catalytic Converter Part No.
3412 DITA	740 @ 2100	MAX 214 (303.0)	7E4862/1291351			
	650 @ 2100	182 (257.7)	7E4862/1291351			
	600 @ 2000	145 (194.8)	4W8680/1291351			
	560 @ 1800	142 (171.8)	4W8680/1291351	**-*		
	515 @ 1800	MIN 129 (155.7)	4W8680/1291351			
	(1)					

⁽¹⁾ See the attached Section 13.01.02.00, Page No. 13.01.02.00 - TCP27.RZDBRJ-1 for a complete rating list.

ISSUE DATE		 	24 O	CT 95		
REVISION NUMBER	1					
REVISION DATE	02 NOV 95					