Frele

(Page 1 of 2)

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER U-R-1-15

Relating to Certification of New Heavy-Duty Off-Road Equipment Engines CATERPILLAR, INC.

Pursuant to the authority vested in the Air Resources Board by Sections 43000.5, 43013 and 43018 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following Caterpillar, Inc. 1996 modelyear engine, with rated power between 175 and 750 horsepower, and exhaust emission control systems are certified as described below for use in heavyduty off-road equipment:

Typical Equipment Usage: Industrial Equipment

Fuel Type: Diesel

Engine Family	<u>Liters</u>	(Cubic Inches)	Exhaust Emission Control Systems and Special Features
TCP18.RZDBRJ	18.0	(1099)	Turbocharger Smoke Puff Limitter Charge Air Cooler

Engine models and codes are listed on attachments. Production engines shall be in all material respects the same as those for which certification is granted.

The total hydrocarbons (THC), carbon monoxide (CO), nitrogen oxides (NOx), and particulate matters (PM) certification exhaust emission standards, in grams per brake horsepower-hour (g/bhp-hr), and the opacity of smoke emission standards, in percent (%), during acceleration (Accel), lugging (Lug), and peak (Peak) modes, for this engine family are (Title 13, California Code of Regulations, Section 2423):

<u>Exha</u>	<u>ust Emissi</u>	ons (g/bhp	- <u>hr)</u>	Smoke	<u>Opacity</u>	(%)
THC	<u>co_</u>	<u>NOx</u>	<u>PM</u>	<u>Accel</u>	Lug	<u>Peak</u>
1.0	8.5	6.9	0.4	20	15	50

The THC, CO, NOx and PM exhaust emission certification values, in g/bhp-hr, and the opacity of smoke emission certification values, in percent (%), for this engine family are:

	Exhau	ıst Emiss	ion (g/bh	<u>Smoke</u>	<u>Opacity</u>	(%)	
Engine Family	<u>THC</u>	<u>co</u>	<u>NOx</u>	<u>PM</u>	<u>Accel</u>	<u>Luq</u>	<u>Peak</u>
TCP18.RZDBRJ	0.1	2.6	6.4	0.3	17	5	25

BE IT FURTHER RESOLVED: That the listed engine models comply with the "Exhaust Emission Standards and Test Procedures--Heavy-Duty Off-Road Diesel Cycle Engines" (Title 13, California Code of Regulations, Section 2423) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed engine models also comply with the "Emission Control Labels--1996 and Later Heavy-Duty Off-Road Diesel Cycle Engines" (Title 13, California Code of Regulations, Section 2424) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2425 et seq.).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

Executed at El Monte, California this _2(day of December 1995.

R. B. Summerfield

Assistant Division Chief Mobile Source Division

Page	1	of	1	
1 00,00				_

1996 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY-DUTY OFF-ROAD DIESEL ENGINES

	Caterpilla	r Inc.		Engi	ine Far	nily		TO	CP18.RZDB	RJ	
					rs/Cub	ic Inches	Engine	Cor	nfiguration:		V8
Family:	CA	498		50S	XX	Cert Test	t Procedu	res:	ARB	EPA	XX
	2	valves/cyl.		S	trokes	per Combi	ustion Cy	cle:	4		
=	535	НР	(399	KW)	@		2100		RPM
				Compression with Glow Plug			3		Spark _		
	1 ×	Flex-Fuel		Dual	-Fuel		Diesel	XX	M100		M85 _
		LNG	LPG		Otl	ner (specif	y)				
40 CFR 8	36.1313-94	XX	•		Otl	ier (specif	y)				
quipment:	Indust	rial	· 								
., MFI, TO	C, CAC):	EM, D	I, TC,	SPL,	CAC						
				bbrev	viation	s per SAE	J1930 JU	JN93	3)		
	Dedicated CNO 40 CFR 8	18.0 / 1 Family: CA Cylinder 2 Cower: 535 Ssion XX Dedicated X CNG 40 CFR 86.1313-94	Family: CA 49S Sylinder 2 valves/cyl. Power: 535 HP ssion XX Dedicated X Flex-Fuel CNG LNG 40 CFR 86.1313-94 XX quipment: Industrial	18.0 / 1099 Family: CA 49S Sylinder 2 valves/cyl. Power: 535 HP (Ssion XX Compression Dedicated ✓ Flex-Fuel	18.0 / 1099 Liter Family: CA 49S 50S Sylinder 2 valves/cyl. S Power: 535 HP (ession XX Compression Dedicated ✓ Flex-Fuel Dual CNG LNG LPG 40 CFR 86.1313-94 XX quipment: Industrial a., MFI, TC, CAC): EM, DI, TC, SPL,	18.0 / 1099 Liters/Cub Family: CA 49S 50S XX cylinder 2 valves/cyl. Strokes cower: 535 HP (399 ession XX Compression with Dedicated ★ Flex-Fuel Dual-Fuel CNG LNG LPG Otl 40 CFR 86.1313-94 XX Otl quipment: Industrial c., MFI, TC, CAC): EM, DI, TC, SPL, CAC	Family: CA 49S 50S XX Cert Test Sylinder 2 valves/cyl. Strokes per Combroscion XX Compression with Glow Plug Strokes Dedicated Flex-Fuel Dual-Fuel CNG LNG LPG Other (specification 40 CFR 86.1313-94 XX Other (specification MFI, TC, CAC): EM, DI, TC, SPL, CAC	Family: CA 49S 50S XX Cert Test Proceducy Strokes per Combustion Cyclower: 535 HP (399 KW) @ Session XX Compression with Glow Plug Dedicated Flex-Fuel Dual-Fuel Diesel CNG LNG LPG Other (specify) 40 CFR 86.1313-94 XX Other (specify) Quipment: Industrial Compression CNG EM, DI, TC, SPL, CAC	Table Tabl	Table Tabl	Tamily: CA

Engine Model (Eng. Code)	Rated HP @ RPM	Fuel Rate @ Rated HP mm³/stroke (lbs/lɪr)	Fuel Pump & Injector Part No.	ECM/PCM Part No.	EGR Valve Part No.	PTOX / Catalytic Converter Part No.
3408 DITA	535 @ 2100	MAX 222 (209.4)	4W0150/1291351			
	505 @ 2000	214 (191.8)	4W0150/1291351			
	425 @ 1800	MIN 191 (154.5)	4W0150/1291351			
	(1)					

(1) See the attached Section 13.01.02.00, Page No. 13.01.02.00 - TCP18.RZDBRJ-1 for a complete rating list.

ISSUE DATE		 	10 NO	OV 95		· - -	
REVISION NUMBER						 	
REVISION DATE					<u> </u>		