## State of California AIR RESOURCES BOARD

## EXECUTIVE ORDER U-R-1-4

Relating to Certification of New Heavy-Duty Off-Road Equipment Engines  $\overline{\phantom{a}}$ 

## CATERPILLAR, INC.

Pursuant to the authority vested in the Air Resources Board by Sections 43000.5, 43013 and 43018 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following Caterpillar, Inc. 1996 model-year engine, with rated power between 175 and 750 horsepower, and exhaust emission control systems are certified as described below for use in heavy-duty off-road equipment:

Typical Equipment Usage: Industrial Equipment

Fuel Type: Diesel

Engine Family	Liters (C	ubic Inches)	Exhaust Emission Control  Systems and Special Features
TCP10.RZDBRA	10.4	(636)	Turbocharger Smoke Puff Limitter

Engine models and codes are listed on attachments. Production engines shall be in all material respects the same as those for which certification is granted.

The total hydrocarbons (THC), carbon monoxide (CO), nitrogen oxides (NOx), and particulate matters (PM) certification exhaust emission standards, in grams per brake horsepower-hour (g/bhp-hr), and the opacity of smoke emission standards, in percent (%), during acceleration (Accel), lugging (Lug), and peak (Peak) modes, for this engine family are (Title 13, California Code of Regulations, Section 2423):

Exha	ust <u>Emissi</u>	ons (g/bhp·	<u>-hr)</u>	<u>Smoke</u>	<u>Opacity</u>	( % )
THC	CO	<u>NOx</u>	<u>PM</u>	<u>Accel</u>	Lug	<u>Peak</u>
1.0	8.5	6.9	0.4	20	15	50

The THC, CO, NOx and PM exhaust emission certification values, in g/bhp-hr, and the opacity of smoke emission certification values, in percent (%), for this engine family are:

cirro ong me	Exhau	ıst E <u>miss</u>	ion (g/bh	p-hr)	Smoke	Opacity_	( %_)
Engine Family	THC	<u>co_</u>	<u>NOx</u>	<u>PM</u>	<u>Accel</u>	<u>Luq</u>	<u>Peak</u>
	0.4	1.3	5.7	0.3	14	12	24

BE IT FURTHER RESOLVED: That the listed engine models comply with the "Exhaust Emission Standards and Test Procedures--Heavy-Duty Off-Road Diesel Cycle Engines" (Title 13, California Code of Regulations, Section 2423) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed engine models also comply with the "Emission Control Labels--1996 and Later Heavy-Duty Off-Road Diesel Cycle Engines" (Title 13, California Code of Regulations, Section 2424) for the aforementioned model year.

BE IT TURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2425 et seq.).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this  $13^7$ 

22/ Among

day of/November 1995.

( R. B. Summerfield Assistant Division Chief Mobile Source Division

E.O. #	U-R-1-4
--------	---------

Page	_1_	of	_1_
1 450			

## 1996 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY-DUTY OFF-ROAD DIESEL ENGINES

Manufacturer	Caterpillar Inc.			Engine Family			TCP10.RZDBRA				
Manufacturer Displacement		10.4 /			_		ic Inches	Engine C	onfiguration:		
All Codes in Eng.	Family:	CA	498		50S		•	Procedure		EPA	XX_
Valves/Ports per C		2 val	ves/cyl.		S	trokes	per Combi	istion Cycle	e:		
Maximum Rated P	·	260	HP	(	•	194	KW)	@ _	2600		RPM
Maximum Rated 1 Ignition: Compre		X		Compi	ressio	n with	Glow Plug	3		Spark	
Fuel Type (s):	Dedicated	<del></del>	Flex-Fuel			l-Fuel		Diesel X	<u>х</u> М100		_ M85
	CNG		LNG	LPG		Otl	her (specify	y)			
Diesel Cert Fuel:	40 CFR 86	 5.1313-94	XX	·		Otl	her (specify	y)	<u></u>		
Primary Service E	quipment:	Indu	strial								
Exhaust ECS (e.g		CAC):	EM, T	C, SPI	, DI	<u> </u>		. <u> </u>			<del>-</del>
				/T T	hhaa	iotion	a nor CAF	J1030 JUN	(93)		

(Use abbreviations per SAE J1930 JUN93)

Engine Model (Eng. Code)	Rated HP @ RPM	Fuel Rate  @ Rated HP  mm³/stroke  (lbs/hr)	Fuel Pump & Injector Part No.	ECM/PCM Part No.	EGR Valve Part No.	PTOX / Catalytic Converter Part No.
3208 DIT	260 @ 2600	MAX 91(106.3)	1229000/1229007			
5200 2 ==	250 @ 2800	88 (110.9)	1261042/1229007			
	225 @ 2600	79 (92.3)	1229000/1229007			
	200 @ 2400	72 (77.3)	1229000/1229007			
	175 @ 2200	66 (65.3)	1304744/1229007			
	150 @ 1800	65 (45.5)	1304744/1229007			
	125 @ 2400	48 (35.1)	1304744/1229007			
	(1)					
					!	

(1) See the attached Section 13.01.02.00, Page No. 13.01.02.00 - TCP10.RZDBRA-1, for a complete rating listing.

ISSUE DATE				18 JUL 95
REVISION NUMBER	1	2	3	
	02 NOV 95	13 DEC 95	110C <b>T</b> 96	