## State of California AIR RESOURCES BOARD

## **EXECUTIVE ORDER U-R-11-3**

Relating to Certification of New Heavy-Duty Off-Road Equipment Engines

## CASE CORPORATION

Pursuant to the authority vested in the Air Resources Board by Sections 43000.5, 43013 and 43018 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following Case Corporation 1996 modelyear engine, with rated power between 175 and 750 horsepower, and exhaust emission control systems are certified as described below for use in heavyduty off-road equipment:

Typical Equipment Usage:

Construction/Mining Trucks, Snow Groomers, Agricultural Tractors, Logging Equipment

Fuel Type: Diesel

Engine Family	<u>Liters</u>	(Cubic Inches)	Exhaust Emission Control Systems and Special Features
TX9505R6DTRC (B413)	8.3	(,505)	Turbocharger Charge Air Cooler

Engine models and codes are listed on attachments. Production engines shall be in all material respects the same as those for which certification is granted.

The total hydrocarbons (THC), carbon monoxide (CO), nitrogen oxides (NOx), and particulate matters (PM) certification exhaust emission standards, in grams per brake horsepower-hour (g/bhp-hr), and the opacity of smoke emission standards, in percent (%), during acceleration (Accel), lugging (Lug), and peak (Peak) modes, for this engine family are (Title 13, California Code of Regulations, Section 2423):

Exhaust Emissions (g/bhp-hr)			Smoke	<u>Opacity</u>	(%)_	
THC	<u>co</u>	<u>NOx</u>	<u>PM</u> _	<u>Accel</u>	<u>Lug</u>	<u>Peak</u>
1.0	8.5	6.9	0.4	20	15	50

The THC, CO, NOx and PM exhaust emission certification values, in g/bhp-hr, and the opacity of smoke emission certification values, in percent (%), for this engine family are:

	Exhaust Emission (g/bhp-hr)			Smoke	Smoke Opacity ( % )		
Engine Family	<u>THC</u>	<u>co</u>	<u>NOx</u>	<u>PM</u> _	<u>Accel</u>	<u>Lug</u>	<u>Peak</u>
TX9505R6DTRC (B413)	0.3	0.5	5.4	0.2	7	2	16

BE IT FURTHER RESOLVED: That the listed engine models comply with the "Exhaust Emission Standards and Test Procedures--Heavy-Duty Off-Road Diesel Cycle Engines" (Title 13, California Code of Regulations, Section 2423) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed engine models also comply with the "Emission Control Labels--1996 and Later Heavy-Duty Off-Road Diesel Cycle Engines" (Title 13, California Code of Regulations, Section 2424) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2425 et seq.).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

Executed at El Monte, California this 26 day of December 1995.

R. B. Summerfield
Assistant Division Chief
Mobile Source Division

E.O. #		<u>U-R-11-3</u>		
Page	1	of 1		

NOV 2 8 1995

## 1996 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY-DUTY OFF-ROAD DIESEL ENGINES CASE CORPORATION

Manufacturer_Ca	ase Corporatio	n	Engir	ne Family (B4	13) TX9505R6I	OTRC
			iters/Cubic Inches			
Displacement:_	505 <u>/</u>	0.3 H	Cert Tes	at Procedures:	ARB 🗖 EPA	ব
All Codes in E	ng Fam: CA 🗀	495 L 505 L	Cerc re-	ner Combustion	Cycle 4	_
Valves/Ports po	er Cylinder		Strokes	km/ g	2200	RPM
					Spar	·k [
Ignition: Com	pression 🛚	Compressi	on with Glow Plug			
Fuel Type(s):			Dual Fue			, woo [
	_		Other (specify			
			Other (specify			
Tractors			ining Trucks, Snow	Groomers,Loggi	ng Equipment	and AG
Exhaust ECS (e	.g., MFI, TC,	CAC):	TC,CAC			
			(use abbreviat	ions per SAE J	1930 JUN93)	PTOX /
Engine Model (Eng Code)	Rated HP @ RPM	Fuel Rate @ Rated HP mm³ / stroke (lbs/hr)	Fuel Pump & Injector Part No.	ECM/PCM Part No.	EGR Valve Part No.	Catalytic Converter Part No.
<u>)62</u> c8.3-c	240 @ 2200	124.0(91.0)	FP 3929170 IN 3928229	N/A	N/A	N/A
C8.3-C	240 @ 2000	124.0(91.0)	FP 3931283 IN 3928229	N/A	N/A	N/A
C8.2-C	240 @ 2200	124.0(91.0)	FP 3926885 IN 3928229	N/A	N/A	N/A
C8.3-C	230 @ 2200	120.0(87.3)	FP 3927117 IN 3928229	N/A	N/A	N/A
2007 C8.3-C	215 @ 2200	110.4(80.6)	FP 3930454 IN 3928229	N/A	N/A	N/A
C8.3-C	215 @ 2200	110.4(80.6)	FP 3926882 IN 3928229	N/A	N/A	N/A
Date Issued: Revisions:				1		SURMITTED