(page 1 of 2)

## State of California AIR RESOURCES BOARD

## EXECUTIVE ORDER U-R-4-12

Relating to Certification of New Heavy-Duty Off-Road Equipment Engines

## DEERE POWER SYSTEM GROUP OF DEERE & COMPANY

Pursuant to the authority vested in the Air Resources Board by Sections 43000.5, 43013 and 43018 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following Deere Power System Group of Deere & Company 1996 model-year engine, with rated power between 175 and 750 horsepower, and exhaust emission control systems are certified as described below for use in heavy- duty off-road equipment:

Typical Equipment Usage: Wheel Loader

<u>Fuel Type</u>: Diesel

Engine Family	Liters (Cubic Inches)	Exhaust Emission Control Systems and Special Features
TJD10.RJDBRB	10.5 (644)	Turbocharger Charge Air Cooler Engine Control Module

Engine models and codes are listed on attachments. Production engines shall be in all material respects the same as those for which certification is granted.

The total hydrocarbons (THC), carbon monoxide (CO), nitrogen oxides (NOx), and particulate matters (PM) certification exhaust emission standards, in grams per brake horsepower-hour (g/bhp-hr), and the opacity of smoke emission standards, in percent (%), during acceleration (Accel), lugging (Lug), and peak (Peak) modes, for this engine family are (Title 13, California Code of Regulations, Section 2423):

Exhaust	Emissions	(g/bhp-hr)		<u>    Smoke  0</u>	pacity ( %	<u> </u>
<u>THC</u>	<u>co_</u>	<u>NOx</u>	<u>PM</u>	<u>Accel</u>	Lug	<u>Peak</u>
1.0	8.5	6.9	0.4	20	15	50

DEERE POWER SYSTEMS GROUP OF DEERE & COMPANY EXECUTIVE ORDER U-R-4-12 (Page 2 of 2)

The THC, CO, NOx and PM exhaust emission certification values, in g/bhp-hr, and the opacity of smoke emission certification values, in percent (%), for this engine family are:

	<u>Exhaust</u>	Emission	(g/bl	np-hr)	<u>Smoke</u>	<u>Dpacity</u>	( % )
Engine Family	THC	<u>co</u>	<u>NOx</u>	<u>PM</u>	<u>Accel</u>	Lug	<u>Peak</u>
TJD10.RJDBRB	0.2	1.0	5.7	0.1	14	3	28

BE IT FURTHER RESOLVED: That the listed engine models comply with the "Exhaust Emission Standards and Test Procedures--Heavy-Duty Off-Road Diesel Cycle Engines" (Title 13, California Code of Regulations, Section 2423) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed engine models also comply with the "Emission Control Labels--1996 and Later Heavy-Duty Off-Road Diesel Cycle Engines" (Title 13, California Code of Regulations, Section 2424) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2425 et seq.).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

Executed at El Monte, California this \_\_\_\_\_ day of August 1996.

Vin Konstelni for

R. B. Summerfield Assistant Division Chief Mobile Source Division

16.03.03 - 550AA

Page 1 of 1

## 1996 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY-DUTY OFF-ROAD DIESEL ENGINES

Mfgr: Deere Power Systems Group of Deere & Company Engine Family: TJD10.RJDBRB Displacement: 10.5 liters Eng Config: I-6 All Codes in Eng Fam: CA 49S 50S X Cert Test Procedures: ARB \_\_\_\_ EPA X Valves/Ports per Cylinder 4 Strokes per Combustion Cycle 4 Maximum Rated Power: 338 HP (252 kW) @ 2100 RPM Ignition: Compression X Compression with Glow Plug Spark Dedicated X Flex-Fuel Dual Fuel Diesel X M100 M85 Fuel Type(s): CNG \_\_\_\_ LNG \_\_\_\_ Other (specify) \_\_\_\_\_ Diesel Cert Fuel: 40 CFR 89.330-96(b)(2) Table 5 X Primary Service Equipment: Wheel Loader Exhaust ECS (e.g., MFI, TC, CAC): (Use abbreviations per SAE J1930 JUN93)

Engine Model (Eng Code)	Rated HP @ RPM	Fuel Rate @ Rated	Fuel Pump & Injector Part No.	ECM/ PCM	EGR Valve	PTOX / Catalytic
Era model. (550AA)		HP mm <sup>3</sup> / stroke (lbs/hr)		Part No.	Part No.	Converter Part No.
6105AF001A	338 @ 2100	168 (119)	RE63055	SW381		
6105DW01	283 @ 2000	151 (101)	RE64866 RE63055 RE64866	SW280		
6105AF001B	275 @ 2100	145 (101)	RE63055 RE64866	SW382		
6105AF001C	300 @ 2100	150 (106)	RE63055	SW383		
6105AF001D	325 @ 2100	162 (115)	RE64866 RE63055 RE64866	SW384		
Date Issued:				··	L	

Revisions:	1	1	1