State of California AIR RESOURCES BOARD

EXECUTIVE ORDER U-R-5-11

Relating to Certification of New Heavy-Duty Off-Road Equipment Engines

KOMATSU AMERICA INTERNATIONAL COMAPANY

Pursuant to the authority vested in the Air Resources Board by Sections 43000.5, 43013 and 43018 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following Komatsu America International Company 1996 model-year engine, with rated power between 175 and 750 horsepower, and exhaust emission control systems are certified as described below for use in heavy-duty off-road equipment:

Typical Equipment Usage: Construction Equipment

Fuel Type: Diesel

ider Type.			Exhaust Emission Control Systems and Special Features
Engine Family	<u>Liters</u>	(Cubic Inches)	Systems and Special Lord
TKL23.RZDARC (170)	23.2	(1409)	Turbocharger Charge Air Cooler
` '			

Engine models and codes are listed on attachments. Production engines shall be in all material respects the same as those for which certification is granted.

The total hydrocarbons (THC), carbon monoxide (CO), nitrogen oxides (NOx), and particulate matters (PM) certification exhaust emission standards, in grams per brake horsepower-hour (g/bhp-hr), and the opacity of smoke emission standards, in percent (%), during acceleration (Accel), lugging (Lug), and peak (Peak) modes, for this engine family are (Title 13, California Code of Regulations, Section 2423):

Exhaust Emissions (g/bhp-hr)			Smoke Opacity (%)			
THC	CO	<u>NOx</u>	<u>PM</u>	<u>Accel</u>	<u>Lug</u>	<u>Peak</u>
1.0	8.5	6.9	0.4	20	15	50

The THC, CO, NOx and PM exhaust emission certification values, in g/bhp-hr, and the opacity of smoke emission certification values, in percent (%), for this engine family are:

this engine ram					Cmalca	Onacity	(%)
Exhaust Emission (g/bhp-hr)				Smoke	Smoke Opacity (%)		
Engine Family	THC	CO_	<u>NOx</u>	<u>PM</u>	<u>Accel</u>	<u>Luq</u>	<u>Peak</u>
	0.2	1.4	5.9	0.2	16	7	22
TKL23.RZDARC (170)	0.2	2	-				

BE IT FURTHER RESOLVED: That the listed engine models comply with the "Exhaust Emission Standards and Test Procedures--Heavy-Duty Off-Road Diesel Cycle Engines" (Title 13, California Code of Regulations, Section 2423) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed engine models also comply with the "Emission Control Labels--1996 and Later Heavy-Duty Off-Road Diesel Cycle Engines" (Title 13, California Code of Regulations, Section 2424) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2425 et seq.).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

Executed at El Monte, California this _

__ day of February 1996.

R. B Summerfield

Assistant Division Chief Mobile Source Division

E.O.#_U-R-5-11						
Page _	1	of _	2			

199 6 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY-DUTY OFF-ROAD DIESEL ENGINES

Manufacturer <u>K</u> (OMATSU AMERICA	A INTERNATIONAL	COMPANY Eng	jine Family <u>'</u>	TKL23.RZDAR	C
Displacement:	23.2	/ 1409	Liters/Cubic I	inches En	g Config:	<u>1-6</u>
All Codes in I	Eng Fam: CA	49s 50s_	XX Cert	Test Proced	ures: ARB_	EPA XX
Valves/Ports	per Cylinder_	2	_ Stro	kes per Comb	ustion Cycl	e 4-STROKE
Maximum Rated	Power:	740	_HP (<u>552</u>	KW)	@21	.00 RPM
Ignition: Cor	mpression XX	Comp	ression with G	low Plug	_	Spark
Fuel Type(s):	Dedicated_X	_ Flex-Fuel	_ Dual-Fuel_	Die	sel <u>XX</u> M10	ю м85
	CNG L1	1GLPG	Other (spe	ecify)		
Diesel Cert F	uel: 40 CFR 8	36.1313-94 <u>XX</u>	Other (spe	ecify)		
Primary Service	ce Equipment:	CONSTRUCTIO	N EQUIPMENT			
Exhaust ECS (e.g., MFI, TC,	, CAC):DI,	TC, CAC			
•			(use abbreviat	ions per SAE	J1930 JUN9	93)
	1	Fuel Rate	Fuel Pump		EGR	PTOX /
Engine Model	Rated HP	Fuel Rate @Rated HP mm / stroke	& Injector	ECM/PCM	Valve	Catalytic
(Eng Code)	@ RPM	mm / stroke (lbs/hr)	Part No.	Part No.	Part No.	Converter Part No
SAA6D170E-2	740 @ 2100	375 (312.6)	6553-00-2300			1410 1101
(K6)	!		6162-15-3300			
(K7)	684 @ 2000	369 (307.6)	6553-00-2300			
(/		(33,77)	6162-15-3300			•
			•			
					1	
	Ì					
Date Issued:						
Revisions:				1		