State of California AIR RESOURCES BOARD

EXECUTIVE ORDER U-R-5-5

Relating to Certification of New Heavy-Duty Off-Road Equipment Engines

KOMATSU AMERICA INTERNATIONAL COMAPANY

Pursuant to the authority vested in the Air Resources Board by Sections 43000.5, 43013 and 43018 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following Komatsu America International Company 1996 model-year engine, with rated power between 175 and 750 horsepower, and exhaust emission control systems are certified as described below for use in heavy-duty off-road equipment:

<u>Typical Equipment Usage</u>: Generator

Fuel Type: Diesel

| Engine Family | Liters | (Cubic Inches) | Exhaust Emission Control Systems and Special Features |
|--------------------|--------|----------------|--|
| TKL11.RZDARC (125) | 11.0 | (672) | Turbocharger Charge Air Cooler |

Engine models and codes are listed on attachments. Production engines shall be in all material respects the same as those for which certification is granted.

The total hydrocarbons (THC), carbon monoxide (CO), nitrogen oxides (NOx), and particulate matters (PM) certification exhaust emission standards, in grams per brake horsepower-hour (g/bhp-hr), and the opacity of smoke emission standards, in percent (%), during acceleration (Accel), lugging (Lug), and peak (Peak) modes, for this engine family are (Title 13, California Code of Regulations, Section 2423):

| <u>Exhau</u> | ıst Emissi | ons (g/bhp | <u>-hr)</u> | Smoke | Opacity | (%) |
|--------------|------------|------------|-------------|-------|---------|-------------|
| THC | CO | <u>NOx</u> | <u>PM</u> | Accel | Luq | <u>Peak</u> |
| 1.0 | 8.5 | 6.9 | 0.4 | 20 | 15 | 50 |

The THC, CO, NOx and PM exhaust emission certification values, in g/bhp-hr, and the opacity of smoke emission certification values, in percent (%), for this engine family are:

| | Exhau | Exhaust Emission (g/bhp-hr) | | | Smoke Opacity (%) | | |
|--------------------|-------|-----------------------------|------------|-----------|-------------------|-----|-------------|
| Engine Family | THC | <u>co</u> | <u>NOx</u> | <u>PM</u> | Accel | Lug | <u>Peak</u> |
| TKL11.RZDARC (125) | 0.2 | 0.4 | 5.5 | 0.2 | | 5 | |

BE IT FURTHER RESOLVED: That the listed engine models comply with the "Exhaust Emission Standards and Test Procedures--Heavy-Duty Off-Road Diesel Cycle Engines" (Title 13, California Code of Regulations, Section 2423) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed engine models also comply with the "Emission Control Labels--1996 and Later Heavy-Duty Off-Road Diesel Cycle Engines" (Title 13, California Code of Regulations, Section 2424) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2425 et seq.).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

day of February 1996.

R. B. Summerfield

Assistant Division Chief Mobile Source Division

| E.O.#_ | U-R-5-5 |
|--------|---------|
| | |

Page <u>1</u> of <u>2</u>

199_6_ AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HRAVY-DUTY OFF-ROAD DIESEL ENGINES

ManufacturerKOMATSU AMERICA INTERNATIONAL COMPANY Engine Family TKL11.RZDARC Displacement: 11.0 / 672 Liters/Cubic Inches Eng Config: I-6 Cert Test Procedures: ARB EPA XX All Codes in Eng Fam: CA____ 49S___ 50S_XX_ Valves/Ports per Cylinder 2 Strokes per Combustion Cycle 4-STROKE Maximum Rated Power: 406 HP (303 KW) @ 1800 RPM Compression with Glow Plug____ Ignition: Compression XX Spark____ M85 Fuel Type(s): Dedicated X Flex-Fuel Dual-Fuel Diesel XX M100 LNG___ LPG___ Other (specify)_____ CNG___ Diesel Cert Fuel: 40 CFR 86.1313-94 XX Other (specify)_____ Primary Service Equipment: __GENERATOR Exhaust ECS (e.g., MFI, TC, CAC): TC, CAC (use abbreviations per SAR J1930 JUN93) EGR PTOX / Fuel Rate Fuel Pump @Rated HP ECM/PCM Valve Catalytic Engine Model Rated HP & Injector Part No. Part No. Part No. Converter (Eng Code) @ RPM mm / stroke Part No. (lbs/hr) 406 @ 1800 6152-72-1390 SA6D125E-2 238 (198.4) (K10) 6152-12-3200

Date Issued: Revisions: _