State of California AIR RESOURCES BOARD

EXECUTIVE ORDER U-R-1-33

Relating to Certification of New Heavy-Duty Off-Road Equipment Engines

CATERPILLAR, INC.

Pursuant to the authority vested in the Air Resources Board by Sections 43000.5, 43013 and 43018 of the Health and Safety Code; and,

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following Caterpillar, Inc. 1997 model-year engine, with rated power between 175 and 750 horsepower, and exhaust emission control systems are certified as described below for use in heavy-duty off-road equipment:

Typical Equipment Usage: Industrial Equipment

Fuel Type: Diesel

Engine Family	Liters	(Cubic Inches)	Exhaust Emission Control Systems and Special Features
VCP10.RZDARC	10.4	(636)	Turbocharger Smoke Puff Limiter Charge Air Cooler

Engine models and codes are listed on attachments. Production engines shall be in all material respects the same as those for which certification is granted.

The total hydrocarbons (THC), carbon monoxide (CO), nitrogen oxides (NOx), and particulate matters (PM) certification exhaust emission standards, in grams per brake horsepower-hour (g/bhp-hr), and the opacity of smoke emission standards, in percent (%), during acceleration (Accel), lugging (Lug), and peak (Peak) modes, for this engine family are (Title 13, California Code of Regulations, Section 2423):

<u>Exhaust</u>	<u>Emissi</u>	ons (g/b	ohp-hp)	<u>Smoke Opaciity</u>	(%)
<u>THC</u>	<u>CO</u>	<u>NOx</u>	<u>PM</u>	<u>Accel</u> <u>Lug</u>	<u>Peak</u>
1.0	8.5	6.9	0.4	20 15	50

The THC, CO, NOx and PM exhaust emission certification values, in g/bhp-hr, and the opacity of smoke emission certification values, in percent (%), for this engine family are:

<u>Exhaust Er</u>	<u>nission</u>	Smok	e Opacity	(%)			
Engine Family	THC	<u>co</u>	<u>N0x</u>	РМ	<u>Accel</u>	Lug	<u>Peak</u>
VCP10.RZDARC	0.4	1.6	6.6	0.3	15	13	19

BE IT FURTHER RESOLVED: That the listed engine models comply with the "Exhaust Emission Standards and Test Procedures--Heavy-Duty Off-Road Diesel Cycle Engines" (Title 13, California Code of Regulations, Section 2423) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed engine models also comply with the "Emission Control Labels--1996 and Later Heavy-Duty Off-Road Diesel Cycle Engines" (Title 13, California Code of Regulations, Section 2424) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2425 et seq.).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

Executed at El Monte, California this _

day of December 1996.

R. B. Summerfield, Chief

Mobile Source Operations Division

1997 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY-DUTY OFF-ROAD DIESEL ENGINES

Manufacturer Caterpilla			ar Inc.	Engine Family				VCP10.RZDARC				
Displacement		10.4 /	636	Liters/Cubic Inches Engine Co			ne Co	onfiguration:		V8		
All Codes in Eng.	Family:	CA	498		50S	XX	Cert Te	st Procee	lures:	ARB	EPA	XX
Valves/Ports per (ylinder	2 va	lves/cyl.		•		per Comb				•	
Maximum Rated I	Power:	330	HP	(246	KW) @		2600		RPM
Ignition: Compre	ession	¢χ		Comp	essio	n with	Glow Plu	g		\$	Spark	•
Fuel Type (s):	Dedicated	X	Flex-Fuel		Dual	-Fuel	* •	Diesel	XX	M100	-	M85
	CNG		LNG	LPG		Oth	—— er (specif	ỳ)				· . —
Diesel Cert Fuel:	40 CFR 86	5.1313-94	xx			•	er (specif			*****		
Primary Service E	quipment:	Indu	strial				_					
Exhaust ECS (e.g	., MFI, TC,	CAC):	ЕМ, Т	C, SPL	, DI,	CAC					111.4.4	
		•		(Use al	hhrev	iations	ner SAE	T1030 I	TINO2			

Engine Model (Eng. Code)	Rated HP @ RPM	Fuel Rate @ Rated HP mm³/stroke (lbs/hr)	Fuel Pump & Injector Part No.	ECM/PCM Part No.	EGR Valve Part No.	PTOX / Catalytic Converter Part No.
3208 (1)	MAX 330 @ 2600	104 (121.4)	1367058/1333896			
3208 (2)	310 @ 2600	97 (113.6)	1367058/1333896			
3208 (3)	315 @ 2400	103 (111.1)	1367058/1333896			
3208 (4)	300 @ 2400	98 (105.6)	1367058/1333896			
3208 (5)	280 @ 2200	97 (95.4)	1367058/1333896			
3208 (6)	MTN 250 @ 2200	86 (85.0)	1367058/1333896			
				·		
		,		:		

ISSUE DATE		03 SE	PT 96	 	
REVISION NO.					
REVISION DATE					