

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER U-R-12-12

Relating to Certification of New Heavy-Duty Off-Road Equipment Engines

NAVISTAR INTERNATIONAL TRANSPORTATION CORPORATION

Pursuant to the authority vested in the Air Resources Board by Sections 43000.5, 43013 and 43018 of the Health and Safety Code; and,

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following Navistar International Transportation Corporation 1997 model-year engine, with rated power between 175 and 750 horsepower, and exhaust emission control systems are certified as described below for use in heavy-duty off-road equipment:

Typical Equipment Usage: Generator

Fuel Type: Diesel

<u>Engine Family</u>	<u>Liters (Cubic Inches)</u>	<u>Exhaust Emission Control Systems and Special Features</u>
VNV530R6DASD	8.7 (530)	Turbocharger

Engine models and codes are listed on attachments. Production engines shall be in all material respects the same as those for which certification is granted.

The total hydrocarbons (THC), carbon monoxide (CO), nitrogen oxides (NOx), and particulate matters (PM) certification exhaust emission standards, in grams per brake horsepower-hour (g/bhp-hr), and the opacity of smoke emission standards, in percent (%), during acceleration (Accel), lugging (Lug), and peak (Peak) modes, for this engine family are (Title 13, California Code of Regulations, Section 2423):

<u>Exhaust Emissions (g/bhp-hp)</u>				<u>Smoke Opacity (%)</u>		
<u>THC</u>	<u>CO</u>	<u>NOx</u>	<u>PM</u>	<u>Accel</u>	<u>Lug</u>	<u>Peak</u>
1.0	8.5	6.9	0.4	20	15	50

The THC, CO, NOx and PM exhaust emission certification values, in g/bhp-hr, and the opacity of smoke emission certification values, in percent (%), for this engine family are:

<u>Exhaust Emissions (g/bhp-hr)</u>					<u>Smoke Opacity (%)</u>		
<u>Engine Family</u>	<u>THC</u>	<u>CO</u>	<u>NOx</u>	<u>PM</u>	<u>Accel</u>	<u>Lug</u>	<u>Peak</u>
VNV530R6DASD	0.2	0.6	5.5	0.1	-	4	-


BE IT FURTHER RESOLVED: That the listed engine models comply with the "Exhaust Emission Standards and Test Procedures--Heavy-Duty Off-Road Diesel Cycle Engines" (Title 13, California Code of Regulations, Section 2423) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed engine models also comply with the "Emission Control Labels--1996 and Later Heavy-Duty Off-Road Diesel Cycle Engines" (Title 13, California Code of Regulations, Section 2424) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2425 et seq.).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

Executed at El Monte, California this 16th day of December 1996.


R. B. Summerfield, Chief
Mobile Source Operations Division

1997 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
HEAVY-DUTY OFF-ROAD DIESEL ENGINES

Manufacturer Navistar International Transportation Corp. Engine Family VNV530R6DASD
 Displacement : 8.7 / 530 Liters / Cubic Inches Engine Configuration: I - 6
 All Eng Codes in Eng Family: CA 49 50S X Cert Test Procedures: ARB X EPA X
 Valves / Ports per Cylinder 2 valves / cylinder Stroke per Combustion Cycle 4 - stroke
 Maximum Rated Power 230 HP @ 1800 RPM (172 KW) @ 1800 RPM
 Ignition: Compression X Compression with Glow Plug Spark
 Fuel Types: Dedicated X Flex-Fuel Dual-Fuel Gasoline Diesel X M100
 M85 CNG LNG LPG Other (specify)
 Diesel Cert Fuel: 40 CFR 86.1313-94 X Other (specify)
 Primary Service Equipment: Generators
 Exhaust ECS (e.g. , MFI, TC, CAC) : EM DI TC

(Use abbreviations per SAE J1930 JUN93)

Engine Mode (Eng. Code)	Rated HP @ RPM	Fuel Rate @ Rated HP mm ³ / stroke (lbs/hr)	Fuel Pump & Injector Part No.	ECM / PCM Part No.	EGR Valve Part No.	PTOX / Catalytic Converter Part No.
GA230	230 @ 1800	139.2 (84.0)	Pumps 1823837C91F, * C92F, Nozzles 1822141C91			
GA205	205 @ 1800	124.1 (74.9)	Pumps 1823837C91H, * C92H Nozzles 1822141C91			

Date Issued : 10/30/96

Revisions : *3/25/97 | | | | | | | |