State of California AIR RESOURCES BOARD

EXECUTIVE ORDER U-R-4-21

Relating to Certification of New Heavy-Duty Off-Road Equipment Engines

DEERE POWER SYSTEM GROUP OF DEERE & COMPANY

Pursuant to the authority vested in the Air Resources Board by Sections 43000.5, 43013 and 43018 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following Deere Power System Group of Deere & Company 1997 model-year engine, with rated power between 175 and 750 horsepower, and exhaust emission control systems are certified as described below for use in heavy- duty off-road equipment:

Typical Equipment Usage: Tractor

Fuel Type: Diesel

Engine Family	Displacement in Liters	Exhaust Emission Control Systems and Special Features
VJD7.6R6DBRB (400AA)	7.6	Turbocharger Charge Air Cooler

Engine models and codes are listed on attachments. Production engines shall be in all material respects the same as those for which certification is granted.

The total hydrocarbons (THC), carbon monoxide (CO), nitrogen oxides (NOx), and particulate matters (PM) certification exhaust emission standards, in grams per brake horsepower-hour (g/bhp-hr), and the opacity of smoke emission standards, in percent (%), during acceleration (Accel), lugging (Lug), and peak (Peak) modes, for this engine family are (Title 13, California Code of Regulations, Section 2423):

Exhaust Emissions (g/bhp-hr)				State Opacity (8)			
THC	<u>CO</u>	NOx	<u>PM</u> _	<u>Accel</u>	Lug	P <u>eak</u>	
1.0	8.5	6.9	0.4	20	15	50	

The THC, CO, NOx and PM exhaust emission certification values, in g/bhp-hr, and the opacity of smoke emission certification values, in percent (%), for this engine family are:

	Exhaust	Emission	ı (a/pı	np-hr)	Smoke_C	pacity	(%)
Engine Family	THC	<u>CO</u>	<u>NOx</u>	<u>PM</u>	<u>Accel</u>	Lug	<u>Peak</u>
VJD7.6R6DBRB (400AA)	0.4	2.7	6.1	0.2	14	13	25

BE IT FURTHER RESOLVED: That the listed engine models comply with the "Exhaust Emission Standards and Test Procedures -- Heavy-Duty Off-Road Diesel Cycle Engines" (Title 13, California Code of Regulations, Section 2423) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed engine models also comply with the "Emission Control Labels--1996 and Later Heavy-Duty Off-Road Diesel Cycle Engines" (Title 13, California Code of Regulations, Section 2424) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2425 et seq.).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

Executed at El Monte, California this _______ day of December 1996.

R.\B. Summerfield, Chief

Mobile Source Operations Division

LARGE ENGINE MODEL SUMMARY

A15

Deere Power Systems Group of Deere & Manufacturer:

Company

VJD7.6R6DBRB EPA Engine Family:

Manufacturer Family Name:

400AA

Emission Control Device Per SAE J1930

Fuel Rate; (lbs/hr) © peak torque

Torque O RPM (SEA Gross)

826@1400 800@1400 706@1400 800@1400

636@1200 796@1200 80@2200

EM, TC, CAC EM, TC, CAC EM, TC, CAC

50@1200_ 63@1200

EM, TC, CAC

65@1400 74@1400__

74@1400 77@1400

EM, TC, CAC EM, TC, CAC

85@2200

128@2200 98@2200

188@2200 232@2200

C. California Codes

B. Federal Codes

225@2200

256@2200

6076AN031 6076ADW31 6076AT030

90@2200 73@2200

121@2200

256@2200 261@2200

107@2200

121@2200

90@2200

124@2200

Fuel Rate; mm/stroke © peak brque

163@1400 57@1400 139@1400 157@1400 39 @ 1200 160@1200

Fuel Pate: (bs/hr) @ peak HP (for desels only)

92@2200

Fuol Rate: mm/stroke @ peak HP (for diesel only)

BHP ORPM (SAE Gross)

Engine Modei

Engine Code A. 50 State Codes 6076AF030A 6076AF030B 6076AF030C