Flels

(Page 1 of 2)

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER U-R-9-4

Relating to Certification of New Heavy-Duty Off-Road Equipment Engines

MITSUBISHI MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by Sections 43000.5, 43013 and 43018 of the Health and Safety Code; and,

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following Mitsubishi Motors Corporation 1997 model-year engine, with rated power between 175 and 750 horsepower, and exhaust emission control systems are certified as described below for use in heavy-duty off-road equipment:

Typical Equipment Usage: Rough Terrain Crane

Fuel Type: Diesel

| Engine Family | Liters | (Cubic Inches) | Exhaust Emission Control Systems and Special Features |
|---------------|--------|----------------|---|
| VMT460R6DARA | 7.5 | (460) | Turbocharger Charge Air Cooler |

Engine models and codes are listed on attachments. Production engines shall be in all material respects the same as those for which certification is granted.

The total hydrocarbons (THC), carbon monoxide (CO), nitrogen oxides (NOx), and particulate matter (PM) certification exhaust emission standards, in grams per brake horsepower-hour (g/bhp-hr), and the opacity of smoke emission standards, in percent (%), during acceleration (Accel), lugging (Lug), and peak (Peak) modes, for this engine family are (Title 13, California Code of Regulations, Section 2423):

| Exhaust Emissions (q/bhp-hp) | | | Smoke | Smoke Opaciity (%) | | | |
|------------------------------|-----------|------------|-----------|--------------------|-----|-------------|--|
| THC | <u>CO</u> | <u>NOx</u> | <u>PM</u> | <u>Accel</u> | Lug | <u>Peak</u> | |
| 1.0 | 8.5 | 6.9 | 0.4 | 20 | 15 | 50 | |

The THC, CO, NOx and PM exhaust emission certification values, in g/bhp-hr, and the opacity of smoke emission certification values, in percent (%), for this engine family are:

| Exhaust Emissions (g/bhp-hr) | | | ohp-hr) | Smoke Opacity (%) | | |
|------------------------------|-----------|------------|-----------|-----------------------|--|--|
| THC | <u>CO</u> | <u>NOx</u> | <u>PM</u> | <u>Accel Luq Peak</u> | | |
| 0.6 | 0.7 | 6.1 | 0.2 | 14 2 28 | | |

BE IT FURTHER RESOLVED: That the listed engine models comply with the "Exhaust Emission Standards and Test Procedures--Heavy-Duty Off-Road Diesel Cycle Engines" (Title 13, California Code of Regulations, Section 2423) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed engine models also comply with the "Emission Control Labels--1996 and Later Heavy-Duty Off-Road Diesel Cycle Engines" (Title 13, California Code of Regulations, Section 2424) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2425 et seq.).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

Executed at El Monte, California this 30

R. B. Summerfield, Chief

Mobile Source Operations Division

day of January 1997.

1997 MODEL-YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY-DUTY OFF-ROAD DIESEL EVOLVES

| manulacturer: | Micsubishi | Motors Corporat | ion Engine F | amily: VMT4 | 60 2 6DARA | |
|-------------------------|-------------------|--|------------------------|---------------|-------------------|-----------------------|
| Displacement: | 7.5 | / 460 L | iters/Cubic Incl | nes Eng | Config: 14 | /OUU |
| All Eng Codes | in Eng Fami | ly: CA49_ | 50S xx | Cart Tast Pr | Ocaduras: 123 | /Onv |
| Valves/Ports | per Cylinder | : 2 valves/cyl | Stroke | es ner Combus | tion Cuala | XX EFA |
| Maximum Rated | Power: | 247 HP | (184 | vu) | cron cycle:_ | 4-stroke |
| Ignition: Con | mpression | | Compression with | Class Plan | g2,800 | RPRP |
| Fuel Type(s): | Dedicated | Flex-Fuel | Compression with | r Grow Flug | <u>xx</u> | Spark |
| | CNG | ING IRC | Dual-ruel | Dies | erxx WIO | 0 <u> </u> |
| Diesel Cert Fo | uel: 40 CF | LNG LPG | | er(specify)_ | | |
| Primary Service | ce Fauinment | R 86.1313-94 <u>xx</u> : <u>Rough Terra</u> | · Off | er(specify)_ | | |
| Exhaust ECS (a | e of Ect | ROUGH TETT | in Crane | | | |
| | | R, PTOX, IFI, TO | | | | |
| | | | (Us | e abbreviatio | ons per SAE . | 11930 JUN93) |
| | | | | | | |
| Engine Wed-1 | | Fuel Rate | Fuel Pump | <u> </u> | EGR | PTOX / |
| Engine Model (Eng Code) | Rated HP @ RPM | @ Rated HP mm³ / stroke | & Injector Part No. | ECM/PCM | Valve | Catalytic |
| | | (lbs/hr) | rate No. | Part No. | Part No. | Converter Part No. |
| | | | | - | | 1410 30. |
| 6D16TLEA-US97 | 247 HP | 101 mm³/st | T/2 | | | |
| | ì | (95.4 lbs/hr) | I/P ME078397 | N/A | N/A | N/A |
| | 2,000 lput | (90,4 lbs/nr) | I/N | | | |
| | | | ME078066 | | | |
| | | | | | į | |
| | - | | | | | |
| • | j | | ļ | | | |
| | 1 | | | | | |
| |] | | | | | |
| | | j | | | | |
| | į | | | ! | | |
| ĺ | | į | | | | |
| | | | | İ | | |
| | | | | , | | |
| | | | | : | į | |
| | | | | | | |
| | | | ĺ | | | |
| ate Issued: | | <u>.</u> | | | | |
| evisions: | | | | | | |

I/P : Fuel Injection Pump I/N : Fuel Injection Nozzle