(Page 1 of 2)

## State of California AIR RESOURCES BOARD

### EXECUTIVE ORDER U-R-18-4

Relating to Certification of New Heavy-Duty Off-Road Equipment Engines

#### LIEBHERR MACHINES BULLE

Pursuant to the authority vested in the Air Resources Board by Sections 43000.5, 43013 and 43018 of the Health and Safety Code; and,

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following Liebherr Machines Bulle 1997 model-year engine, with rated power between 175 and 750 horsepower, and exhaust emission control systems are certified as described below for use in heavy-duty off-road equipment:

Typical Equipment Usage: Excavator, Loader, Tractor, Rough Terrain Crane

Fuel Type: Diesel

Engine Family Liters (Cubic Inches)

VLH9.9R6DARA

9.9/6.6 (608/405)

Turbocharger
Charge Air Cooler
Smoke Puff Limiter

Engine models and codes are listed on attachments. Production engines shall be in all material respects the same as those for which certification is granted.

The total hydrocarbons (THC), carbon monoxide (CO), nitrogen oxides (NOx), and particulate matter (PM) certification exhaust emission standards, in grams per brake horsepower-hour (g/bhp-hr), and the opacity of smoke emission standards, in percent (%), during acceleration (Accel), lugging (Lug), and peak (Peak) modes, for this engine family are (Title 13, California Code of Regulations, Section 2423):

Exhaust Emissions (q/bhp-hp)			Smoke	Smoke Opaciity (%)			
<u>THC</u>	<u>co</u>	<u>N0x</u>	<u>PM</u>	<u>Accel</u>	<u>Luq</u>	<u>Peak</u>	
1.0	8.5	6.9	0.4	20	15	50	

The THC, CO, NOx and PM exhaust emission certification values, in g/bhp-hr, and the opacity of smoke emission certification values, in percent (%), for this engine family are:

<u>Exhaus</u>	Exhaust Emissions (g/bhp-hp)			<u>Smoke</u>	Smoke Opacity (%)			
THC	<u>CO</u>	<u>NOx</u>	<u>PM</u>	<u>Accel</u>	Lug	<u>Peak</u>		
0.3	0.5	4.2	0.1	15	6	44		

BE IT FURTHER RESOLVED: That the listed engine models comply with the "Exhaust Emission Standards and Test Procedures--Heavy-Duty Off-Road Diesel Cycle Engines" (Title 13, California Code of Regulations, Section 2423) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed engine models also comply with the "Emission Control Labels--1996 and Later Heavy-Duty Off-Road Diesel Cycle Engines" (Title 13, California Code of Regulations, Section 2424) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2425 et seq.).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

Executed at El Monte, California this 4 day of February 1997.

....

R. B. Summerfield, Chief

Mobile Source Operations Division

E.O. # U-R-18-4

Page 1 of 2

# 1997 AIR RESOURCE BOARD SUPPLEMENTAL DATA SHEET

## HEAVY-DUTY OFF-ROAD DIESEL ENGINES

Manufacturer: Liebherr Machines Bulle \_\_\_\_ Engine Family : VLH9.9R6DARA Displacement: 9.96 (608) / 6.64 (405) Liters / Cubic Inches Engine Conf : 16 (14) Valves / Ports per Cylinder: 2 valves per cylinder Stroke per Combustion Cycle: 4-stroke CA 49S 50Sxx Cert Stds & Test Procedures : Caxx EPAxx All codes in Eng. Family: Maximum Rated Power: 327 HP @ 1800 RPM (244 KW @ 1800 RPM) Ignition: Compression xxCompression with Glow Plug Spark Fuel Type(s): <u>Dedicated xx</u> Flex Fuel <u>Dual-Fuel</u> <u>Diesel xx</u> M100 M85 CNG LNG LPG Other (specify) Diesel Cert Fuel: 40 CFR 86.1313-94 B2 Other (specify): Primary Service Equipment : Excavator, Loader, Tractor, Rough Terrain Crane

Primary Service Equipment: Excavator, Loader, Tractor, Rough Terrain Crane Exhaust ECS (e.g. OC, TWC, PTOX, IFI, TC, CAC)

SPL, TC, CAC

(Use abbreviations per SAE J1930 Jun93)

				(Use appreviations per SAE J1930 Jun93)				
		Fuel Rate	Fuel Pump & Injector	ECM / PCM	EGR	PTOX /		
Engine	Rated HP	@ Rated HP	Part No.	Part No.	Valve Part	Catalytic		
Model	@RPM	mm3 /stroke			No.	Converter		
						Part No.		
D 924 TI-E	174 @ 1800	$150 \pm 5$	0 403 474 021					
		İ	KBEL 84 P 148	N/A	N/A	N/A		
			DLLA 145 P 632					
D 924 TI-E	204@ 1800	$174 \pm 5$	0 402 076 700			_		
	_		KBEL 84 P 148	N/A	N/A	N/A		
			DLLA 145 P 669		;			
D 924 TI-E	205 @ 2000	173 ± 5	0 402 076 700					
			KBEL 84 P 148	N/A	N/A	N/A		
			DLLA 145 P 669					
D 924 TI-E	185 @ 2000	$157 \pm 5$	0 403 474 021					
			KBEL 84 P 148	N/A	N/A	N/A		
			DLLA 145 P 632					
D 926 TI-E	314 @ 2100	164 ± 5	0 402 746 606					
			KBEL 84 P 148	N/A	N/A	N/A		
			DLLA 145 P 632					
D 926 TI-E	287 @ 2000	152 ± 5	0 402 076 748	1				
			KBEL 84 P 148	N/A	N/A	N/A		
			DLLA 145 P 669					
D 926 TI-E	240 @ 1800	134 ± 4	0 402 076 748					
			KBEL 84 P 148	N/A	N/A	N/A		
			DLLA 145 P 632					
D 926 TI-E	273 @ 2000	$144 \pm 4$	0 402 076 748					
			KBEL 84 P 148	N/A	N/A	N/A		
	<u> </u>		DLLA 145 P 669			ļ		
D 926 TI-E	306 @ 1800	$173 \pm 5$	0 402 746 606	1				
			KBEL 84 P 148	N/A	N/A	N/A		
			DLLA 145 P 632					
D 926 TI-E	294 @ 1800	$165 \pm 5$	0 402 076 748					
			KBEL 84 P 148	N/A	N/A	N/A		
			DLLA 145 P 669		-			
D 926 TI-E	327 @ 1800	190 ± 6	0 402 746 606	N/A	N/A	N/A		
			KBEL 84 P 148	1				
		,	DLLA 145 P 632					
D 926 TI-E	256 @ 2000	135 ± 4	0 402 076 748	N/A	N/A	N/A		
			KBEL 84 P 148		ļ			
			DLLA 145 P 669		1			
				1	1	1		

Date Issued: 04/07/1997

Revision:

3