State of California AIR RESOURCES BOARD

EXECUTIVE ORDER U-R-18-5

Relating to Certification of New Heavy-Duty Off-Road Equipment Engines

LIEBHERR MACHINES BULLE

Pursuant to the authority vested in the Air Resources Board by Sections 43000.5, 43013 and 43018 of the Health and Safety Code; and,

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following Liebherr Machines Bulle 1997 model-year engine, with rated power between 175 and 750 horsepower, and exhaust emission control systems are certified as described below for use in heavy-duty off-road equipment:

Typical Equipment Usage: Excavator, Loader, Tractor, Rough Terrain Crane

Fuel Type: Diesel

Exhaust Emission Control
Systems and Special Features

VLH9.9R6DASA
9.9/6.6 (608/405)
Turbocharger
Smoke Puff Limiter

Engine models and codes are listed on attachments. Production engines shall be in all material respects the same as those for which certification is granted.

The total hydrocarbons (THC), carbon monoxide (CO), nitrogen oxides (NOx), and particulate matter (PM) certification exhaust emission standards, in grams per brake horsepower-hour (g/bhp-hr), and the opacity of smoke emission standards, in percent (%), during acceleration (Accel), lugging (Lug), and peak (Peak) modes, for this engine family are (Title 13, California Code of Regulations, Section 2423):

<u>Exhaust</u>	t Emissi	ons (g/l	ohp-hp)	Smoke	<u>Opaciity</u>	(%)
THC	<u>CO</u>	<u>NOx</u>	<u>PM</u>	<u>Accel</u>	Lug	<u>Peak</u>
1.0	8.5	6.9	0.4	20	15	50

The THC, CO, NOx and PM exhaust emission certification values, in g/bhp-hr, and the opacity of smoke emission certification values, in percent (%), for this engine family are:

Exhaust Emissions (g/bhp-hr)			Smok	Smoke Opacity (%)			
<u>THC</u>	<u>CO</u>	<u>NOx</u>	<u>PM</u>	Accel	<u>Luq</u>	<u>Peak</u>	
0.3	0.5	4.7	0.1	5	5	15	

BE IT FURTHER RESOLVED: That the listed engine models comply with the "Exhaust Emission Standards and Test Procedures--Heavy-Duty Off-Road Diesel Cycle Engines" (Title 13, California Code of Regulations, Section 2423) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed engine models also comply with the "Emission Control Labels--1996 and Later Heavy-Duty Off-Road Diesel Cycle Engines" (Title 13, California Code of Regulations, Section 2424) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2425 et seq.).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

Executed at El Monte, California this _____

day of February 1997.

R. B. Summerfield, Chief

Mobife Source Operations Division

E.O. # U- R- 18-5 HEAVY-DUTY OFF-ROAD DIESEL ENGINES

Page 1 of 2

iebherr Mach	iines Bulle		Engine Fan	nily: <u>. </u>	VLH	<u>9.9</u> R6DASA
Cylinder : <u>2 v</u>	alves per cyl	inder –	Stroke per	Combustion	1 Cycle:	4-stroke
amily :	CA49S	50S <u>xx</u>	Cert Stds &	Test Proce	dures :C	axx_EPAxx
ower:	231 HP	\widehat{a} I	800 RPM	(172 KW	(a)	1800 RPM)
pression <u>xx</u>	Co	mpressio	on with Glo	w Plug	S	park
Dedicated xx	Flex Fuel	_Dual-F	uel <u>Diese</u>	el xx M100		M85
CNG	LNG	_ LPG	Othe	r (specify)		
<u>40 CFR 86.13</u>	13-94 B2	_ ~	Othe	r (specify)		
quipment :Exc	avator, Load	der,Trac				
	.96 (608) / 6. Cylinder : 2 veramily : ower : pression xx Dedicated xx CNG_ 40 CFR 86.13 quipment : Exc	196 (608) 6.64 (405) Lite	Cylinder: 2 valves per cylinder amily: CA_49S_50Sxx ower: 231 HP @ 1 pression xx	Cylinder: 2 valves per cylinder Stroke per family: CA_49S_50Sxx Cert Stds & ower: 231 HP @ 1800 RPM Pression xx Compression with Globedicated xx Flex Fuel Dual-Fuel Diese CNG_ LNG_LPG Othe GO CFR 86.1313-94 B2 Quipment: Excavator, Loader, Tractor, Rough	Cylinder: 2 valves per cylinder Stroke per Combustion Stroke per C	Dedicated xx Flex Fuel Dual-Fuel Diesel xx M100 CNG LNG LPG Other (specify): 10 CFR 86.1313-94 B2 Other (specify): quipment: Excavator, Loader, Tractor, Rough Terrain Crane, etc.

(Use abbreviations per SAE J1930 Jun93)

Engine Model	Rated HP @RPM	Fuel Rate (a) Rated HP mm3 /stroke	Fuel Pump & Injector Part No.	ECM / PCM Part No.	EGR Valve Part No.	PTOX / Catalytic Converter Part No.
D 926 T-E	227 @ 2000	126 ± 4	0 403 474 112 KBEL 84 P 148 DLLA 145 P 632	N/A	N/A	N/A
D 926 T-E	231 @ 1800	140 ± 5	0 403 474 112 KBEL 84 P 148 DLLA 145 P 632	N/A	N/A	N/A
D 926 T-E	183 <u>@</u> 1800	110 ± 4	0 403 474 112 KBEL 84 P 148 DLLA 145 P 632	N/A	N/A	N/A

Date Issued: 12/01/1996

Revision: 1