

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER U-R-10-8

Relating to Certification of New Heavy-Duty Off-Road Equipment Engines

KOMATSU DRESSER CORPORATION

Pursuant to the authority vested in the Air Resources Board by Sections 43000.5, 43013 and 43018 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following Komatsu Dresser Corporation 1998 model-year engine, with rated power between 175 and 750 horsepower, and exhaust emission control systems are certified as described below for use in heavy-duty off-road equipment:

Typical Equipment Usage: Crane, Loader, Pump, Compressor, and Generator

Fuel Type: Diesel

<u>Engine Family</u>	<u>Liters (Cubic Inches)</u>	<u>Exhaust Emission Control Systems and Special Features</u>
WKDXL0359AAA (A402)	5.9 (359)	Turbocharger

Engine models and codes are listed on attachments. Production engines shall be in all material respects the same as those for which certification is granted.

The total hydrocarbons (THC), carbon monoxide (CO), nitrogen oxides (NOx), and particulate matters (PM) certification exhaust emission standards, in grams per brake horsepower-hour (g/bhp-hr), and the opacity of smoke emission standards, in percent (%), during acceleration (Accel), lugging (Lug), and peak (Peak) modes, for this engine family are (Title 13, California Code of Regulations, Section 2423):

<u>Exhaust Emissions (g/bhp-hr)</u>				<u>Smoke Opacity ( % )</u>		
<u>THC</u>	<u>CO</u>	<u>NOx</u>	<u>PM</u>	<u>Accel</u>	<u>Lug</u>	<u>Peak</u>
1.0	8.5	6.9	0.4	20	15	50

The THC, CO, NOx and PM exhaust emission certification values, in g/bhp-hr, and the opacity of smoke emission certification values, in percent (%), for this engine family are:

<u>Exhaust Emission (g/bhp-hr)</u>				<u>Smoke Opacity (%)</u>		
<u>THC</u>	<u>CO</u>	<u>NOx</u>	<u>PM</u>	<u>Accel</u>	<u>Lug</u>	<u>Peak</u>
0.4	0.7	4.9	0.2	3	2	5

BE IT FURTHER RESOLVED: That the listed engine models comply with the "Exhaust Emission Standards and Test Procedures--Heavy-Duty Off-Road Diesel Cycle Engines" (Title 13, California Code of Regulations, Section 2423) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed engine models also comply with the "Emission Control Labels--1996 and Later Heavy-Duty Off-Road Diesel Cycle Engines" (Title 13, California Code of Regulations, Section 2424) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2425 et seq.).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

Executed at El Monte, California this 3<sup>rd</sup> day of December 1997.

*R. B. Summerfield*  
for R. B. Summerfield, Chief  
Mobile Source Operations Division

# LARGE ENGINE MODEL SUMMARY

11/21/97

Manufacturer: **Komatsu**      Process Code: **New Submission**  
 EPA Engine Family: **WKDXL0359AAA**      Manufacturer Family Name: **A402**

1. Engine Code	2. Engine Model	3. BHP@RPM (SAE Gross)	4. Fuel Rate: mm <sup>3</sup> /stroke @ peak HP (for diesel only)	5. Fuel Rate: (lbs/hr) @ peak HP (for diesels only)	6. Torque @ RPM (SEA Gross)	7. Fuel Rate: mm <sup>3</sup> /stroke@peak torque	8. Fuel Rate: (lbs/hr)@peak torque	9. Emission Control Device Per SAE J1930
CPL 1948								
FR 90058	S6D102E-1	152@2500	74	62.6	414@1600	83	44.6	TC
FR 90059	S6D102E-1	148@2200	76	56.2	440@1600	89	47.9	TC
FR 90342	S6D102E-1	148@2200	76	56.2	440@1600	89	47.9	TC
CPL 2071								
FR 90060	S6D102E-1	140@2000	76	51.2	416@1600	82	44.2	TC
FR 90065	S6D102E-1	135@2400	64	51.7	364@1600	75	40.2	TC
FR 90061	S6D102E-1	135@2200	70	52.1	419@1600	83	44.7	TC
FR 90062	S6D102E-1	130@2500	64	53.6	368@1600	73	39.4	TC
FR 90103	S6D102E-1	118@2400	58	46.6	312@1600	63	33.2	TC
CPL 1902								
FR 9005	S6D102E-1	110@2400	55	44.6	340@1300	69	30.4	TC

a-k-10-10