State of California AIR RESOURCES BOARD

EXECUTIVE ORDER U-R-4-32

Relating to Certification of New Heavy-Duty Off-Road Equipment Engines

DEERE POWER SYSTEM GROUP OF DEERE & COMPANY

Pursuant to the authority vested in the Air Resources Board by Sections 43000.5, 43013 and 43018 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following Deere Power System Group of Deere & Company 1998 model-year engine, with rated power between 175 and 750 horsepower, and exhaust emission control systems are certified as described below for use in heavy-duty off-road equipment:

Typical Equipment Usage: Other OEM Products

Fuel Type: Diesel

| Engine Family | Displacements in Liters | Exhaust Emission Control Systems and Special Features |
|-------------------------|-------------------------|---|
| WJDXL10.5004 (550AA) | 10.5 | Tubrocharger Charge Air Cooler |

Engine models and codes are listed on attachments. Production engines shall be in all material respects the same as those for which certification is granted.

The total hydrocarbons (THC), carbon monoxide (CO), nitrogen oxides (NOx), and particulate matters (PM) certification exhaust emission standards, in grams per brake horsepower-hour (g/bhp-hr), and the opacity of smoke emission standards, in percent (%), during acceleration (Accel), lugging (Lug), and peak (Peak) modes, for this engine family are (Title 13, California Code of Regulations, Section 2423):

| Exhaust Emissions (g/bhp-hr) | | | <u>Smoke</u> | Smoke Opacity (%) | | |
|------------------------------|-----------|-----|--------------|---------------------|-----|-------------|
| THC | <u>co</u> | NOx | PM_ | <u>Accel</u> | Lug | <u>Peak</u> |
| 1.0 | 8.5 | 6.9 | 0.4 | 20 | 15 | 50 |

EXECUTIVE ORDER U-R-4-32 DEERE POWER SYSTEMS GROUP OF DEERE & COMPANY (Page 2 of 2)

The THC, CO, NOx and PM exhaust emission certification values, in g/bhp-hr, and the opacity of smoke emission certification values, in percent (%), for this engine family are:

| | Exhaust | Emissio | n (g/bh | p-hr) | Smoke C | pacity | (%) |
|-------------------------|---------|-----------|------------|-----------|--------------|------------|-------------|
| Engine Family | THC | <u>co</u> | <u>NOx</u> | <u>PM</u> | <u>Accel</u> | <u>Lug</u> | <u>Peak</u> |
| WJDXL10.5004 (550AA) | 0.2 | 0.9 | 5.7 | 0.1 | 14 | 3 | 29 |

BE IT FURTHER RESOLVED: That the listed engine models comply with the "Exhaust Emission Standards and Test Procedures -- Heavy-Duty Off-Road Diesel Cycle Engines" (Title 13, California Code of Regulations, Section 2423) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed engine models also comply with the "Emission Control Labels -- 1996 and Later Heavy-Duty Off-Road Diesel Cycle Engines" (Title 13, California Code of Regulations, Section 2424) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2425 et seq.).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

Executed at El Monte, California this \perp

R. B. Summerfield, Chief

Mobile Source Operations Division

LARGE ENGINE MODEL SUMMARY

| | 1 | 8.Fuel Rate: 9.Emission Conti (lbs/hr)@peak torque Device Per SAE J1 |
|--|---|---|
| sion | 550AA | mm/stroke@peak torque |
| Process Code: New Submission. | Manufacturer Family Name: | 6.Torque @ RPM (SEA Gross) |
| Process Code | Manufacturer | (lbs/hr) @ peak HP (for diesels only) |
| eere & | A D. C. | mm/stroke @ peak HP (lbs/hr) @ peak HP (for diesels only) |
| ns Group of De | 5004 | 3.BHP@RPM (SAE Gross) |
| Deere Power Systems Group of Deere & Company | EPA Engine Family: WJDXL10.5004 | 1.Engine Code 2.Engine Model |
| Manufacturer: | EPA Engine Fan | 1.Engine Code |
| | | |

| | 338@2100 168@2100 119@2100 1141@1400 227@1400 106@1400 EM,EC,CAC,TC 283@2000 151@2000 101@2000 902@1400 180@1400 84@1400 EM,EC,CAC,TC 275@2100 145@2100 101@2100 859@1400 171@1400 80@1400 EM,EC,CAC,TC 300@2100 150@2100 106@2100 1016@2100 1014@1400 95@1400 EM,EC,CAC,TC 300@2100 150@2100 115@2100 1055@1400 210@1400 98@1400 EM,EC,CAC,TC |
|--|--|
|--|--|