Pile (Page 1 of 2)

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER U-R-18-7

Relating to Certification of New Heavy-Duty Off-Road Equipment Engines

LIEBHERR MACHINES BULLE SA

Pursuant to the authority vested in the Air Resources Board by Sections 43000.5, 43013 and 43018 of the Health and Safety Code; and,

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following Liebherr Machines Bulle SA 1998 model-year engine, with rated power between 175 and 750 horsepower, and exhaust emission control systems are certified as described below for use in heavy-duty off-road equipment:

Typical Equipment Usage: Compressor, Loader, Dozer, Rough Terrain Crane

<u>Fuel Type</u>: Diesel

Exhaust Emission Control
Systems and Special Features

WLHAL17.2ARA 12.9/17.2 (786/1048)

Turbocharger
Smoke Puff Limiter
Charge Air Cooler

Engine models and codes are listed on attachments. Production engines shall be in all material respects the same as those for which certification is granted.

The total hydrocarbons (THC), carbon monoxide (CO), nitrogen oxides (NOx), and particulate matters (PM) certification exhaust emission standards, in grams per brake horsepower-hour (g/bhp-hr), and the opacity of smoke emission standards, in percent (%), during acceleration (Accel), lugging (Lug), and peak (Peak) modes, for this engine family are (Title 13, California Code of Regulations, Section 2423):

<u>Exhaust</u>	<u>t Emissi</u>	ons (q/l	ohp-hr)	Smok	Smoke Opacity (%)						
THC	<u>co</u>	<u>NOx</u>	<u>PM</u>	<u>Accel</u>	Lug	<u>Peak</u>					
1.0	8.5	6.9	0.4	20	15	50					

The THC, CO, NOx and PM exhaust emission certification values, in g/bhp-hr, and the opacity of smoke emission certification values, in percent (%), for this engine family are:

<u>Exhaus</u>	<u>t Emissi</u>	ons (q/l	ohp-hr)	Smoke Opacity (%)						
<u>THC</u>	<u>CO</u>	<u>NOx</u>	<u>PM</u>	<u>Accel</u>	<u>Luq</u>	<u>Peak</u>				
0.3	0.5	4.0	0.1	10	8	30				

BE IT FURTHER RESOLVED: That the listed engine models comply with the "Exhaust Emission Standards and Test Procedures--Heavy-Duty Off-Road Diesel Cycle Engines" (Title 13, California Code of Regulations, Section 2423) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed engine models also comply with the "Emission Control Labels--1996 and Later Heavy-Duty Off-Road Diesel Cycle Engines" (Title 13, California Code of Regulations, Section 2424) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2425 et seq.).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

Executed at El Monte, California this // day of June 1998.

R. B. Summerfield, Chief

Mobile Source Operations Division

LARGE ENGINE MODEL SUMMARY

3/27/98

Manufacturer: LIEBHERR MACHINES BULLE SA

Process Code: Running Change

EO: U-R-18-7

EPA Engine Family: WLHAL 17.2ARA

Manufacturer Family Name: WLHAH17.2ARA

	8.Fuel Rate: 9.Emission Control (lbs/hr)@peak torque Device Per SAE J1930	SPL. TC. CAC	SPL TC CAC	SPI TO CAC	SPI TO CAC	SPI TO CAC	SPI TO CAC	20'01 TO	2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	SPI TO CAS	20 17 18 S	SDI TO AN	2007 17 100	מין ין יין	57, 15, CAC	ز	SPL, TC, CAC
	8.Fuel Rate: (lbs/hr)@peak torque	ΑN	NA	NA	ĄN	¥ Z	Ą	2	Ϋ́	4	4	2 2	S 2		ζ <u>ξ</u>	£ :	¥
	7.Fuel Rate: mm/stroke@peak brque	254@1741	241@1688	247@1711	217@1564	220@1585	230@1660	250@1682	236@1254	226@1192	220@1187	228@1180	240@1276	231@1239	216@1161	23664730	757 (0) 777
	6.Torque @ RPM (SEA Gross)	1741@1200-155	1668@1575	1711@1500	1564@1250	1585@1200	1660@1200	1682@1500	1254@1500	1192@1300	1187@1300	1180@1200	1276@1400	1239@1200	1151@1150	1222@1500	0001897671
	5.Fuel Rate: (Ibs/hr) @ peak HP (for diesels only)	NA	¥	NA	ΑΝ	NA NA	NA	NA	¥N	¥2	¥N N	NA NA	¥	¥	¥.	ν	<u> </u>
	4.Fuel Rate: mm/stroke @ peak HP (for dlesel only)	238@571	227@542	230@540	191@460	195@443	205@477	230@536	214@408	198@356	198@348	200@356	228@408	204@361	192@335	214@402	10E
	3.BHP@RPM (SAE Gross)	571@2100	542@2100	540@1900	460@1900	443@1800	477@1800	536@2000	408@2100	356@1900	348@1800	356@1800	408@1900	361@1800	335@1800	402@1800	
	1.Engine Code 2.Engine Model	D9408TI-E	D9408TI	D9408TI-E	D9408TI-E	D9408TI-E	D9408TI-E	D9408TI-E	D9406TI	D9406TI-E	D9406TI-E	D9406TI-E	D9406TI-E	D9406TI-E	D9406TI-E	D9406TI-F	
	1.Engine Code	Ą	NA NA	NA W	NA	Y.	Y Y	NA	¥.	ź	₹ Z	¥	¥.	Ϋ́ V	Υ	NA.	