State of California AIR RESOURCES BOARD

EXECUTIVE ORDER U-R-2-48 Relating to Certification of New Heavy-Duty Off-Road Equipment Engines

CUMMINS ENGINE COMPANY, INC.

Pursuant to the authority vested in the Air Resources Board at Sections 43000.5, 43013, and 43018 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned at Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9; and

IT IS ORDERED AND RESOLVED: That the following diesel engines and the exhaust emission control systems produced by the manufacturer are certified as described below for use in heavy-duty off-road equipment:

Model Year: 2000

Typical Equipment Usage: Loader

Engine Power Ratings Range: over 750 horsepower

Fuel Type: Diesel

	Dis	olacement	Exhaust Emission Control		
Engine Family	<u>Liters</u>	Cubic Inches	Systems and Special Features		
YCEXL030.AAA	30.0	1842	Engine Control Module		
(A573)			Turbocharger		
			Charge Air Cooler		

The engine models and codes are listed on attachments. Production engines shall be in all material respects the same as those for which certification is granted.

The exhaust emission certification standards and certification values in grams per brake horsepower-hour (g/bhp-hr) for total hydrocarbons (THC), carbon monoxide (CO), nitrogen oxides (NOx), and particulate matter (PM), and the opacity-of-smoke certification standards and certification values in percent (%) during acceleration (Accel), lugging (Lug), and the peak-values from either mode (Peak) for this engine family are as follows (Title 13, California Code of Regulations, Section 2423):

<u>Exh</u>	Exhaust Emissions (g/bhp-hr)			Smoke Opacity (%)			
	THC	<u>co</u>	<u>NOx</u>	<u>PM</u>	<u>Accel</u>	<u>Lug</u>	<u>Peak</u>
Standard	1.0	8.5	6.9	0.4	20	15	50
Certification	0.2	0.3	5.2	0.1	13	2	24

BE IT FURTHER RESOLVED: That the listed engine models comply with "Exhaust Emission Standards and Test Procedures—Heavy-Duty Off-Road Diesel-Cycle Engines" (Title 13, California Code of Regulations, Section 2423) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed engine models also comply with "Emission Control Labels—1996 and Later Heavy-Duty Off-Road Diesel-Cycle Engines" (Title 13, California Code of Regulations, Section 2424) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Sections 2425 et seq.).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

Executed at El Monte, California this ______ day of December 1999.

R. B. Summerfield, Chief
Mobile Source Operations Division

Rappael Surnourty

Engine Model Summary Form

24-2-42

Cummins Engine Company, Inc. Manufacturer:

Nonroad CI Engine category:

EPA Engine Family: YCEXL030.AAA

A573

Mfr Family Name:

New Submission Process Code:

8.Fuel Rate: 9.Emission Control tbs/hr)@peak torque Device Per SAE J1930	TC, EC, CAC				
8.Fuel Rate: (lbs/hr)@peak torque	332	296	246	245	204
7.Fuel Rate: mm/stroke@peak torque	352	313	281	259	233
6.Torque @ RPM (SEA Gross)	3750 @ 1400	3414 @ 1400	3024 @ 1300	2807 @ 1400	2471 @ 1300
5.Fuel Rate: (lbs/hr) @ peak HP (for diesels only)	425	365	303	290	266
4.Fuel Rate: mm/stroke @ peak HP (for diesel only)	300	271	225	215	188
3.BHP@RPM (SAE Gross)	1200 @ 2100	1082 @ 2000	897 @ 2000	853 @ 2000	760 @ 2100
2.Engine Model		OST30-C	OST30-C	OST30-C	QST30-C
1 Fucine Code	2818-FR 5189	2818:FR 5174	2640-ED 5170	2640.FR 5175	2640:FR 5176