

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER U-R-2-56
Relating to Certification of New Heavy-Duty Off-Road Equipment Engines

CUMMINS ENGINE COMPANY, INC.

Pursuant to the authority vested in the Air Resources Board at Sections 43000.5, 43013, and 43018 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned at Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9; and

IT IS ORDERED AND RESOLVED: That the following diesel engines and exhaust emission control systems produced by the manufacturer are certified as described below for use in heavy-duty off-road equipment:

Model Year: 2000

Typical Equipment Usage: Crane, Loader, Tractor, Dozer, Pump, and Compressor

Engine Power Ratings Range: 175 – 750 horsepower, inclusive

Fuel Type: Diesel

<u>Engine Family</u>	<u>Displacement</u>		<u>Exhaust Emission Control Systems and Special Features</u>
	<u>Liters</u>	<u>Cubic Inches</u>	
YCEXL0505ABB (B413)	8.3	505	Turbocharger Charge Air Cooler

The engine models and codes are listed on attachments. Production engines shall be in all material respects the same as those for which certification is granted.

The exhaust emission certification standards and certification values in grams per brake horsepower-hour (g/bhp-hr) for total hydrocarbons (THC), carbon monoxide (CO), nitrogen oxides (NOx), and particulate matter (PM), and the opacity-of-smoke certification standards and certification values in percent (%) during acceleration (Accel), lugging (Lug), and the peak-values from either mode (Peak) for this engine family are as follows (Title 13, California Code of Regulations, Section 2423):

	<u>Exhaust Emissions (g/bhp-hr)</u>				<u>Smoke Opacity (%)</u>		
	<u>THC</u>	<u>CO</u>	<u>NOx</u>	<u>PM</u>	<u>Accel</u>	<u>Lug</u>	<u>Peak</u>
Standard	1.0	8.5	6.9	0.4	20	15	50
Certification	0.3	0.5	5.4	0.2	7	2	16

BE IT FURTHER RESOLVED: That the listed engine models comply with "Exhaust Emission Standards and Test Procedures—Heavy-Duty Off-Road Diesel-Cycle Engines" (Title 13, California Code of Regulations, Section 2423) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed engine models also comply with "Emission Control Labels—1996 and Later Heavy-Duty Off-Road Diesel-Cycle Engines" (Title 13, California Code of Regulations, Section 2424) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Sections 2425 *et seq.*).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

Executed at El Monte, California this 30th day of December 1999.



for R. B. Summerfield, Chief
Mobile Source Operations Division

Engine Model Summary Form

Manufacturer: Cummins Engine Company
Engine category: Nonroad Over 50 Hp
EPA Engine Family: YCEXL0505ABB
Mfr Family Name: B413
Process Code: New Submission

1. Engine Code	2. Engine Model	3. BHP@RPM (SAE Gross)	4. Fuel Rate: mm/stroke @ peak HP (for diesel only)	5. Fuel Rate: (lbs/hr) @ peak HP (for diesels only)	6. Torque @ RPM (SEA Gross)	7. Fuel Rate: mm/stroke@peak torque	8. Fuel Rate: (lbs/hr)/@peak torque	9. Emission Control Device Per SAE J1930
2062;FR90047	C8.3-C	240@2200	123	91.0	750@1500	142	71.8	TC
2062;FR9878	C8.3-C	240@2200	123	91.0	750@1500	142	71.8	TC
2062;FR90162	C8.3-C	240@2200	123	91.0	750@1500	142	71.8	TC
2062;FR90541	C8.3-C	240@2200	123	91.0	750@1500	142	71.8	TC
2062;FR90387	C8.3-C	240@2200	123	91.0	750@1500	142	71.8	TC
2062;FR90503	C8.3-C	240@2200	123	91.0	750@1500	142	71.8	TC
2062;FR90048	C8.3-C	230@2200	118	87.3	730@1500	140	71.0	TC
2062;FR9889	C8.3-C	230@2200	118	87.3	730@1500	140	71.0	TC
2062;FR9886	C8.3-C	230@2200	118	87.3	730@1500	140	71.0	TC
2062;FR90049	C8.3-C	230@2200	118	87.3	730@1500	140	71.0	TC
2007;FR9875	C8.3-C	215@2200	110	81.8	668@1500	127	64.1	TC
2007;FR90264	C8.3-C	215@2200	110	81.8	668@1500	127	64.1	TC
2007;FR90163	C8.3-C	215@2200	109	80.6	616@1500	118	59.5	TC
2055;FR90050	C8.3-C	230@2000	125	84.4	720@1500	138	70.0	TC
2056;FR90112	C8.3-C	215@1900	120	76.7	645@1500	123	62.0	TC
2062;FR90617	C8.3-C	240@2200	123	91.0	750@1500	142	71.8	TC

↑ CAC