State of California AIR RESOURCES BOARD

EXECUTIVE ORDER U-R-2-60 Relating to Certification of New Heavy-Duty Off-Road Equipment Engines

CUMMINS ENGINE COMPANY, INC.

Pursuant to the authority vested in the Air Resources Board at Sections 43000.5, 43013, and 43018 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned at Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9; and

IT IS ORDERED AND RESOLVED: That the following diesel engines and exhaust emission control systems produced by the manufacturer are certified as described below for use in heavy-duty off-road equipment:

Model Year: 2000

Typical Equipment Usage: Loader, Tractor, Dozer, Pump, and Compressor

Engine Power Ratings Range: 175 - 750 horsepower, inclusive

Fuel Type: Diesel

	Displacement		Exhaust Emission Control			
Engine Family	<u>Liters</u>	Cubic Inches	Systems and Special Features			
YCEXL0359ABB	5.9	359	Turbocharger			
(B403)			Charge Air Cooler			
()			Engine Control Module			

The engine models and codes are listed on attachments. Production engines shall be in all material respects the same as those for which certification is granted.

The exhaust emission certification standards and certification values in grams per brake horsepower-hour (g/bhp-hr) for total hydrocarbons (THC), carbon monoxide (CO), nitrogen oxides (NOx), and particulate matter (PM), and the opacity-of-smoke certification standards and certification values in percent (%) during acceleration (Accel), lugging (Lug), and the peak-values from either mode (Peak) for this engine family are as follows (Title 13, California Code of Regulations, Section 2423):

Exhaust Emissions (g/bhp-hr)				Smoke Opacity (%)			
0 4	THC	<u>CO</u>	NOx	<u>РМ</u> 0.4	Accel 20	<u>Lug</u> 15	<u>Peak</u> 50
Standard Certification	1.0 0.1	8.5 0.4	6. 9 5.1	0.4	12	1	33

BE IT FURTHER RESOLVED: That the listed engine models comply with "Exhaust Emission Standards and Test Procedures—Heavy-Duty Off-Road Diesel-Cycle Engines" (Title 13, California Code of Regulations, Section 2423) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed engine models also comply with "Emission Control Labels—1996 and Later Heavy-Duty Off-Road Diesel-Cycle Engines" (Title 13, California Code of Regulations, Section 2424) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Sections 2425 et seq.).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

Executed at El Monte, California this 3024 day of December 1999.

R. B. Summerfield, Chief

Rochael Surnowith

Mobile Source Operations Division

Engine Model Summary Form

Manufacturer: Cummins Engine Co., Inc.

Engine category: Nonroad Over 50 Hp

EPA Engine Family. YCEXL0359ABB

Mfr Family Name: B403

Process Code: New Submission

8. Fuel Rate: 9. Emission Control lbs/hr)@peak torque Device Per SAE J1930	CENTUM, IC, CAC	10 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)) () () () () () () () () () (HOW, IC, CAC	CM, IC, CAC	▼ 'PCM, IC, CAC
8.Fuel Rate: (lbs/hr)@peak torq	- : :	200	2.00	7.00	71.0	62.0	66.2
7.Fuel Rate: mm/stroke@peak torque	142	123	123	123	142	123	125
6.Torque @ RPM (SEA Gross)	730@1500	660@1600	660 @ 1600	660 @ 1600	730 @ 1500	650@1500	660@1600
5.Fuel Rate: (lbs/hr) @ peak HP (for diesels only)	86.3	101.0	101	101	86.3	72.2	99.4
4.Fuel Rate: mm/stroke @ peak HP (for diesel only)	102	120	120	120	102	86	118
3.BHP@RPM (SAE Gross)	240@2500	275@2500	275 @ 2500	275 @ 2500	240 @ 2500	205@2475	275@2500
2.Engine Model	QSB5.9-C	QSB5.9-C	QSB5.9-C	QSB5.9-C	QSB5.9-C	QSB5.9-C	QSB5.9-C
1.Engine Code	2652;FR90626	2132;FR90244	2132;FR90680	2132;FR90684	2652:FR90679	2652·FR90722	2132;FR90689