State of California AIR RESOURCES BOARD

EXECUTIVE ORDER U-R-5-44 Relating to Certification of New Heavy-Duty Off-Road Equipment Engines

KOMATSU LTD.

Pursuant to the authority vested in the Air Resources Board at Sections 43000.5, 43013, and 43018 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned at Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9; and

IT IS ORDERED AND RESOLVED: That the following diesel engines and the exhaust emission control systems produced by the manufacturer are certified as described below for use in heavy-duty off-road equipment:

Model Year:

2000

Typical Equipment Usage:

Dump Truck

Engine Power Ratings Range:

175 – 750 horsepower, inclusive

Fuel Type:

Diesel

	Displacement		Exhaust Emission Control		
Engine Family	<u>Liters</u>	<u>Cubic</u>	Systems and Special Features		
		<u>Inches</u>			
YKLXL23.2FD2	23.2	1413	Turbocharger		
(SAA6D170)			Charge Air Cooler		
,			Engine Control Module		

The engine models and codes are listed on attachments. Production engines shall be in all material respects the same as those for which certification is granted.

The exhaust emission certification standards and certification values in grams per brake horsepower-hour (g/hp-h) for total hydrocarbons (THC), carbon monoxide (CO), nitrogen oxides (NOx), and particulate matter (PM), and the opacity-of-smoke certification standards and certification values in percent (%) during acceleration (Accel), lugging (Lug), and the peak-values from either mode (Peak) for this engine family are as follows (Title 13, California Code of Regulations, Section 2423):

<u>Ex</u>	haust Emissions (g/hp-h)				Smoke Opacity (%)		
	THC	<u>CO</u>	<u>NOx</u>	<u>PM</u>	<u>Accel</u>	<u>Lug</u>	<u>Peak</u>
Standard	1.0	8.5	6.9	0.4	20	15	50
Certification	0.2	1.4	5.9	0.2	16	7	22

BE IT FURTHER RESOLVED: That the listed engine models comply with "Exhaust Emission Standards and Test Procedures—Heavy-Duty Off-Road Diesel-Cycle Engines" (Title 13, California Code of Regulations, Section 2423) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed engine models also comply with "Emission Control Labels—1996 and Later Heavy-Duty Off-Road Diesel-Cycle Engines" (Title 13, California Code of Regulations, Section 2424) for the aforementioned model-vear.

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Sections 2425 et seq.).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

Executed at El Monte, California this

_day of December 1999.

R. B. Summerfield, Chief

Mobile Source Operations Division

(CO)

Process Code: New Sub - continued

Manufacturer: KOMATSU Ltd.

LARGE ENGINE MODEL SUMMARY

	8.Fuel Rate: 9.Emission Control bs/hr)@peak torque Device Per SAE J1930	Ecn, Te, che Ecn, Te, che Ecn, Te, che
	8.Fuel Rate: (lbs/hr)@peak torq	190 192 192
SAA6D170E-2	7.Fuel Rate: mm/stroke@peak torque	413 418 418
Manufacturer Family Name:	6.Torque @ RPM (SEA Gross)	2119@1400 2221@1400 2221@1400
	5.Fuel Rate: (lbs/hr) @ peak HP (for diesels only)	243 258 247
	4.Fuel Rate: mm/stroke @ peak HP (for diesel only)	369 375 388
2FD2	3.BHP@RPM (SAE Gross)	684@2000 740@2100 740@2000
y: YKLXL23.2FD2	2. Engine Model	SAA6D170E-2 SAA6D170E-2 SAA6D170E-2
FDA Engine Family:	1. Engine Code 2. Engine Model	K6 7.7 8.8