## State of California AIR RESOURCES BOARD

## EXECUTIVE ORDER U-R-11-23 Relating to Certification of New Heavy-Duty Off-Road Equipment Engines

## CASE CORPORATION

Pursuant to the authority vested in the Air Resources Board at Sections 43000.5, 43013, and 43018 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned at Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9; and

IT IS ORDERED AND RESOLVED: That the following diesel engines and the exhaust emission control systems produced by the manufacturer are certified as described below for use in heavy-duty off-road equipment:

Model Year: 2000

Typical Equipment Usage: Loader and Pump

Engine Power Ratings Range: 175 - 750 horsepower, inclusive

Fuel Type: Diesel

	Displacement		Exhaust Emission Control
Engine Family YX9XL0505ACA (C413)	Liters 8.3	Cubic Inches 505	Systems and Special Features Turbocharger Charge Air Cooler

The engine models and codes are listed on attachments. Production engines shall be in all material respects the same as those for which certification is granted.

The exhaust emission certification standards and certification values in grams per brake horsepower-hour (g/bhp-hr) for total hydrocarbons (THC), carbon monoxide (CO), nitrogen oxides (NOx), and particulate matter (PM), and the opacity-of-smoke certification standards and certification values in percent (%) during acceleration (Accel), lugging (Lug), and the peak-values from either mode (Peak) for this engine family are as follows (Title 13, California Code of Regulations, Section 2423):

Exhaust Emissions (g/bhp-hr)				Smoke Opacity (%)			
Standard Certification	<u>THC</u> 1.0 0.5	<u>CO</u> 8.5 0.5	<u>NOx</u> 6.9 5.5	<u>PM</u> 0.4 0.2	<u>Accel</u> 20 8	<u>Lug</u> 15 2	<u>Peak</u> 50 27

BE IT FURTHER RESOLVED: That the listed engine models comply with "Exhaust Emission Standards and Test Procedures—Heavy-Duty Off-Road Diesel-Cycle Engines" (Title 13, California Code of Regulations, Section 2423) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed engine models also comply with "Emission Control Labels—1996 and Later Heavy-Duty Off-Road Diesel-Cycle Engines" (Title 13, California Code of Regulations, Section 2424) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Sections 2425 *et seq.*).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

Executed at El Monte, California this 262 day of December 1999.

Rephal Surrowitz

AR. B. Summerfield, Chief

Mobile Source Operations Division

Model & Amary Form

W-R-11-23

Manufacturer: Case Corporation

Engine category: Nonroad Over 50 Hp

EPA Engine Family: YX9XL0505ACA

Mfr Family Name: C413

Process Code: New Submission

8.Fuel Rate: 9.Emission Control ibs/hr)@peak torque Device Per SAE J1930	TC,CAC	TC,CAC	TC,CAC	TC, CAC	
8.Fuel Rate: (lbs/hr)@peak torque	86.0	72.6	63.6	83.8	
7.Fuel Rate: mm/stroke@peak torque	170	154	135	166	
6.Torque @ RPM (SEA Gross)	944@1500	819@1400	743@1400	900@1500	
5.Fuel Rate: (lbs/hr) @ peak HP (for diesels only)	100.8	79.2	71.6	112.2	
4.Fuel Rate: mm/stroke @ peak HP (for diesel only)	136	117	106	151	
3.BHP@RPM (SAE Gross)	280@2200	223@2000	202@2000	300@2200	
2.Engine Model		6TAA-830	6TAA-830	6TAA-830	
1.Engine Code	1846:FR90232	2307.FR90171	2307:FR90172	2118;FR90735	- - -