State of California AIR RESOURCES BOARD

EXECUTIVE ORDER U-R-11-24 Relating to Certification of New Heavy-Duty Off-Road Equipment Engines

CASE CORPORATION

Pursuant to the authority vested in the Air Resources Board at Sections 43000.5, 43013, and 43018 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned at Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9; and

IT IS ORDERED AND RESOLVED: That the following diesel engines and the exhaust emission control systems produced by the manufacturer are certified as described below for use in heavy-duty off-road equipment:

Model Year: 2000

Typical Equipment Usage: Loader and Pump

Engine Power Ratings Range: 175 – 750 horsepower, inclusive

Fuel Type: Diesel

	Disp	placement	Exhaust Emission Control
Engine Family	Liters	Cubic Inches	Systems and Special Features
YX9XL0359ABA	5.9 359		Turbocharger
(A403)			Charge Air Cooler

The engine models and codes are listed on attachments. Production engines shall be in all material respects the same as those for which certification is granted.

The exhaust emission certification standards and certification values in grams per brake horsepower-hour (g/bhp-hr) for total hydrocarbons (THC), carbon monoxide (CO), nitrogen oxides (NOx), and particulate matter (PM), and the opacity-of-smoke certification standards and certification values in percent (%) during acceleration (Accel), lugging (Lug), and the peak-values from either mode (Peak) for this engine family are as follows (Title 13, California Code of Regulations, Section 2423):

<u>Exh</u>	<u>aust Emi</u>	<u>ssions (c</u>	Smoke Opacity (%)							
Standard	<u>THC</u> 1.0	<u>CO</u> 8.5	<u>NOx</u> 6.9	<u>PM</u> 0.4	<u>Accel</u> 20	<u>Lug</u> 15	<u>Peak</u> 50			
Certification	0.3	0.6	5.2	0.4 0.1	6	1	22			

BE IT FURTHER RESOLVED: That the engine models listed on the attachments with engine power ratings less than 175 horsepower are not covered by this Executive Order.

BE IT FURTHER RESOLVED: That the listed engine models comply with "Exhaust Emission Standards and Test Procedures—Heavy-Duty Off-Road Diesel-Cycle Engines" (Title 13, California Code of Regulations, Section 2423) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed engine models also comply with "Emission Control Labels—1996 and Later Heavy-Duty Off-Road Diesel-Cycle Engines" (Title 13, California Code of Regulations, Section 2424) for the aforementioned modelyear.

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Sections 2425 *et seq.*).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

Executed at El Monte, California this 2000 day of December 1999.

. .

Raphael Sucrowitz

Mobile Source Operations Division

Engine Model Summary Form

Manufacturer: Case Corporation Engine category: Nonroad Over 50 Hp EPA Engine Famy: YX9XL0359ABA

Mfr Family Name: A403

•

Ţ

12-11-2-N

	ontrol E J1930	•			+040									••••				
	9.Emission Control Device Per SAE J190	TC	TC	TC	TC	TC	LC L			- - -								
	8.Fuel Rate: 9.Emission Control (lbs/hr)@peak torque Device Per SAE J1930	56.8	52.5	43.7	51.0	48.9	48.5	45.1										
	7.Fuel Rate: mm/stroke@peak torque	112	104	88	101	97	<u>96</u>	89	diantara and a state contract in dama				· · · · · · · · · · · · · · · · · · ·					
	6.Torque @ RPM (SEA Gross)	593@1500	550@1500	458@1500	541@1500	512@1500	493@1500	466@1500	and the second				a search as the state of second burning to					
	5.Fuel Rate: (lbs/hr) @ peak HP (for diesels only)	77.1	71.9	65.8	62.0	60.4	55.0	55.8	and and the second s				ter i transministra en el tra			and a second	and the second	
	4.Fuel Rate: mm/stroke @ peak HP (for diesel only)	91	85	78	84	81	74	75		· · · ·					· · ·			
	3.BHP@RPM (SAE Gross)	200@2500	185@2500	174@2500	168@2200	165@2200	153@2200	150@2200										
New Submission	2.Engine Model	6TA-590			: .	·												
Process Code:	1.Engine Code	1889;FR90001	1889; FK9898	2072;FR90080	1962;FR90338	1962;FR90018	1962;FR90337	1962;FR90020				·						

and the second second