State of California AIR RESOURCES BOARD

EXECUTIVE ORDER U-R-7-53 Relating to Certification of New Heavy-Duty Off-Road Equipment Engines

DETROIT DIESEL CORPORATION

Pursuant to the authority vested in the Air Resources Board at Sections 43000.5, 43013, and 43018 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned at Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9; and

Pursuant to the December 15, 1998 Settlement Agreement between the Air Resources Board and Detroit Diesel Corporation and any modification to the Settlement Agreement;

IT IS ORDERED AND RESOLVED: That the following diesel engines and exhaust emission control systems produced by the manufacturer are certified as described below for use in heavy-duty off-road equipment:

Model Year: 2000

Typical Equipment Usage: Pump, Compressor, Generator

Engine Power Ratings Range: 175 – 750 horsepower, inclusive

Fuel Type: Diesel

| Engine Family | Disp | placement | Exhaust Emission Control |
|----------------------------|---------------|---------------------|--|
| | <u>Liters</u> | <u>Cubic Inches</u> | Systems and Special Features |
| YDDXL15.9TRE (8V-S2000) | 15.9 | 970 | Engine Control Module Turbocharger Charge Air Cooler |

The engine models and codes are listed on attachments. Production engines shall be in all material respects the same as those for which certification is granted.

The exhaust emission certification standards and certification values in grams per brake horsepower-hour (g/bhp-h) for total hydrocarbons (THC), carbon monoxide (CO), nitrogen oxides (NOx), and particulate matter (PM), and the opacity-of-smoke certification standards and certification values in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family are as follows (Title 13, California Code of Regulations, Section 2423):

Exhaust Emissions (g/bhp-h)

Smoke Opacity (%)

| . | <u>THC</u> | <u>CO</u> | <u>NOx</u> | <u>PM</u> | Accel | Lug | Peak |
|---------------|------------|-----------|------------|-----------|-------|-----|------|
| Standard | 1.0 | 8.5 | 6.9 | 0.4 | 20 | 15 | 50 |
| Certification | 0.1 | 0.5 | 6.6 | 0.1 | 15 | 3 | 32 |

BE IT FURTHER RESOLVED: That the listed engine models comply with "Exhaust Emission Standards and Test Procedures—Heavy-Duty Off-Road Diesel-Cycle Engines" (Title 13, California Code of Regulations, Section 2423) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed engine models also comply with "Emission Control Labels—1996 and Later Heavy-Duty Off-Road Diesel-Cycle Engines" (Title 13, California Code of Regulations, Section 2424) for the aforementioned modelyear.

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Sections 2425 *et seq.*).

BE IT FURTHER RESOLVED: That the aforementioned engine family has been conditionally certified subject to the following conditions:

- 1. The Settlement Agreement is in effect.
- 2. The manufacturer is in compliance with all applicable certification requirements of the Settlement Agreement.

Engines certified under this Executive Order must conform to all applicable California emission regulations and to all applicable terms and conditions of the Settlement Agreement.

Executed at El Monte, California this -4 + h day of January 2000.

R. B. Summerfield, Chief Mobile Source Operations Division

| | Emission Control Device Per SAE J1930 | EC TAW EC TAW | EC TAW EC TAW |
|---------------------------------|--|------------------------------------|------------------------------------|
| | Fuel Rate: (lbs/hr)@peak torque | 175.9 175.9 | 174.5 174.5 |
| 00 | Fuel Rate: mm/stroke@peak torque | 293.8 293.8 | 291.5 291.5 |
| e: 8V-S2000 | Torque @ RPM (SEA Gross) | 2076 @ 1350 2076 @ 1350 | 2076 @ 1350 2076 @ 1350 |
| Manufacturer Family Name: | Fuel Rate: (lbs/hr) @ peak HP | 230.0 217.5 | 208.1 200.3 |
| Manufa | Fuel Rate: mm/stroke @ peak HP | 247.0 272.5 | 233.5 251.0 |
| 5.9TRE | BHP@RPM (SAE Gross) | 650 @ 2100 650 @ 1800 | 605 @ 2100 605 @ 1800 |
| EPA Engine Family: YDDXL15.9TRE | Engine Model | 8V-S2000 (SCCC) 8V-S2000 (SCCC) | 8V-S2000 (SCCC) 8V-S2000 (SCCC) |
| EPA Engine F | Engine Code | 1E21 1E18 | 1F21 1F18 |

TC, CAS, TEM

EC TAW EC TAW

A N

A A

A A N

232.6 207.5

291.5 260.0

8V-S2000 (SCCC) 8V-S2000 (SCCC)

GS2 GS2-TL

· •

i

下の: いろい 223

Process Code: New Submission

LARGE ENGINE MODEL SUMMARY

Manufacturer: Detroit Diesel Corporation

A15

Process Code: New Submission Manufacturer: Detroit Diesel Corporation

FO: U-R-7-53

Fuel Rate: (lbs/hr)@peak torque Emission Control Device Per SAE J1930

Fuel Rate: mm/stroke@peak

torque

EC TAW EC TAW

164.6 164.6

275.0 275.0

EC TAW EC TAW

151.4 151.4

253.0 253.0

A A

A A

¥ ¥

205.0 185.4

256.9 232.3

8V-S2000 (JWCC) 8V-S2000 (JWCC)

GS1-TL

GS1

i

| e: 8V-S2000 | Torque @ RPM mm (SEA Gross) | 1871 @ 1350 1871 @ 1350 | 1708 @ 1350 1708 @ 1350 |
|---------------------------------|--------------------------------------|---|------------------------------------|
| Manufacturer Family Name: | Fuel Rate: (lbs/hr) @ peak HP | (10) diesels unity) 200.7 191.9 | 186.0 177.2 |
| Manufac | Fuel Rate: mm/stroke @ peak HP | (10 00000000000000000000000000000000000 | 199.8 222.0 |
| 5.9TRE | BHP@RPM (SAE Gross) | 575 @ 2100 575 @ 1800 | 525 @ 2100 525 @ 1800 |
| ^{-amily:} YDDXL15.9TRE | Engine Model | 8V-S2000 (JWCC) 8V-S2000 (JWCC) | 8V-S2000 (JWCC) 8V-S2000 (JWCC) |
| EPA Engine Family: | Engine Code | 1A21 1A18 | 1B21 1B18 |

TECHEFCM EC TAW EC TAW