(2)

(Page 1 of 2)

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER U-R-9-13

Relating to Certification of New Heavy-Duty Off-Road Equipment Engines

MITSUBISHI MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by Sections 43000.5, 43013 and 43018 of the Health and Safety Code; and,

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following Mitsubishi Motors Corporation 2000 model-year engine, with rated power between 175 and 750 horsepower, and exhaust emission control systems are certified as described below for use in heavy-duty off-road equipment:

Typical Equipment Usage: Pump, Crane, Excavator and Generator

<u>Fuel Type</u>: Diesel

Exhaust Emission Control
Systems and Special Features

YMTXL07.5D6C 7.5 (460) Turbocharger

Engine models and codes are listed on attachments. Production engines shall be in all material respects the same as those for which certification is granted.

The total hydrocarbons (THC), carbon monoxide (CO), nitrogen oxides (NOx), and particulate matter (PM) certification exhaust emission standards, in grams per brake horsepower-hour (g/bhp-hr), and the opacity of smoke emission standards, in percent (%), during acceleration (Accel), lugging (Lug), and peak (Peak) modes, for this engine family are (Title 13, California Code of Regulations, Section 2423):

<u>Exhaus</u>	<u>t Emissi</u>	ons (q/	<u>bhp-hr)</u>	p-hr) Smoke Opacity (%)			
THC	<u>co</u>	<u>NOx</u>	<u>PM</u>	<u>Accel</u>	<u>Luq</u>	<u>Peak</u>	
1.0	8.5	6.9	0.4	20	15	50	

The THC, CO, NOx and PM exhaust emission certification values, in g/bhp-hr, and the opacity of smoke emission certification values, in percent (%), for this engine family are:

<u>Exhaus</u>	<u>t Emissi</u>	ons (g/	<u>bhp-hr)</u>	Smoke	Smoke Opacity (%)			
<u>THC</u>	<u>co</u>	<u>N0x</u>	<u>PM</u>	<u>Accel</u>	<u>Lug</u>	<u>Peak</u>		
0.3	0.6	6.7	0.2	17	4	34		

BE IT FURTHER RESOLVED: That the listed engine models comply with the "Exhaust Emission Standards and Test Procedures--Heavy-Duty Off-Road Diesel Cycle Engines" (Title 13, California Code of Regulations, Section 2423) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed engine models also comply with the "Emission Control Labels--1996 and Later Heavy-Duty Off-Road Diesel Cycle Engines" (Title 13, California Code of Regulations, Section 2424) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2425 et seq.).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

Executed at El Monte, California this _______ day of February 1999.

B. Summerfield, Chief

Mobile Source Operations Division

LARGE ENGINE MODEL SUMMARY

E0: 4-8-9-13

Manufacturer: Mitsubishi Motors Corporation

EPA Engine Family: XMTXL07.5D6C

Process Code: New Submission

N/A

Manufacturer Family Name: 5.Fuel Rate; 4.Fuel Rate:

7.Fuel Rate:

1.Engine Code	1.Engine Code 2.Engine Model	3.BHP@RPM (SAE Gross)	mm/stroke @ peak HP (for diesel only)	(lbs/hr) @ peak HP (for diesels only)	6.Torque @ RPM (SAE Gross)	r.ruel rate. mm/stroke@peak torque	8.Fuel Rate: (lbs/hr)@peak torque	9.Emission Control Device Per SAE J1930
					**************************************		***************************************	***************************************
6D16TEB-US00	6D16-TEB	178@2200	89	64.8	485 @ 1600	96	512	FMTC
COACTEA LICAN		0007)		2
0050-4310100	431-010s	184@1800	109	65.0	582 @ 1500	119	58.9	OT ME
SD48TED 11000	L	0000					0:00	<u>-</u>
0010150-0300	71-0100	717 @ 7800	94	87.3	514 @ 1600	106	56.1	FMT
ADJATED LICON		0000						בוביים כ
00101ED-0300	0010-150	00/2 @ 602	633	84.7	514 @ 1600	106	56.1	OT NE
AD18TEE IOOO	2046 TEE	0400)			֭֡֝֞֝֓֓֓֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֓֓֡֓֓֓֓֡֓֓֡֓֡֓֡֓֡
90101 FE-0300	מסוס-ונב	712 @ 2000	94	87.3	514 @ 1600	106	56.1	EM TO
COACTEE 1 1000	TUT OF US	040000000000000000000000000000000000000)			
000-1210100	9D 10-1EF	712 (2) 7800	94	87.3	514 @ 1600	106	56.1	EM TO
)		-	<u></u>