State of California AIR RESOURCES BOARD

EXECUTIVE ORDER U-R-19-48 Relating to Certification of New Off-Road Compression-Ignition Engines

DAEWOO HEAVY INDUSTRIES CO., LTD.

Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engine and emission control system produced by the manufacturer are certified as described below for use in off-road equipment:

Model Year: 2001

, ;;

Typical Equipment Usage: Constant-Speed Generator Set

Fuel Type: Diesel

mar in a ta

· · · ·

<u>Engine Family</u> 1DWXL18.3ASA (P180LE)	Engine Displacement <u>(liters)</u> 18.3	Useful Life <u>(hours)</u> 8000	Emission Control Systems and Special Features Direct Diesel Injection Turbocharger Charge Air Cooler
--------------------------------------------------	---------------------------------------------------	---------------------------------------	------------------------------------------------------------------------------------------------------------------

Engine models and codes are listed on attachments. Production engines shall be in all material respects the same as those for which certification is granted.

The exhaust emission certification standards and certification values for hydrocarbons (HC), oxides of nitrogen (NOx), or non-methane hydrocarbons plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) (units are expressed in grams per kilowatt-hour (g/kw-hr)), and the opacity-of-smoke certification standards and certification values in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family are as follows (Title 13, California Code of Regulations, Section 2423):

Engine Power	Emission Standard		Exhaust Emissions (g/kw-hr)					Smoke Opacity (%)		
<u>Rating (kw)</u> 450 <u><</u> KW <u><</u> 560	<u>Category</u> Tier 1	Standard	<u>HC</u> 1.3	<u>NOx</u> 9.2	<u>NMHC+NOx</u> N/A	<u>CO</u> 11.4	<u>РМ</u> 0.54	<u>Accel</u> N/A	<u>Lug</u> N/A	<u>Peak</u> N/A
		Certification	0.04	8.2		0.8	0.12			

DAEWOO HEAVY INDUSTRIES CO., LTD.

é,

BE IT FURTHER RESOLVED: That the listed engine models also comply with "Emission Control Labels— 1996 and Later Off-Road Compression-Ignition Engines" (Title 13, California Code of Regulations, Section 2424) for the aforementioned modelyear.

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Sections 2425 and 2426).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

Executed at El Monte, California this 30^{74} day of April 2001.

FOR

R. B. Summerfield, Chief Mobile Source Operations Division

Engine Model Sur nary Form

Attachment

V# 5

Manufacturer: Daewoo Heavy Industries & Machinery Ltd.

Engine category: Nonroad Cl

EPA Engine Family: 1DWXL18.3ASA

Mfr Family Name: P180LE

Process Code: **New Submission**

1.[Engine Code	2.Engine Model	3.BHP@RPM (SAE Gross)	4.Fuel Rate: mm/stroke @ peak HP (for diesel only)	5.Fuel Rate: (lbs/hr) @ peak HP (for diesels only)	6.Torque @ RPM (SEA Gross)	7.Fuel Rate: mm/stroke@peak torque	8.Fuel Rate: 9.Emission Control (lbs/hr)@peak torque Device Per SAE J1930
		P180LE SOA P180LE SOA P180LE SOA P180LE-1 SOB P180LE-1 SOB P180LE-1 SOB P180LE SGA P180LE SGA P180LE SGA P180LE SGA P180LE-1 SGB P180LE-1 SGB	665@1500 724@1800 667@1800 606@1800 668@1800 669@1800 665@1500 724@1800 667@1800 606@1800 668@1800 609@1800	278 256 233 211 233 211 278 256 233 211 233 211	230.1 254.3 231.4 209.6 231.4 209.6 230.1 254.3 231.4 209.6 231.4 209.6	2332@ 1500 2116@ 1800 1949@ 1800 1770@ 1800 1952@ 1800 2332@ 1500 2116@ 1800 1949@ 1800 1770@ 1800 1952@ 1800 1779@ 1800	278 256 233 211 233 211 278 256 233 211 233 211	230.1 <i>pPF</i> TC & CAC 254.3 TC & CAC 231.4 TC & CAC 209.6 TC & CAC 231.4 TC & CAC 209.6 TC & CAC 230.1 TC & CAC 230.1 TC & CAC 230.1 TC & CAC 231.4 TC & CAC 230.1 TC & CAC 231.4 TC & CAC 231.4 TC & CAC 209.6 TC & CAC 231.4 TC & CAC 209.6 TC & CAC 209.6 TC & CAC

.

• •

κ.

EPA CENT: DWX-NR8-01-13.