

Cummins Inc.

EXECUTIVE ORDER U-R-002-0118 New Off-Road Compression-Ignition Engines

Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engine and emission control system produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

Tall be in a				USEFUL LIFE (hours)		
MODEL	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE			
YEAR	2CEXL050.AAA	38 and 50	Diesel	8000		
2002	FEATURES & EMISSION	CONTROL SYSTEMS	TYPICAL EQUIPMENT APPLICATION			
		ger, Charge Air Cooler	Haul Truck and Excavator			
Direct Dies						

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for hydrocarbon (HC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

either mode (Po					XHAUST (g/kw-h			OP	ACITY (%	<u>.)                                    </u>
RATED POWER	EMISSION STANDARD		HC	NOx	NMHC+NOx	со	PM	ACCEL	LUG	PEAK
CLASS KW > 560	Tier 1	STD	1.3	9.2	N/A	11.4	0.54	20	15 6	50 24
KW = 300	1101	CERT	0.4	8.1		2.0	0.23		l	

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this

day of December 2001.

R. B. Summerfield, Chief

Mobile Source Operations Division

Manufacturer: Cummins Inc.
Engine category: Nonroad CI
EPA Engine Famiy: 2CEXL.050.AAA

Mfr Family Name: A283

New Submission Process Code:

2913:FR 6356         KTA50-C         2000@1900         383         654         5800@1500         399         538         D           2914:FR 6357         KTA50-C         2000@1900         383         654         5800@1500         399         538           2936:FR 6357         KTA38-C         1260@1800         359         436         3767@1400         360         340           2936:FR 6355         KTA38-C         1450@1900         370         474.0         4127@1400         391         369           2937:FR 6368         KTA38-C         1450@1900         359         436         3767 @ 1400         360         340           2937:FR 6366         KTA38-C         1450@1900         392         502.0         4127@1400         361         369           2937:FR 6366         KTA38-C         1350@1900         370         474.0         4127@1400         391         369           2937:FR 6366         KTA38-C         1350@1900         370         474.0         4127@1400         391         369	1.Engine Code	2.Engine Model	3.BHP@RPM (SAE Gross)	4.Fuel Rate: mm/stroke @ peak HP (for diesel only)	5.Fuel Rate: (lbs/hr) @ peak HP (for diesels only)	6.Torque @ RPM (SEA Gross)	7.Fuel Rate: mm/stroke@peak torque	8.Fuel Rate: (lbs/hr)@peak torque	8.Fuel Rate: 9.Emission Control lbs/hr)@peak torque Device Per SAE J1930
KTA38-C         2000@1900         383         654         5800@1500         399         538           KTA38-C         1260@1800         392         436         3767@1400         360         340           KTA38-C         1350@1900         370         474.0         4127@1400         391         369           KTA38-C         1260 @ 1800         359         436         3767 @ 1400         360         340           KTA38-C         1450@1900         392         502.0         4127@1400         391         369           KTA38-C         1350@1900         370         474.0         4127@1400         391         369	913:FR 6356	KTA50-C	2000@1900	383	654	5800@1500	399	538	Dr TC. CAC
KTA38-C       1260@1800       359       436       3767@1400       360         KTA38-C       1350@1900       370       474.0       4127@1400       391         KTA38-C       1260 @ 1800       359       436       3767 @ 1400       360         KTA38-C       1450@1900       392       502.0       4127@1400       391         KTA38-C       1350@1900       370       474.0       4127@1400       391	914:FR 6357	KTA50-C	2000@1900	383	654	5800@1500	399		TC. CAC
KTA38-C       1450@1900       392       502.0       4127@1400       391         KTA38-C       1260 @ 1800       359       436       3767 @ 1400       360         KTA38-C       1450@1900       392       502.0       4127@1400       391         KTA38-C       1350@1900       370       474.0       4127@1400       391	936:FR 6367	KTA38-C	1260@1800	359	436	3767@1400	360	340	TC. CAG
KTA38-C       1350@1900       370       474.0       4127@1400       391         KTA38-C       1260 @ 1800       392       436       3767 @ 1400       360         KTA38-C       1350@1900       370       474.0       4127@1400       391	936:FR6365	KTA38-C	1450@1900	392	502.0	4127@1400	391	369	TC.CAC
KTA38-C       1260 @ 1800       359       436       3767 @ 1400       360         KTA38-C       1350@1900       370       474.0       4127@1400       391	936:FR6373	KTA38-C	1350@1900	370	474.0	4127@1400	391	369	TC.CAC
KTA38-C 1450@1900 392 502.0 4127@1400 391 KTA38-C 1350@1900 370 474.0 4127@1400 391	937:FR 6368	KTA38-C	1260 @ 1800	359	436	3767 @ 1400	360	340	TC, CAC
KTA38-C 1350@1900 370 474.0 4127@1400 391	937:FR6366	KTA38-C	1450@1900	392	502.0	4127@1400	391	369	TOCAG
	937:FR6374	KTA38-C	1350@1900	370	474.0	4127@1400	391	369	TC.CAC
									<b>)</b>