

Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engine and emission control system produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)		
2002	2KLXL0505ACA	8.3	Diesel	8000		
SPECIAL FEATURES & EMISSION CONTROL SYSTEMS			TYPICAL EQUIPMENT APPLICATION			
Direct Diesel Injection, Turbocharger, Charge Air Cooler			Crane, Loader, Tractor, Dozer, Pump, Compressor			

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for hydrocarbon (HC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED POWER	EMISSION STANDARD CATEGORY		EXHAUST (g/kw-hr)				OPACITY (%)			
CLASS			HC	NOx	NMHC+NOx	co	PM	ACCEL	LUG	PEAK
130 ≤ KW < 225	Tier 1	STD	1.3	9.2	N/A	11.4	0.54	20	15	50
		CERT	0.6	7.3		0.7	0.21	8	2	27

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this

R. B. Summerfield, Chief

Mobile Source Operations Division

day of December 2001.

Engine Model mmary Form

ATTACHMENT

Manufacturer: Komatsu

Engine category: Nonroad Over 50 Hp

EPA Engine Family: 2KLXL0505ACA

Mfr Family Name: C413

Process Code: New Submission

1.Engine Code 2057;FR90109 8145;FR90998 8146;FR90999
2.Engine Model SAA6D114E-1 SAA6D114E-2 SAA6D114E-1
3.BHP@RPM (SAE Gross) 230@2200 254@1900 203@2009
4.Fuel Rate: mm/stroke @ peak HP (for diesel only) 118 143
5.Fuel Rate: (lbs/ln) @ peak HP (for diesels only) 87,3 91.8 79,5
6.Torque @ RPM (SEA Gross) 670@1500 825@1400 687@1400
7.Fuel Rate: mm/stroke@peak torque 123 163 137
8.Fuel Rate: (lbs/hr)@peak torque 62.1 () 76.9
8.Fuel Rate: 9.Emission Control (lbs/hr)@peak torque Device Per SAE J1930 62.1 (DX), TC, CAC 76.9 TC, CAC 64.7 TC, CAC

M-6-002-0122