ISUZU MOTORS LIMITED

EXECUTIVE ORDER U-R-006-0070 New Off-Road Compression-Ignition Engines

Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engine and emission control system produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)				
2002	2SZXL01.5YNA	1.5	Diesel 5000					
SPECIAL	FEATURES & EMISSION	CONTROL SYSTEMS	TYPICAL EQUIPMENT APPLICATION					
	Indirect Diesel Inje	ection	Loader, Pump, Compressor, Generator, Excavator, Roller, Lift					

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for hydrocarbons (HC), oxides of nitrogen (NOx), or non-methane hydrocarbons plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED	EMISSION			E	EXHAUST (g/kw-l	OPACITY (%)				
POWER CLASS	STANDARD CATEGORY		HC	NOx	имнс+иох	co	PM	ACCEL	LUG	PEAK
19 ≤ KW < 37	Tier 1	STD	N/A	N/A	9.5	5.5	0.80	20	15	50
		CERT			5.1	3.2	0.71	7	9	14

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this

day of November 2001.

R. B. Summerfield, Chief

Mobile Source Operations Division

Engine Model Starmary Form

Isuzu Motors Limited Manufacturer:

Engine category: Nonroad Cl
EPA Engine Family: 2SZXL01.5YNA

Mfr Family Name: NA

New Submission Process Code:

ATTACHMENT

FO U-R-006-0070

	_ 1				: 1	:							ŧ.
	8.Fuel Rate: 9.Emission Control (Ibs/hr) @peak torque Device Per SAE J1930	EM,IDI	EM,ID!	EW,ID1	IQI'W	IQI,M	EW,IDI	IQI'W	IQI'WB	idi,M	IQI,M	iai,n	ĖW,IDI
	8.Fuel Rate: (lbs/hr)@peak torque	9.5@1700	10.3@1800	10.3@1800	10.3@1800	10.2@1800	10.3@1800	11.2@2000	11.2@2000	9.9@1750	9.5@1750	11.5@2000	11.7@1800
	7.Fuel Rate: mm/stroke@peak torque	33.7@1700	34.5@1800	34.5@1800	34.5@1800	34.1@1800	34.5@1800	33.7@2000	33.7@2000	33.9@1750	32.4@1750	34.6@2000	38.9@1800
	6.Torque @ RPM (SEA Gross)	67.9@1700	69.3@1800	69.3@1800	69.3@1800	67.0@1800	69.3@1800	69.0@2000	69.1@2000	67.2@1750	62.4@1750	70.1@2000	72.2@1800
	5.Fuel Rate: (lbs/hr) @ peak HP (for diesels only)	11.1@2100	11.0@2200	11.5@2300	12.0@2400	12.1@2450	12.3@2600	14.1@2700	14.5@2800	17.0@3000	14.0@3000	15.3@3000	19.5@3400
	4.Fuel Rate: mm/stroke @ peak HP (for diesel only)	31.7@2100	30.1@2200	30.1@2300	30.1@2400	29.7 @ 2450	28.3@2600	31.3@2700	31.1@2800	34.0@3000	27.9@3000	30.6@3000	34.5@3400
<u>></u>	/ 3.BHP@RPM (SAE Gross)	25.5@2100	26.0@2200	27.0@2300	27.8@2400	27.6@2450	29.6@2600	31.7@2700	30.9@2800	33.5@3000	27.8@3000	32.1@3000	27,9 37.4@3400
	2.Engine Model	3LD1 (9.0	3LD1	3LD1 2.29									
	1.Engine Code	3LD1NAAYB-01	3LD1NAAYB-02	3LD1NAAYB-03	3LD1NAAYB-04	3LD1NAAYB-05	3LD1NAAYB-06	3LD1NAAYB-07	3LD1NAAYB-08	3LD1NAAYB-09	3LD1NAAYB-10	3LD1NAAYA-01	3LD1NAAYA-02