



Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

**IT IS ORDERED AND RESOLVED:** That the following compression-ignition engine and emission control system produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)
2002	2YDXL1.33D3N	1.331	Diesel	5000
SPECIAL FEATURES & EMISSION CONTROL SYSTEMS			TYPICAL EQUIPMENT APPLICATION	
Direct Diesel Injection			Crane, Loader, Tractor, Dozer, Pump, Compressor, Excavator	

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for hydrocarbons (HC), oxides of nitrogen (NOx), or non-methane hydrocarbons plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):


RATED POWER CLASS	EMISSION STANDARD CATEGORY		EXHAUST (g/kw-hr)					OPACITY (%)		
			HC	NOx	NMHC+NOx	CO	PM	ACCEL	LUG	PEAK
19 ≤ KW < 37	Tier 1	STD	N/A	N/A	9.5	5.5	0.80	20	15	50
		CERT	--	--	8.4	4.2	0.58	4	5	6

**BE IT FURTHER RESOLVED:** That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

**This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.**

Executed at El Monte, California on this 29<sup>th</sup> day of November 2001.

  
R. B. Summerfield, Chief  
Mobile Source Operations Division

# Engine Model Summary Form

ATTACHMENT

E00-R-028-0058

Manufacturer: Yanmar Diesel Engine Co., Ltd.  
 Engine category: Nonroad CI  
 EPA Engine Family: 2YDXL1.33D3N  
 Mfr Family Name: N/A  
 Process Code: New Submission

1.Engine Code	2.Engine Model	3.BHP@RPM (SAE Gross)	4.Fuel Rate: mm <sup>3</sup> /stroke @ peak HP (for diesel only)	5.Fuel Rate: (lbs/hr) @ peak HP (for diesels only)	6.Torque @ RPM (SEA Gross)	7.Fuel Rate: mm <sup>3</sup> /stroke @ peak torque	8.Fuel Rate: (lbs/hr) @ peak torque	9.Emission Control Device Per SAE J1930
N/A	3TNE82A-EDM	30.0/3000	24.4	12.1	64.4/1800	27.8	8.2	EM DDI
N/A	3TNE82A-EAF	31.3/3000	25.4	12.5	61.8/1800	26.5	7.9	EM
N/A	3TNE82A-ESA	29.8/3000	24.1	11.9	62.3/1800	26.7	7.9	EM
N/A	3D82AE-3FB	25.9/2600	23.3	10.0	60.8/1560	27.0	6.9	EM
N/A	3D82AE-3FJ	25.9/2600	23.3	10.0	60.8/1560	27.0	6.9	EM
N/A	3D82AE-3HB	25.9/2600	23.3	10.0	60.8/1560	27.0	6.9	EM
N/A	3D82AE-3HJ	25.9/2600	23.3	10.0	60.8/1560	27.0	6.9	EM
N/A	3TNE82A-ESA	29.8/3000	24.1	11.9	62.3/1800	26.7	7.9	EM
N/A	3TNE82A-EYA	29.8/3000	24.1	11.9	62.3/1800	26.7	7.9	EM
N/A	3D82A-3FAE	25.9/2600	23.3	10.0	60.8/1560	27.0	6.9	EM
N/A	3TNE82A-ESA	29.8/3000	24.1	11.9	62.3/1800	26.7	7.9	EM
N/A	3TNE82A-ESA	29.8/3000	24.1	11.9	62.3/1800	26.7	7.9	EM
N/A	3TNE82A-ESA	29.8/3000	24.1	11.9	62.3/1800	26.7	7.9	EM
N/A	3TNE82A-EJF	27.7/2800	23.7	11.0	62.3/1800	26.7	7.9	EM
N/A	3TNE82A-ECB	29.8/3000	24.1	11.9	62.3/1800	26.7	7.9	EM
N/A	3TNE82A-EJTS	27.3/2600	24.5	10.5	63.2/1600	27.1	7.2	EM
N/A	3TNE82A-EPM	29.8/3000	24.1	11.9	62.3/1800	26.7	7.9	EM
N/A	3TNE82A-EBE	29.7/3000	24.1	11.9	61.0/1800	26.0	7.7	EM
N/A	3TNE82AC-EC	29.8/3000	24.1	11.9	62.3/1800	26.7	7.9	EM