

ISEKI MATSUYAMA MFG. CO., LTD.

EXECUTIVE ORDER U-R-038-0006 New Off-Road Compression-Ignition Engines

Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engine and emission control system produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)
2002	2ICLL1.50C3D	1.498	Diesel	5000
SPECIAL	FEATURES & EMISSION	CONTROL SYSTEMS	TYPICAL EQUIPMENT APPLI	CATION
	Indirect Diesel Inje	ction	Tractor	

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for hydrocarbon (HC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED	EMISSION			E	XHAUST (g/kw-l	nr)		OF	ACITY (%	s)
POWER CLASS	STANDARD CATEGORY		HC	NOx	NMHC+NOx	co	PM	ACCEL	LUG	PEAK
19 <u><</u> KW<37	Tier 1	STD	N/A	N/A	9.5	5.5	0.80	20	15	50
		CERT			5.3	1.4	0.24	5	4	6

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this

day of January 2002.

R. B. Summerfield, Chief

Mobile Source Operations Division

ATT IMENTIOF!

Engine Model S mary Form

ISEKI MATSUYAMA MFG. CO., LTD. Manufacturer:

Nonroad Cl Engine category:

EPA Engine Family: 2ICLL1.50C3D

Mfr Family Name: NONE

U-R-038-0006

New Submission Process Code:

4. Fuel Rate: 5. Fuel Rate: 5. Fuel Rate: 7. Fuel Rate: 7. Fuel Rate: 9. Emission Control 1. Engine Code 2. Engine Model (SAE Gross) (for diesel only) (for diesels only) (SEA Gross) 12.9@30.3 71.4@1800 34.1@71.4 10.3@71.4 IFI N/A E3CD 33.0@2600 32.2@33.0 14.1@33.0 72.0@1560 33.7@72.0 8.8@72.0 IFI	0	4	
4. Fuel Rate: 5. Fuel Rate: 5. Fuel Rate: 7. Fuel Rate: 3. BHP@RPM mm/stroke @ peak HP (lbs/hr) @ peak HP (SAE Gross) 6. Torque @ RPM mm/stroke@peak torque (for diesels only) mm/stroke@peak torque (SEA Gross) 30.3@2500 30.7@30.3 12.9@30.3 71.4@1800 34.1@71.4 33.0@2600 32.2@33.0 14.1@33.0 72.0@1560 33.7@72.0	9.Emission Control Device Per SAE J193	Ē	=
4. Fuel Rate: 5. Fuel Rate: 5. Fuel Rate: 7. Fuel Rate: 3. BHP@RPM mm/stroke @ peak HP (lbs/hr) @ peak HP (SEA Gross) 6. Torque @ RPM mm/stroke@peal torque (SAE Gross) (for diesel only) (for diesels only) (SEA Gross) torque 30.3@2500 30.7@30.3 12.9@30.3 71.4@1800 34.1@71.4 33.0@2600 32.2@33.0 14.1@33.0 72.0@1560 33.7@72.0	8.Fuel Rate: (lbs/hr)@peak torque	10.3@71.4	8.8@72.0
4.Fuel Rate: 3.BHP@RPM mm/stroke @ peak HP (I (SAE Gross) (for diesel only) 30.3@2500 30.7@30.3 33.0@2600 32.2@33.0	7.Fuel Rate: mm/stroke@peak torque	34.1@71.4	33.7@72.0
4.Fuel Rate: 3.BHP@RPM mm/stroke @ peak HP (I (SAE Gross) (for diesel only) 30.3@2500 30.7@30.3 33.0@2600 32.2@33.0	6.Torque @ RPM (SEA Gross)	71.4@1800	72.0@1560
4.Fuel Rate 3.BHP@RPM mm/stroke @ pe (SAE Gross) (for diesel or 30.3@2500 30.7@30 33.0@2600 32.2@33			
	4.Fuel Rate: mm/stroke @ peak HP (for diesel only)		32.2@33.0
1.Engine Code 2.Engine Model N/A E3CD N/A E3CD	3.BHP@RPM (SAE Gross)	30.3@2500	33.0@2600
1 Engine Code N/A N/A	2.Engine Model	E3CD	E3CD
	1.Engine Code	A/N	N/A