California Environmental Protection Agency AIR RESOURCES BOARD	DEERE POWER SYSTEMS GROUP OF DEERE & COMPANY	EXECUTIVE ORDER U-R-004-0132 New Off-Road Compression-Ignition Engines
---	---	--

Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)
2003	3JDXL06.8038	6.8	Diesel	8000
SPECIAL	FEATURES & EMISSION	CONTROL SYSTEMS	TYPICAL EQUIPMENT	APPLICATION
Electron	ic Control Module, Dire Turbocharger, Charge	ect Diesel Injection, Air Cooler	Tractor, Compressor, Generator S	Set, Industrial Equipment

The engine models and codes are attached.

The following are the exhaust certification standards (STD), and certification levels (CERT) for hydrocarbon (HC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr); and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED POWER	EMISSION STANDARD				EXHAUST (g/kw-ł	ויי)		0	PACITY (%	ó)
CLASS	CATEGORY		нс	NOx	NMHC+NOx	со	РМ	ACCEL	LUG	PEAK
130 ≤ kW < 225	Tier 2	STD	N/A	N/A	6.6	3.5	0.20	20	15	50
		CERT	-	-	5.9	0.6	0.18	15	4	45

**BE IT FURTHER RESOLVED:** That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this \_\_\_\_2<sup>422</sup> day of January 2003.

Rausard Sosmawitz

Allen Lyons, Chief Mobile Source Operations Division

-

_	•								
	Antolia	- -	Engine Model Sumr	del Sumr	y Form				
Manufacturer; D	Deere Power Systems Group of Deere and	ems Group of De	ere and				u-R-0t4-0132		
Engine category: N	Nonroad Cl								
	3JDXL06.8038								
Mir Family Name: 3	350HC								
Process Code: N	New Submission								
1.Engine Code 2.	.Engine Model	3.BHP@RPM п (SAE Gross)	4.Fuel Rate: mm/stroke @ peak HP (for diesel only)	5.Fuel Rate: (lbs/hr) @ peak HP (for diesels only)	6.Torque @ RPM (SEA Gross)	7.Fuel Rate: mm/stroke@peak torque	8.Fuel Rate: 9.Emission Controt (lbs/hr)@peak torque Device Per SAE J1930	9.Emission Control Device Per SAE J1930	
6068HF275A	H8909.	249.43@2400	112.00@2400	90.39@2400	690.27@1400	133.0@1400	62.61@1400		- - - - - - - - - - - - - - - - - - -
6068HF275C	6068H	225.29@2400	101.40@2400	81.57@2400	616.52@1400	118@1400	55.78@1400	TC CAC EM	
6068HF275D	H8909	199.81@2200	97.20@2200	70.55@2200	595.87@1400	116@1400	54.89@1400	TC CAC EM	<u></u>
6068HF275E		199.81@2400	90.60@2400	72.75@2400	568.58@1400	110@1400.	52.03@1400	TC CAC EM	<u>ni (î re</u> l
6068HF275F		185.06@2400	84.00@2400	66.14@2400	526.55@1400	10.5	47.84@1400	TC CAC EM	<u>4415</u>
6068HT055		189.08@2150	94.30@2150	68.34@2150	553,83@1400		50.04@1400	EM TC CAC	<u>0.59</u> 2
6068HF2/5G	18909 18909	225.29@2200	108;40@2200	79.37@2200	671,83@1400	129.5@1400	129:5@1400 61:07@1400		<u>&gt; (&gt; )</u>
ADAAHE97A			0007 0001111	0002@01.21	003./2@1400	129.5@1400	61.07@1400		<u>. 9-2-</u>
6068HF275J		250.77@1800	143.40@1800	85.98@1800	0041.940	1400	02.61@1400	6.1	
6068HRT72		190;43@2200	106.00@2200	46,30@2200	605.46@1400	90 3 @ 1400	28 44 @ 1400		
6068HF275K	6068H 210	281.61@1800	160.30@1800	97.00@1800					
6068HF275L	ALC: NO ALC: NO	219,93@1800	126.80@1800	74,96@1800			A STATE AND A STATE	TO CAC EM	
6068HT054	134	179.70@2100	91.40@2100	63.93@2100	539.09@1400	104@1400	49.38@1400	EM TC CAC	× <u>}*</u>
									1.1111-1114年2月第1
									· . ·
のなる大き油を		「夏」のため、除え							, es - 2-23
									1.000
									an se lis
	V. S. S. S. Martin								****
									un de Ca
	States in				and the statement of	A NAMES OF A DESCRIPTION OF A DESCRIPTIO			v*x24(\$
									· 48

. I

--

-

a ttachment	ment 1 of		Engine Mo	Engine Model Summary Form	y Form			
Manufacturer: De Engine category: Ne EPA Engine Family; 3J Mfr Family Name: 35	Deere Power Systems Group of Deere and Nonroad Cl 3JDXL06.8038 350HC	ems Group of De	ere and			レーク	ר אישר אין אין	••
Process Code: Ru 1.Engine Code 2.	Running Change 2.Engine Model	3.BHP@RPM (SAE Gross)	4.Fuel Rate: mm/stroke @ peak HP (for diesel only)	5.Fuel Rate: (lbs/hr) @ peak HP (for diesels only)	6.Torque @ RPM (SEA Gross)	7.Fuel Rate: mm/stroke@peak torque	8.Fuel Rate: 9.Emission Control (lbs/hr)@peak torque Device Per SAE J1930	9.Emission Control Jevice Per SAE J1930
6068HZ060	6068H	217.25@2400 189.08@2150	98.10@2400 94.30@2150	79.37@2400 68.34@2150	618.73@1800 553 83@1400	122@1800	74.07@1800	
				00.244.00		106@1400	50.04@1400	EM TC CAC
Added								
		•						

••

•