



Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)
2003	3JDXL04.5040	4.5	Diesel	8000
SPECIAL FEATURES & EMISSION CONTROL SYSTEMS			TYPICAL EQUIPMENT APPLICATION	
Direct Diesel Injection, Electronic Control Module, Turbocharger, Charge Air Cooler			Crane, Loaders, Tractor, Dozer, Pump, Compressor, Generator Set, Industrial Equipment	

The engine models and codes are attached.

The following are the exhaust certification standards (STD), or family emission limit(s) (FEL) as applicable, and certification levels (CERT) for hydrocarbon (HC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED POWER CLASS	EMISSION STANDARD CATEGORY		EXHAUST (g/kw-hr)					OPACITY (%)		
			HC	NOx	NMHC+NOx	CO	PM	ACCEL	LUG	PEAK
37 ≤ kW < 75	Tier 1	STD	N/A	9.2	N/A	N/A	N/A	20	15	50
		FEL	-	7.3	-	-	0.36	-	-	-
		CERT	-	6.0	-	-	0.32	7	5	14


BE IT FURTHER RESOLVED: That the family emission limit(s) (FEL) is an emission level declared by the manufacturer for use in any averaging, banking and trading program and in lieu of an emission standard for certification. It serves as the applicable emission standard for determining compliance of any engine within this engine family under 13 CCR Sections 2423 and 2427.

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this 2nd day of January 2003.


Allen Lyons, Chief
Mobile Source Operations Division

Engine Model Summary Form

Attachment 1 of 2

U-12-004-0134

Manufacturer: 1157
 Engine category: Nonroad CI
 EPA Engine Family: 3JDXL04.5040
 Mfr Family Name: 350HE
 Process Code: New Submission

1.Engine Code	2.Engine Model	3.BHP@RPM (SAE Gross)	4.Fuel Rate: mm/stroke @ peak HP (for diesel only)	5.Fuel Rate: (lbs/hr) @ peak HP (for diesels only)	6.Torque @ RPM (SEA Gross)	7.Fuel Rate: mm/stroke@peak torque	8. Fuel Rate: (lbs/hr)@peak torque	9.Emission Control Device Per SAE J1930
4045HF275B	4045H	99.24@2400	71.80@2400	37.48@2400	394.99@1440	129.3@1440	41.89@1440	EM TC CAC
4045HP050	4045H	93.87@2200	73.40@2200	35.27@2200	275.81@1400	85.3@1400	26.90@1400	EM TC CAC

Attachment 2 of 7

Engine Model Summary Form

ED4U-R-004-0134 R1c

Manufacturer: 1157

Engine category: Nonroad CI

EPA Engine Family: 3JDXL04.5040

Mir Family Name: 350HE

Process Code: Running Change

1.Engine Code	2.Engine Model	3.BHP @RPM (SAE Gross)	4.Fuel Rate: mm ³ /stroke @ peak I/P (for diesel only)	5.Fuel Rate: (lbs/hr) @ peak I/P (for diesels only)	6.Torque @ RPM (SEA Gross)	7.Fuel Rate: mm ³ /stroke @ peak torque	8.Fuel Rate: (lbs/hr) @ peak torque	9.Emission Control Device Per SAE J1930
4045HT050	4045T	97.89 @ 2200	75.30 @ 2200	37.26 @ 2200	304.57 @ 1400	96.2 @ 1400	30.27 @ 1400	EM TC

* added