California Environmental Protection Agency AIR RESOURCES BOARD		EXECUTIVE ORDER U-R-011-0072-1
	CNH Engine Corporation, Inc.	New Off-Road
		Compression-Ignition Engines

Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engine and emission control system produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	EIEL TVDE	
2003	3X9XL0505ABC	8.3	Diesel	8000
SPECIAL	FEATURES & EMISSION		TYPICAL EQUIPMENT A	APPLICATION
Direct Dies	el Injection, Turbochargo Powertrain Control N	er, Charge Air Cooler, Iodule	Tractor	

The engine models and codes are attached.

The following are the exhaust certification standards (STD), or family emission limit(s) (FEL) as applicable, and certification levels (CERT) for hydrocarbon (HC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED POWER	EMISSION STANDARD		EXHAUST (g/kw-hr)					OPACITY (%)		
CLASS	CATEGORY		НС	NOx	NMHC+NOx	со	PM	ACCEL	LUG	PEAK
130 <u>≤</u> KW < 225	Tier 2	STD	N/A	N/A	6.6	3.5	0.20	20	15	50
		FEL	N/A	N/A	6.2	N/A	0.16	N/A	N/A	N/A
		CERT			5.8	1.1	0.11	6	1	14

BE IT FURTHER RESOLVED: That the family emission limit(s) (FEL) is an emission level declared by the manufacturer for use in any averaging, banking and trading program and in lieu of an emission standard for certification. It serves as the applicable emission standard for determining compliance of any engine within this engine family under 13 CCR Sections 2423 and 2427.

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

This Executive Order hereby cancels and replaces Executive Order U-R-011-0072 dated November 27, 2002.

Executed at El Monte, California on this

____ day of April 2003.

Allen Lyons, Chief Mobile Source Operations Division

Engine Model & nmary Form ATACHMENT Pg (of 1

W-R-011-0072-

CNH Engine Corporation Nonroad Over 50 Hp New Submission 3X9XL0505ABC D413 Mfr Family Name: EPA Engine Famly: Engine category: Process Code: Manufaclurer:

-"» .

	4		2015	e	8. J.		
8.Fuel Rate: 9.Emission Control (bs/hr)@peak torque Device Per SAE J1930	0-0	<u>ن</u>	j.	0	C		
9.Ernission Control evice Per SAE J193	91.2 DDzr, PCM,TC,CAC 82.0 / PCM,TC,CAC	PCM,TC,CAC.	PCM,TC,CAO	PGM,TC,CAO	PCM,TC,CAC		
iissio Per 3	Э́Н, М. Т. М	N, TC	M,T(M, TC	M,T(
9.Err levice	PO	De Co	DG	PG	PO	<u>.</u>	
D en	8 -	<u>.</u>		-			
tto: c torq	<u>р</u>	÷					
8.Fuel Rate: hr)@peak tor	91.2 82.0	70,7	85.9	93,9	90.6		
8.Fi dhr)@		i.					
sdl)		1		·		SKAXI DEOR AND	į.
a: beak							j.
7.Fuel Rate: mm/stroke@peak torque	93 74	50	82	66	92		
/.Fue Vstrol tor			Ľ.	F	1)
L mu	::::::::::::::::::::::::::::::::::::::					T V	1
5			-740°.		(ì
6.Torque @ RPM (SEA Gross)	1000@1400 910@1400	193@1400	950@1400	040@1400	000@1400	Ť	
'orque @ RP SEA Gross)	001	301	ପ୍ତତ୍ୟ	00	@0(~ N	Ē.,
S.Torc (SE	100	791	950	104	100	ų	
9						<. ₽	1
g Fr							1
5.Fuel Rate: (lbs/hr) @ poak HP (for diesels only)	104.5 88.3	96.8	92.4	99.1	99.4	9	
i.Fue hr) @ r dies	01 88	6	6	96	6		2
7 ([0])							
dH) (HD	2-17-		1.			ada Ster	
ate: peak only)						ે પૈ	S
4.Fuel Rate: /stroke @ peak (for diesel only	148	140	137	147	134	ې ا	
 Fuel Rate: mnVstroke @ peak (for diesel only) 	2	5				્રક્	
Ē							
¥ (;	0	0 0	0	÷ 0	0		
@RP Grosi	22C	20C	200	20C)22C		
LBHP@RPM (SAE Gross)	300@2100 254@2200	:75@2000	258@2000	203@2000	279@2200	ğ	
	τ Γ Ι Ι	N.	2	S	2		
<u></u>	5-F .					n i N	
2.Engine Model	304 304	304	304	304	304	ຼ່⊁	
ine l	6TAA-8304 6TAA-8304	6TAA-8304	6TAA-8304	6TAA-8304	6TAA-8304	7	ĺ.
Eng	6TAA-8304 6TAA-8304	6TA	6TA	6TA	6TA	· · · · ·	
	lets ¥ ets ¥		l 			3£.5	(Caleboard)
ode	15. 22.	18	.60	10	123	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1
ы С	F100 1010	66H	H99(R99	<u>101(</u>	(I	
1.Engine Code	8152;EP9915 8088;FP91022	8264;FH9918	8264;FH9909	8367;FR9910	8375;FR91023	- 53	er Marken og
т. Ш	81t 808(826	826	836	837	* 24BI+FR904(4 mith 340 ho is the certion	2. YORK 2.
	na <u>na serio</u> di serio di seri		<u> </u>				<u>.</u>

1