

Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engine and emission control system produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)					
2003	3H3XL2.22NLC	2.216	Diesel	5000					
SPECIAL	FEATURES & EMISSION		TYPICAL EQUIPMENT APPLICATION						
	Indirect Diesel Inje	ection	Generator						

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for hydrocarbon (HC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED	EMISSION			I	EXHAUST (g/kw-h	OPACITY (%)							
POWER CLASS	STANDARD CATEGORY		нс	NOx	NMHC+NOx	со	РМ	ACCEL	LUG	PEAK			
8 <u><</u> KW<19	Tier 1	STD	N/A	N/A	9.5	6.6	0.80	N/A	N/A	N/A			
19 <u><</u> KW<37	Tier 1	STD	N/A	N/A	9.5	5.5	0.80	N/A	N/A	N/A			
		CERT			5.5	1.2	0.18						

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this ______ day of January 2003.

Allen Lyons, Chief Mobile Source Operations Division

Engine Model Summary Form

ATTAGMMENT 1 OF 1

Manufacturer: Ishikawajima-Shibaura Machinery Co., Ltd.

Engine category: Nonroad Cl

EPA Engine Family: , 3H3XL2.22NLC

Mfr Family Name: N/A

Process Code: New Submission

.

ī

u-R-026-0075

F.	4											 		2			· ·	 2. j.) - 14				•)
J1930										ļ						•						
ion Cor r SAE	E	드	E	Ы	ΗΗ	뜨	Ē	Ш	E	뜨												
.Emiss /ice Pe		-	:															 2.00 2.00				
e De											5. 77 :						T					
8.Fuel Rate: 9.Emission Control (lbs/hr)@peak torque Device Per SAE J1930	4	4	4	٩	A	A	A	A	A	A												
8.Fuel Rate: hr)@peak to	NA	NA	N/A	N/A	NA	NA	NIA	AN	N/A	N/A				1				 				
8 (lbs/h	144 J 1998											 						-				
gpeak	_	_	_	-		_	-	_	-	-												
 I.Fuel Kate: mm/stroke@peak torque 	N/A	A/N	N/A	N/A			-						÷			 						
r.) s/mm																						
W _o																						
6.Torque @ RPM (SEA Gross)	N/A	A/A	N/A	N/A		 																
.Torqu (SEA			_											· · ·								
5.Fuel Rate: (lbs/hr) @ peak HP (for diesels only)	-0.9	1-0.7	0.6	/-0.8	/-0.7	/-0.8	18.6+/-1.0	/-0.9	/-1.0	/-1.0									·			
5.Fuel Rate: /hr) @ peak or diesels onl	10.8+/-0.9	12.5+/-0.7	9.4+/-0.6	11.0+/-0.8	11.5+/-0.7	12.8+/-0.8	18.6+	19.4+/-0.9	12.4+/-1.0	12.4+/-1.0						-						
		ì																			L	
e: eak HP Ny)	8.	8.	7.	4	.7	0.0	5	4.	2.4	4.2											-	
4.Fuel Rate: mm/stroke @ peak (for diesel only)	32.9+/-2.8	31.6+/-1.8	28.7+/-1.7	33.4+/-2.4	29.0+/-1.7	32.4+/-2.0	28.3+/-1.5	29.4+/-1.4	31.3+/-2.4	31.3+/-2.4		 									 	
4.FL n/strok (for di	32	31	28	33	29	32	28	29	31	31								. 1			 -	
®RPM bross)	1500	1800	1500	1500	1800	1800	3000	3000	31800	01800								;				
3.BHP@RPM (SAE Gross)	26.4@1500	32.9@1800	24.1@1500	27.6@1500	28.8@1800	32.6@1800	42.8@3000	46.1@3000	31.0@1800	31.6@1800	/							. • •				
с –	2	e					7				11. 11. 11. 11.											
lodel	g			00	loo	0C	00		U U												 	
line M	KR26/1500C	KR33/1800C	HP24/1500C	HP27/1500C	HP29/1800C	HP33/1800C	HP43/3000C	HP46/3000C	31/1800C	32-1800C												
2.Engine Model	KR3	KR3	G H	HP?	ЧР2	HP3	HP4	HP4	31	3										1111-11-11-11-11-11-11-11-11-11-11-11-1		
1.Engine Code		55	100	100	1 6.	16.	18	404C-22	141	U.P.A.					and the state of the second							
Engin	104.22	101-22	404C-22	ADAC-22	404C-22	404C-22	A04C-22	404(N844	Nav.		 • • •										 •
.		· .						:					<u> </u>	<u> </u>					<u> </u>			