

	<b>MOTORENFABRIK HATZ GMBH &amp; CO. KG</b>	<b>EXECUTIVE ORDER U-R-034-0035</b> New Off-Road Compression-Ignition Engines
--	---	---

Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-02-003;

**IT IS ORDERED AND RESOLVED:** That the following compression-ignition engines and emission control system produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)
2003	3HZXL462C40	0.5	Diesel	3000
SPECIAL FEATURES & EMISSION CONTROL SYSTEMS			TYPICAL EQUIPMENT APPLICATION	
Direct Diesel Injection			Compressor, Generator Set, Other Industrial Equipment	

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for hydrocarbon (HC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED POWER CLASS	EMISSION STANDARD CATEGORY		EXHAUST (g/kw-hr)					OPACITY (%)		
			HC	NOx	NMHC+NOx	CO	PM	ACCEL	LUG	PEAK
kW < 8	Tier 1	STD	N/A	N/A	10.5	8.0	1.0	20	15	50
		CERT	--	--	7.4	5.6	0.64	0	0	0

**BE IT FURTHER RESOLVED:** That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

**This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.**

Executed at El Monte, California on this 2<sup>ND</sup> day of December 2002.

  
 Allen Lyons, Chief  
 Mobile Source Operations Division

Model Year:  
 Manufacturer:  
 Engine Family:

Issued:  
 Revised: 10/17/2002  
 E.O. Number: U.R.-03Y-0035

**Small Off-Road Engine Model Summary Form**

Units for Table:

Worst Case?	47. Model Designation	48. Sales Code	49. Displ (cc)	50. Bore/Stroke	51. Ignition Timing	52. Max Power	53. Rated Speed (RPM)	54. Rated Torque	55. Torque Speed (RPM)	56. Emiss Control Sys
	1B40T/U/N/W	Calif. Only	462	88/76	16+1	6.2	3000	14.6	3000	DDI
	1B40T/U/N/W	Calif. Only	462	88/76	16+1	6.1	2900	14.9	2900	DDI
	1B40T/U/N/W	Calif. Only	462	88/76	16+1	6.0	2800	15.1	2800	DDI
	1B40T/U/N/W	Calif. Only	462	88/76	16+1	5.9	2700	15.4	2700	DDI
	1B40T/U/N/W	Calif. Only	462	88/76	16+1	5.8	2600	15.8	2600	DDI
	1B40T/U/N/W	Calif. Only	462	88/76	14+1	5.6	2500	15.8	2500	DDI
	1B40T/U/N/W	Calif. Only	462	88/76	14+1	5.4	2400	15.9	2400	DDI
	1B40T/U/N/W	Calif. Only	462	88/76	14+1	5.2	2300	16.0	2300	DDI
	1B40T/U/N/W	Calif. Only	462	88/76	14+1	5.0	2200	16.1	2200	DDI
	1B40T/U/N/W	Calif. Only	462	88/76	14+1	4.8	2100	16.2	2100	DDI
	1B40T/U/N/W	Calif. Only	462	88/76	14+1	4.5	2000	15.9	2000	DDI

2 of 3

Model Year: 2003  
 Manufacturer: Motorenfabrik Halz GmbH & Co. KG  
 Engine Family: 3HZXL462C40

Issued:  
 Revised: 10/17/2002  
 E.O. Number: 42-2-034-0035

**Small Off-Road Engine Model Summary Form**

Units for Table: kW

47.	48.	49.	50.	51.	52.	53.	54.	55.	56.	
Worst Case?	Model Designation	Sales Code	Displ (cc)	Bore/Stroke	Ignition Timing	Max Power	Rated Speed (RPM)	Rated Torque	Torque Speed (RPM)	Emiss Control Sys
	1B40T/U/N/W	Calif. Only	462	88/76	18+1	7.7	3600	15.1	3600	DDI
	1B40T/U/N/W	Calif. Only	462	88/76	18+1	7.6	3550	15.1	3550	DDI
	1B40T/U/N/W	Calif. Only	462	88/76	18+1	7.6	3500	15.3	3500	DDI
	1B40T/U/N/W	Calif. Only	462	88/76	18+1	7.5	3450	15.4	3450	DDI
	1B40T/U/N/W	Calif. Only	462	88/76	18+1	7.5	3400	15.6	3400	DDI
	1B40T/U/N/W	Calif. Only	462	88/76	18+1	7.4	3350	15.6	3350	DDI
	1B40T/U/N/W	Calif. Only	462	88/76	18+1	7.4	3300	15.8	3300	DDI
	1B40T/U/N/W	Calif. Only	462	88/76	18+1	7.3	3250	15.9	3250	DDI
	1B40T/U/N/W	Calif. Only	462	88/76	18+1	7.3	3200	16.1	3200	DDI
	1B40T/U/N/W	Calif. Only	462	88/76	18+1	7.2	3150	16.2	3150	DDI
	1B40T/U/N/W	Calif. Only	462	88/76	18+1	7.2	3100	16.4	3100	DDI
	1B40T/U/N/W	Calif. Only	462	88/76	18+1	7.1	3050	16.4	3050	DDI
	1B40T/U/N/W	Calif. Only	462	88/76	16+1	7.1	3000	16.7	3000	DDI
	1B40T/U/N/W	Calif. Only	462	88/76	16+1	7.0	2900	17.1	2900	DDI
	1B40T/U/N/W	Calif. Only	462	88/76	16+1	6.9	2800	17.4	2800	DDI
	1B40T/U/N/W	Calif. Only	462	88/76	16+1	6.8	2700	17.8	2700	DDI
	1B40T/U/N/W	Calif. Only	462	88/76	16+1	6.6	2600	17.9	2600	DDI

FOR MORE MODEL INFO PLEASE LOOK AT RECORD 21

X

Model Year:  
 Manufacturer:  
 Engine Family:

Issued:  
 Revised: 10/17/2002  
 E.O. Number: U-12-034-0035

**Small Off-Road Engine Model Summary Form**

Units for Table:

47.	48.	49.	50.	51.	52.	53.	54.	55.	56.
Worst Case? Model Designation	Sales Code	Displ (cc)	Bore/Stroke	Ignition Timing	Max Power	Rated Speed (RPM)	Rated Torque	Torque Speed (RPM)	Emiss Control Sys
	1B40T/U/V/W	462	88 / 76	18+1	7.3	3600	14.3	3600	DDI
	1B40T/U/V/W	462	88 / 76	18+1	7.3	3550	14.5	3550	DDI
	1B40T/U/V/W	462	88 / 76	18+1	7.3	3500	14.7	3500	DDI
	1B40T/U/V/W	462	88 / 76	18+1	7.2	3450	14.7	3450	DDI
	1B40T/U/V/W	462	88 / 76	18+1	7.2	3400	15.0	3400	DDI
	1B40T/U/V/W	462	88 / 76	18+1	7.1	3350	15.0	3350	DDI
	1B40T/U/V/W	462	88 / 76	18+1	7.1	3300	15.2	3300	DDI
	1B40T/U/V/W	462	88 / 76	18+1	7.0	3250	15.2	3250	DDI
	1B40T/U/V/W	462	88 / 76	18+1	7.0	3200	15.5	3200	DDI
	1B40T/U/V/W	462	88 / 76	18+1	6.9	3150	15.5	3150	DDI
	1B40T/U/V/W	462	88 / 76	18+1	6.9	3100	15.7	3100	DDI
	1B40T/U/V/W	462	88 / 76	18+1	6.8	3050	15.8	3050	DDI
	1B40T/U/V/W	462	88 / 76	16+1	6.8	3000	16.0	3000	DDI
	1B40T/U/V/W	462	88 / 76	16+1	6.6	2800	16.7	2800	DDI
	1B40T/U/V/W	462	88 / 76	16+1	6.3	2600	17.1	2600	DDI
	1B40T/U/V/W	462	88 / 76	14+1	6.1	2500	17.2	2500	DDI
	1B40T/U/V/W	462	88 / 76	14+1	5.7	2300	17.5	2300	DDI
	1B40T/U/V/W	462	88 / 76	14+1	4.9	2000	17.3	2000	DDI
	1B40T/U/V/W	462	88 / 76	12+1	4.4	1800	17.3	1800	DDI
<b>FOR MORE</b>	<b>MODEL</b>	<b>INFO</b>	<b>PLEASE</b>	<b>LOOK</b>	<b>AT</b>	<b>RECORD</b>	<b>3 1</b>		