ia Environmental Protection	
RESOURCES	BOARD

Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engine and emission control system produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)		
2004	4CEXL0275AAC	4.5	Diesel	8000		
SPECIAL FEATURES & EMISSION CONTROL SYSTEMS		TYPICAL EQUIPMENT APPLICATION				
Direct Diesel Injection, Turbocharger		Crane, Loader, Tractor, Dozer, Pump, Compressor				

The engine models and codes are attached.

The following are the exhaust certification standards (STD), or family emission limit(s) (FEL) as applicable, and certification levels (CERT) for hydrocarbon (HC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams-per kilowatt-hour (g/kw-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED POWER	EMISSION		EXHAUST (g/kw-hr)					OPACITY (%)		
CLASS	STANDARD CATEGORY		нс	NOx	NMHC+NOx	со	PM	ACCEL	LUG	PEAK
37 <u>≺</u> kW < 75	Tier 2	STD	N/A	N/A	7.5	5.0	0.40	20	15	50
		FEL	N/A	N/A	7.0	N/A	N/A	N/A	N/A	N/A
••		CERT			4.9	1.4	0.21	4	2	9

BE IT FURTHER RESOLVED: That the family emission limit(s) (FEL) is an emission level declared by the manufacturer for use in any averaging, banking and trading program and in lieu of an emission standard for certification. It serves as the applicable emission standard for determining compliance of any engine within this engine family under 13 CCR Sections 2423 and 2427.

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

This Executive Order hereby cancels and replaces Executive Order U-R-002-0232 dated September 11, 2003.

Executed at El Monte, California on this 17 - day of February 2004.

- be len

Allen Lyons, Chief Mobile Source Operations Division

Ð

Engine Model { nmary Form

٠.

W-R-002-0232-1

ATTA IMENT 1 OF 1

Cummins Inc. Manufacturer:

Nonroad Over 50 HP 4CEXL0275AAC EPA Engine Famly. Engine category:

C852 Mfr Family Name: **New Submission** Process Code:

-	e.	<u></u>	<u>.</u>	<u> </u>
9.Emission Control Device Per SAE J1930				Ì
i T	N	Σ	N.	M
Q A	式	<u>ш</u>	36	3
sio	DDI,TC,EN	DDI,TC,ÉA	DI,TC,EN	DDI,TC,EN
mis P B	Q	Q	IO	Q
9.Emission Control evice Per SAE J193	1	لما	1	
Õ		¥Ż.		
ent				
ie le		. <u>.</u> .	×,	
Ba	33,7	33.0	33.0	32.4
8.Fuel Rate: (bs/hr)@peak torque	Ř	с,	õ	ŝ
8.F hr)(
/sdl				14 M
-				
ak				
ate: ppe		÷		· · · ·
7.Fuel Rate: m/stroke@peak torque	00	98	98	96
fue tor			÷.,	•
1. 2				
Ξ				
		Č.,		
Σ	0	0	0	0
, RF	50	20	50	60
@ J	le	æ,	8	e E
3.Torque @ RPM (SEA Gross)	305@1500	305@1500	005@1500	300@1500
(S	30	ĕ	30	Э́С
9				
~				
÷.≓≨				
ate eak son	'n	_	<u>.</u>	
el H B Sels	6, 11	্রা	1	8
5.Fuel Rate: bs/hr) @ peak HP (for diesels only)	A	4		
bs/l (for				
Ð				
4.Fuel Rate: mm/stroke @ peak HP (It (for diesel only) (1.3			
∷¥ž				
A ate	÷	••		\sim
e @ ese	- 88	R	3.	\sim
r dy L			92	
te (te			2	
Ē				
NC (s	Ō	Q	Q	Q
@Al Sros	20	50	220	220
е Ц Ц Ц	ð,	0	(B)	12@2200
3.BHP@RPM (SAE Gross)	99@2100	99	996	92
		. :		
			· · · · ·	
lel			8	
Aoc	0	C 1	6	$ \alpha $
<u>2</u>	5-(5-0	5	5
Ē.	ЦĀ.	14	14	Γ4.
2.Engine Model	BT4.5-C	Ē	B,	B
2.1				
		1	(* . č	ŀ
de	76	39	20	17
Co	12		11.	11.
Je	EB9	Rg	B9	B9
ήĝι	E.	بنا	04;FR9117C	ļĻ.
1.Engine Code	204;FH91276	8204;FR91169	207	8204;FR91171
*	8	ထိ	8	œ.

4