Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)		
2004	4JDXL03.0063	2.4, 3.0	Diesel	8000		
SPECIAL	FEATURES & EMISSION	CONTROL SYSTEMS	TYPICAL EQUIPMENT APPLICATION			
Smc Tu	oke Puff Limiter, Direct I bocharger, Exhaust Gas	Diesel Injection, s Recirrulation	Compressor, Harvester, Trenche	r, Industrial Equipment		

The engine models and codes are attached.

The following are the exhaust certification standards (STD), and certification levels (CERT) for hydrocarbon (HC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kW-hr); and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED	EMISSION			1	EXHAUST (g/kW-	OPACITY (%)				
CLASS	CATEGORY		нс	NOx	NMHC+NOx	со	PM	ACCEL	LUG	PEAK
37 <u>≤</u> kW < 75	Tier 2	STD	N/A	N/A	7.5	5.0	0.40	20	15	50
		CERT	-	-	6.9	1.9	0.34	5	6	7

**BE IT FURTHER RESOLVED:** That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

## This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

This Executive Order hereby supersedes Executive Order U-R-004-0163 dated December 23, 2003.

Executed at El Monte, California on this 30<sup>th</sup> day of March 2005.

Allen Lyons, Chief Mobile Source Operations Division

Engine Model Summary Form

 Manufacturer:
 Deere Power Systems Group of Deere and

 Engine category:
 Nonroad CI

 EPA Engine Family:
 4JDXL03.0063

 Mfr Family Name:
 250TA

 ass Coda:
 New Submission

.

Attachment 1 083 U-A-004-0163-1

· · · <u>· · · · · ·</u>

1.Engine Coda	2.Engine Model "w	3.BHP@RPM (SAE Gross)	4.Fuel Rate: mmVstroke ঔ peak HP (for diesel oniy)	5.Fuel Rate: (Ibs/hr) ਦੇ peak HP (for diesels only)	6.Torque @ 9.PM (SEA Gross)	7.Fuel Aate: .mm/stroke@beak torque	8.Fuei Rata; (lbs/hr)≩peak torque	9.Emission Control Device Per SAE J1930
\$15030TF2708	5030T 1-67-67	82:48 @ 2800	Cr.7 45:90 € 2500	© 36:16€2800	ac 207:97 C 1680	55.3@1680	26:24@1680	EMISPE AND
4024TE270A	4024T	67.02@2800*	ैंड्रिन् 41:70@2800 ें:	26.46@2800	2:0154.87@1680	50.1 @ 1680	18.95©1680.	S EM SPL
*4024TE270CA	2 12 14024T 15 3 C	48:25 0 2800	₹53734,50 C 2800 ₹	2.21.83@2800	130.54@1680	43.1.C 1680 4	1:3516:32@.1680	EMSPER
\$5030TF270A		75:10@2800@	41.70@2800	32.85@2800	Sect89.53@1680		×9,24 03 <i>@</i> 1680 -	EMSPERIC
-4024TF270B3	∴T724024F££ 90	65.72@2800	45.90@2800E	c#28189@2800-	254167.410 16805	455.IC 16804	20.95 C 1680 k	EMSEL
14	وسيروف والمتعاد وترجم والمتعاد والمتعاد والمتعاد والمتعاد والمتعاد والمتعاد والمتعاد والمتعاد والمتعاد والمتعا					19 6 Carlos 10 - 10 - 10 - 10 - 10 - 10 - 10 - 10	14 3 2 2 3 3 3	

## Engine Model Summary Form

 Manufacturer:
 Deere Power Systems Group of Deere and

 Engine category:
 Nonroad Cl

 EPA Engine Family:
 4JDXL03.0063

Mfr.Eamily Name: 250TA

F Gode: Running Change

Attachment 2073 U-R-004-0163-1

	1.Engine Code	2.Engine Model	3.BHP@RPM (SAE Gross)	4.Fuel Rate: mm/stroke @ peak HP (for diesel only)	5.Fuel Rate; (lbs/hr) @ peak HP (tor diesets only)	6.Torque @ RPM (SEA Gross)	7.Fuel Rate; mm/stroke@peak torque	8.Fuel Rate; (lbs/hr)@peak torque	9.Emission Control Device Per SAE J1920	
į	4024TT001	,	61.02@2800	41.70@2800	26.46@2800 5	154.87@1680.	50.1@1680	18.96@1680	EM EGR	ANT SPL
×/	4024TT002	4024T	65.72@2800	45.90@2800	28.89@2800	167.41@1680	55.1@1680	20.95@1680	EM EGR	- الار ـلاية -
1	5030TT001 🛸	25030T 🦲 🕂	76.71.02800	42.60@2800	33,54@2800	188.21@1680	49.9@1680	1723.59@1680.J	EM EGR	
	5030TT002	5030T	82.48@2800	45.90@2800	36.16@2800	207.97@1680	55.3@1680	26.24@1680	EM EGR	L-
		Sector Contention	Million Arts	PRESS CONTRACTOR	22. 9798	<b>建学业主义会</b>	a was doings	44205005154	ale the second	

## Engine Model Summary Form

Manufacturer:Deere Power Systems Group of Deere andEngine category:Nonroad ClEPA Engine Family:4JDXL03.0063M\* Family Name:250TAFill is Code:Running ChangeU - K - 004 - 0163 -

_	1.Engine Code	2.Engine M	odel	3.BHP@RPM (SAE Gross)	4.Fuel Rate: mmvstroke @ peak HP (for diesel only)	5.Fuel Rate: (lbs/hr) @ peak HP (for diesels only)	6.Torque @ RPM (SEA Gross)	7.Fuel Rate: mm/stroke@peak torque	8.Fuel Rate: (lbs/hr)@peak.torque	9.Emission Control Device Per SAE J1930
1	5030TLV02	5030T		67.06@2400	🔆 -41,00@2400 🖑	\$ 27.56@2400	199.86@1440	52.3@1440	21.17@1440	EM EGR TC PDT
<u>۲</u>	5030TLV01	5030T		54.99@2400	🤄 <b>35.10@2400</b> 🗟	23.59@2400	171.10@1440	44@1440	17.86@1440	EMEGR
1		and a second					A LOW REAL			CAR STAR
					in 1915 - Anna		and the second states of the second sec	a la seño de como de co		