

DEERE POWER SYSTEMS GROUP OF **DEERE & COMPANY**

EXECUTIVE ORDER U-R-004-0177 New Off-Road Compression-Ignition Engines

Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)		
2004	4JDXL06.8053	6.8	Diesel	8000		
SPECIAL FEATURES & EMISSION CONTROL SYSTEMS			TYPICAL EQUIPMENT APPLICATION			
Direct Diesel Injection, Turbocharger, Charge Air Cooler, Smoke Puff Limiter			Compressor, Industrial Equipment			

The engine models and codes are attached.

The following are the exhaust certification standards (STD), or family emission limit(s) (FEL) as applicable, and certification levels (CERT) for hydrocarbon (HC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kW-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED POWER	EMISSION STANDARD		EXHAUST (g/kW-hr)					OPACITY (%)		
CLASS	CATEGORY		HC	NOx	NMHC+NOx	co	PM	ACCEL	LUG	PEAK
130 ≤ kW < 225	Tier 2	STD	N/A	N/A	6.6	3.5	0.20	20	15	50
		FEL	_	-	8.5	-	0.31	-	_	-
		CERT	-	-	7.6	0.8	0.23	10	6	20

BE IT FURTHER RESOLVED: That the family emission limit(s) (FEL) is an emission level declared by the manufacturer for use in any averaging, banking and trading program and in lieu of an emission standard for certification. It serves as the applicable emission standard for determining compliance of any engine within this engine family under 13 CCR Sections 2423 and 2427.

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this 2320

day of December 2003.

Mobile Source Operations Division

Engine Model Summary Form

Manufacturer:

Deere Power Systems Group of Deere and

Engine category: Nonroad CI

EPA Engine Family: 4JDXL06.8053

Mfr Family Name: 350HJ

ess Code: New Submission

Attachment 1082

U-R-004-0177

1.Engine Code 2.Engi	3.BHP@RPM ine Model (SAE Gross)	4.Fuel Rate: mm/stroke @ peak HP (for diesel only)	5.Fuel Rate: (lbs/hr) @ peak HP (for diesels only)	6.Torque @ RPM (SEA Gross)	7.Fuel Rate: mm/stroke@peak torque	8.Fuel Rate: (lbs/hr)@peak torque (9.Emission Control Device Per SAE J1930
6068HT056 60)68H 187.75@2200	90.00@2200	66.14@2200	583.34@1400	114@1400	52.92@1400	EM SPL Turbo
6068HF250A 60)68H 234.68@2400	110.00@2400	88.19@2400	680,68@1400	130@1400	59.53@1400	EM SPL Turbo
	statilises sinstematici de la l						

Engine Model Summary Form

Manufacturer:

Deere Power Systems Group of Deere and

Engine category: Nonroad CI

EPA Engine Family: 4JDXL06.8053

Mfr Family Name: 350HJ

ess Code:

Running Change

Attachment 2002 U-R-004-0177

			4.Fuel Rate:	5.Fuel Rate:		7.Fuel Rate:		
1.Engine Code	2.Engine Model	3.BHP@RPM (SAE Gross)	mm/stroke @ peak HP (for diesel only)	(lbs/hr) @ peak HP (for diesels only)	6.Torque @ RPM (SEA Gross)	mm/stroke@peak torque	8.Fuel Rate: (lbs/hr)@peak torque [9.Emission Control Device Per SAE J1930

€ 6068HDW53 52.92@2000 525.08@1100 6068H 150.20@2000 81.00@2000 101@1100 37.48@1100 EM SPL Turbo DOZ