

DEERE POWER SYSTEMS GROUP OF DEERE & COMPANY

EXECUTIVE ORDER U-R-004-0182

New Off-Road

Compression-Ignition Engines

Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR ENGINE FAMILY		DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)		
2004	4JDXL06.8054	6.8	Diesel	8000		
SPECIAL FEATURES & EMISSION CONTROL SYSTEMS			TYPICAL EQUIPMENT APPLICATION			
Direct Diesel Injection, Turbocharger, Smoke Puff Limiter			Compressor, Industrial Equipment			

The engine models and codes are attached.

The following are the exhaust certification standards (STD), or family emission limit(s) (FEL) as applicable, and certification levels (CERT) for hydrocarbon (HC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kW-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED POWER	EMISSION STANDARD CATEGORY		EXHAUST (g/kW-hr)				OPACITY (%)			
CLASS			НС	NOx	NMHC+NOx	co	PM	ACCEL	LUG	PEAK
75 ≤ kW < 130	Tier 2	STD	N/A	N/A	6.6	5.0	0.30	20	15	50
130 ≤ kW < 225	Tier 2	STD	N/A	N/A	6.6	3.5	0.20	20	15	50
		FEL	-	-	9.0	-	0.33	-	-	-
-		CERT	-	-	7.7	0.9	0.28	10	6	25

BE IT FURTHER RESOLVED: That the family emission limit(s) (FEL) is an emission level declared by the manufacturer for use in any averaging, banking and trading program and in lieu of an emission standard for certification. It serves as the applicable emission standard for determining compliance of any engine within this engine family under 13 CCR Sections 2423 and 2427.

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this 23^{PO} day of December 2003.

Aller Lyons, Chief

Mobile Source Operations Division

Engine Model Summary Form

Manufacturer:

Deere Power Systems Group of Deere and

3.ВНР@ЯРМ

Engine category:

Nonroad Cl

EPA Engine Family:

4JDXL06.8054

Mfr Family Name:

350TF

Process Code:

New Submission

Attachment 1082 U-R-004-0182

4.Fuel Rate: 5.Fuel Rate: mm/stroke @ peak HP

6.Torque @ RPM (SEA Gross)

7.Fuel Rate:

mm/stroke@peak

8.Fuel Rate: 9.Emission Control (lbs/hr)@peak torque Device Per SAE J1930

EM SPL

EM SPL POR 70

(lbs/hr) @ peak HP (for diesels only) 1.Engine Code 2.Engine Model (SAE Gross) torque (for diesel only) 57.32@2200 499.27@1400 160,93@2200 80,00@2200 101.0@1400 46.30@1400 6068TTJ50 6068T 90.00@2400 70.55@2400 506.64@1400 104@1400 48.06@1400 6068TPRNT1 6068T 194.45@2400

Engine Model Summary Form

Manufacturer:

Deere Power Systems Group of Deere and

Engine category:

Nonroad CI

EPA Engine Family:

4JDXL06.8054

Mfr Family Name: 350TF

ess Code:

Running Change

Attachment 2062

U-R-004-0182

1.Engine Code	2.Engine Model	3.BHP@RPM (SAE Gross)	4.Fuel Rate: mm/stroke @ peak HP (for diese! only)	5.Fuel Rate: (lbs/hr) @ peak HP (for diesels only)	6.Torque @ RPM (SEA Gross)	7.Fuel Rate: mm/stroke@peak torque	8.Fuel Rate: (lbs/hr)@peak torque	9 Emission Control Device Per SAE J1930
√6068TT058	6068T	160.93@2200	80.00@2200	57.32@2200	499.27@1400	101.0@1400	46.30@1400	EM SPL DAZITC
/6068TTJ51	6068T	170.31@2200	84.60@2200	62.75@2200	518.44@1400	104@1400	49.17@1400	EM SPL _1