Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engine and emission control system produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)
2004	4MBXL7.20RJA	7.2	Diesel	8000
SPECIAL	FEATURES & EMISSION		TYPICAL EQUIPMENT	APPLICATION
Direct Dies	el Injection, Turbocharge Engine Control Mo	er, Charge Air Cooler, idule	Loader, Tractor and Indu	strial Equipment

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for hydrocarbon (HC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED POWER	EMISSION STANDARD				EXHAUST (g/kw-ł	ור)		OF	PACITY (%	6)
CLASS	CATEGORY		нс	NOx	NMHC+NOx	со	PM	ACCEL	LUG	PEAK
225 <u><</u> KW<450	Tier 2	STD	N/A	N/A	6.4	3.5	0.20	20	15	50
		CERT			6.4	2.0	0.12	17	3	37

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this ______ day of December 2003.

Allen Hyons, Chief Mobile Source Operations Division

EPA Engine Family. AIBXL12 DRJA Manufacture Family Name:	Manufacturer:	Manufacturer: DaimlerChrysler AG	ir AG		Process Code:	Process Code: New Submission	sion		
gine Code 2 Engine Model 3BHrgRHM (streated network) Streat Rate: (bott) Streat Rate: (bott) Treat Rate: (bott) <thtreat rate<="" th=""><th>EPA Engine Far</th><th></th><th>20RJA</th><th></th><th>Manufacturer F</th><th>Family Name:</th><th>NA</th><th>-</th><th>U-R-016-0063</th></thtreat>	EPA Engine Far		20RJA		Manufacturer F	Family Name:	NA	-	U-R-016-0063
1LA E 2/2 OM 926 LA 303 @ 2500 132.2 108.6 956 @ 1500 184.0 906 torque rais between and foco and 200 132.2 108.6 956 @ 1500 184.0 906	1.Engine Code	2.Engine Model	3.BHP@RPM (SAE Gross)	 4.Fuel Rate: mm/stroke @ peak HP (for diesel only) 	5.Fuel Rate: (lbs/hr) @ peak HP (for diesels only)	6.Torque @ RPM (SEA Gross)	7.Fuel Rate: mm/stroke@peak torque	8.Fuel Rate: (lbs/hr)@peak torqu	9.Emission Control Jevice Per SAE J1930
torque is between and 1600	926 LA. E 2/2	OM 926 LA	303 @ 2500	132.2	108.6	959 @ 1500	184.0	1	UT, TC, ECM, CAC
Include Is between and 1600 Is and 1600 Is a set of the set of		• • •					:	:	
	Peak torque occurs between 1200 and 1600 rpm.								

.

•