

KUBOTA CORPORATION

EXECUTIVE ORDER U-R-025-0148 New Off-Road

Compression-Ignition Engines

Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)						
2004	4KBXL02.4GCD	2.434	Diesel	8000						
SPECIAL	FEATURES & EMISSION	CONTROL SYSTEMS	TYPICAL EQUIPMENT APPLICATION							
	Direct Diesel Injec	ction	Compressor, Other Indus	strial Equipment						

The engine models and codes are attached.

The following are the exhaust certification standards (STD) and certification levels (CERT) for hydrocarbon (HC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

	EMISSION			E	EXHAUST (g/kw-l	OPACITY (%)				
CLASS	STANDARD CATEGORY		нс	NOx	NMHC+Nox	co	PM	ACCEL	LUG	PEAK
37 ≤ kW < 7 5	Tier 2	STD	N/A	N/A	7.5	5.0	0.40	20	15	50
		CERT			6.3	2.2	0.28	3	4	5

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this ______ day of September 2003.

Allen Jons, Chief

Mobile Source Operations Division

Engine Model St. mary Form

8410-520-2-n

Attachuent 1 og 1

KUBOTA Corporation Manufacturer:

4KBXL02.4GCD Nonroad Cl Engine category:

Mfr Family Name: N/A EPA Engine Fami∕y.

New Submission Process Code:

	`_∢		 	51 - 11 + 31 5	- jess	7			-	مکمال باعد	# 85°97	eren er		ه رمز سر در	™ **;-* ,	 			τ•:	ر باز پارست	() (***) 	22.00 <u>0</u>		40. 40. 41.
9.Emission Control Device Per SAE J1930	140	4	3.			1.						100		***					**					,
SAE,		\$								1 .7 2 .3		7		14.							1			
missic se Per	Z	≉															21				1000 1000 1000 1000	100		
9.E Devic																			17					
ı: orque																			•		3 3	*	7. s	
al Rate peak t	14.7	14.3			1												***				i jete			
8.Fuel Rate: (ibs/hr)@peak torque		_																				F		
ate: ≱peak '																								
troke (38.6	37.7																				- -	<u>.</u>	
7.Fuel Hate: mm/stroke@peak torque																			ļ ļ					
	_						1																Š.	İ
6.Torque @ RPM (SEA Gross)	123.5@1700	1700	:			1	:	:		: :				!								1		
rque (EA Gr	3.5@	2.3@						:		: :													e e	1
6.To (S	12	12	:															۸.						1
₽ S	:							:				:								!			377 3	-
peak als onf	20.2	19.8	:			!				:														1
o.Fuel Rate: (lbs/hr) @ peak HP (for diesels only)	22	19				:	:			!														***************************************
	t t	: : :	:		1					:														1
4.ruel nate: mm/stroke @ peak HP (for diesel only)												:												1
O pe	34.7	4.1								!		:	•									15.	· · · ·	
stroke for die	က်	က											!							, 			4	
mm. ()										:			!									-		1
	8	8											i											
3.BHP@RPM (SAE Gross)	51.2@2600	51.0@2600			!	:		! !								į								-
3.BH (SAE	51.2	51.0					1	!													-:		<u> </u>	
				!																	-		ر است د د د	
2.Engine Model	JI-ES	JI-ES															-					122		1
ine M	V2403-M-DI-ES	V2403-M-DI-ES	<u> </u>																		्रक्त	- 3		
.Engi	V240;	V240;																	. I .					_
ςi 	1	ļ															-			[£ 9			1
Code	H-ES(H-ES															é.		12			ب	*	-
1.Engine Code	3-M-C	3-M-E															-	1				· ·		-
1.En	V240,	V240												ن - ئـ					yer Az					-
	0	L		13.	<u> </u>	1	L	3.3			l	<u> </u>	L		<u> </u>	 	77.	i				£	λ. λ	1