CUMMINS INC.

EXECUTIVE ORDER U-R-002-0303 New Off-Road Compression-Ignition Engines

Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engine and emission control system produced by the manufacturer are certified as described below for use in off-road equipment per Title 13, California Code of Regulations (13 CCR) section 2423 (k). Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ON ROAD ENGINE FAMILY	ON-ROAD EXECUTIVE ORDER	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)
2005	5CEXH0359BBH	A-021-0378	5.9	LPG	8000
· · · · · · · · · · · · · · · · · · ·			IENT APPLICATION		
		Street Swe	eper, Forklift		•

The emission control systems, engine models and codes are listed in the attached on-road engine family Executive Order.

The following are the exhaust certification standards (STD) for hydrocarbon (HC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kw-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED	EMISSION	-	EXHAUST (g/kw-hr)					OPACITY (%)		
POWER CLASS	STANDARD CATEGORY		HC	NOx	NMHC+NOx	co	PM	ACCEL	LUG	PEAK
130 ≤ kW < 225	Tier 2	S TD	N/A	N/A	6.6	3.5	0.20	20	15	50

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (supplemental emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this ______

_ day of May 2005.

Allen Lyons, Chief

Mobile Source Operations Division

ATTACHMENT PG

California Environmental Protection Agency AIR RESOURCES BOARD CUMMINS, INC.

EXECUTIVE ORDER A-021-0378 New On-Road Heavy-Duty Engines

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: The engine and emission control systems produced by the manufacturer are certified as described below for use in on-road motor vehicles with a manufacturer's GVWR over 14,000 pounds. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL	ENGINE FAMILY	ENGINE SIZES (L)	FUEL TYPE 1	STANDARDS & TEST PROCEDURE	INTENDED SERVICE CLASS	ECS & SPECIAL FEATURES 3
YEAR	ENGINE : MINISTER		LPG	Diesel	MHDD	OC, HO2S, PCM, TBI, TC, CAC
2005	5CEXH0359BBH	5.9	ENGINE MO	DDEL5 / CODES (r	ated power, in	hp) 🖒
NGINE (L	-)		BL	PG-195 / 8302;FR	9980 (185)	
5.9				+		
•				*		
*				•		Fernand Begulations Section 85 abc.
•		40.50	n www.Tule 13 California Cod	e of Regulations, Sec	tion xyz; 40 CFR	86.abc=Title 40, Code of Pederal Regulations, coding
-not application	cable; GVWR=gross vehic horsepower; kw=kilowalt;	ite weight rating; 13 Ct natural gas; LPG⊐lique	fied petroleum gas; E85=85%	eihanol fuel; MF≃mul	li fuel a.k.a. BF≂t	.86.abc=Title 40. Code of Federal Regulations, Section 86.abc; of fuel; DF=dual fuel; FF=flexible fuel; of file: HO25/O2S=heated/oxygen sensor; HAFS/AFS=heated/

Following are: 1) the FTP exhaust emission standards, or family emission limit(s) as applicable, under 13 CCR 1956.1 (urban bus) or 13 CCR 1956.8 (other than urban bus); 2) the EURO and NTE limits under the applicable California exhaust emission standards and test procedures for heavy-duty diesel engines and vehicles (Test Procedures); and exhaust emission standards and test procedures for heavy-duty diesel engines and vehicles (Test Procedures); and exhaust emission standards and test procedures for heavy-duty diesel engines and vehicles (Test Procedures); and exhaust emission standards and test procedures for heavy-duty diesel engines and vehicles (Test Procedures); and exhaust emission standards and test procedures for heavy-duty diesel engines and vehicles (Test Procedures); and exhaust emission standards and test procedures for heavy-duty diesel engines and vehicles (Test Procedures); and exhaust emission standards and test procedures for heavy-duty diesel engines and vehicles (Test Procedures); and exhaust emission standards and test procedures for heavy-duty diesel engines and vehicles (Test Procedures); and exhaust emission standards and test procedures for heavy-duty diesel engines and vehicles (Test Procedures); and exhaust emission standards and test procedures for heavy-duty diesel engines and vehicles (Test Procedures); and exhaust emission standards and exhaust emission exhaust emission engine for heavy-duty diesel engines and vehicles (Test Procedures); and exhaust emission engines are exhaust emission engines and emission engines are emission emission emission engines are emission emissi compliance may have been demonstrated by the manufacturer as provided under the applicable Test Procedures in lieu of testing. (For flexible- and dual-fueled engines, the CERT values in brackets [] are those when tested on conventional test fuel. For multi-fueled engines, the STD and CERT values for default operation permitted in 13 CCR 1956.1 or 13 CCR 1956.8 are in parentheses.)

NOx					NMHC+NOx		CO			PM	FTP	EUR	
	NN.	NMHC				EURO	FTP	EUR0	FTP	EURO	FIF		
	FTP	EURO	FTP	EURO	FTP	EURO		\		•	+	l	
	FIF	\ <u>.</u>				•	15.5	15.5		0.03		T	
	0.5	0.5	ļ	 -	2.2	2.2	-	•	0.03	ļ			
	· ·	•	' .	1			0.8	0.0	0.01	0.01		<u> </u>	
	0,5	0.02	•	•	2.1	1.4			ο.	0375		*	
_	0.625			*		2.75	·	1.375	NTE=Not-te	-Exceed; STD:	standard or emi	ssion test car	
ho-br	eocams ner br	ake horsepow CERT=certil	er-hour; F	P=Federal Tes	st Procedure:	EURO=Euro III hvdrocarbon:	Ox=oxides of	as application	carbon monox	ide: PM=particu	late matter, Hu	HO-MILIER	

BE IT FURTHER RESOLVED: Certification to the FEL(s) listed above, as applicable, is subject to the following terms, limitations and conditions. The FEL(s) is the emission level declared by the manufacturer and serves in lieu of an emission standard for certification purposes in any averaging, banking, or trading (ABT) programs. It will be used for determining compliance of any engine in this family and compliance with such ABT programs.

BE IT FURTHER RESOLVED: For the listed engine models the manufacturer has submitted the materials to demonstrate certification compliance with 13 CCR 1965 (emission control labels) and 13 CCR 2035 et seq. (emission control warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

day of December 2004. Executed at El Monte, California on this

Allen Lyons, Chief

Mobile Source Operations Division

CNG/LNG=compressed/iquefied natural gas; LPG=liquefied petroleum gas; E85=85% ethanol fuel; MF=multi fuel a.k.a. BF=bi fuel; DF=dual fuel; FF=flexible fuel; LIMM HDD=light/medium/heavy-houty diesel; UB=urban bus; HDO=heavy duty Olto;

LECS=emission control system; TWC/IOC=three-wayfoxidizing catalyst; WU (prefix) =warm-up catalyst; DPF=diesel particulate filter; HO2S/O2S=heated/oxygen sensor; GARB=gaseous carburetor; fuel-ratio sensor (a.k.a., universal or linear oxygen sensor); TBI=throtile body fuel injection; SFIMFI=sequential/multi port fuel injection; DGI=direct gasoline injection; GCARB=gaseous carburetor; linear oxygen sensor); TBI=throtile body fuel injection; SFIMFI=sequential/multi port fuel injection; DGI=direct gasoline injection; SPL=smoke puff imiter; IDIDDI=indirect/direct diesel injection; TC/SC=turbo/super charger, CAC=charge air coder; EGR=exhaust gas recirculation; PAIR/AIR=putsed/secondary air injection; SPL=smoke puff imiter; IDIDDI=indirect/direct diesel injection; TC/SC=turbo/super charger, CAC=charge air coder; EGR=exhaust gas recirculation; PAIR/AIR=putsed/secondary air injection; SPL=smoke puff imiter; IDIDDI=indirect/direct diesel injection; TC/SC=turbo/super charger, CAC=charge air coder; EGR=exhaust gas recirculation; PAIR/AIR=putsed/secondary air injection; SPL=smoke puff imiter; IDIDDI=indirect/direct diesel injection; TC/SC=turbo/super charger, CAC=charge air coder; EGR=exhaust gas recirculation; PAIR/AIR=putsed/secondary air injection; SPL=smoke puff imiter; IDIDDI=indirect/direct diesel injection; TC/SC=turbo/super charger, CAC=charge air coder; EGR=exhaust gas recirculation; PAIR/AIR=putsed/secondary air injection; SPL=smoke puff imiter; IDIDDI=indirect/direct diesel injection; TC/SC=turbo/super charger, CAC=charge air coder; EGR=exhaust gas recirculation; PAIR/AIR=putsed/secondary air injection; SPL=smoke puff imiter; IDID-indirect/direct diesel injection; TC/SC=turbo/super charger, CAC=charge air coder; EGR=exhaust gas recirculation; PAIR/AIR=putsed/secondary air injection; SPL=smoke puff imiter; IDID-indirect/direct gas recirculation; DC-indirect/direct gas recirculation; DC-indirect/direct gas recirculation; DC-indirect/direct