

## DEERE POWER SYSTEMS GROUP OF DEERE & COMPANY

EXECUTIVE ORDER U-R-004-0195-1 New Off-Road Compression-Ignition Engines

Pursuant to the authority vested in the Air Resources Board by Sections 43013, 43018, 43101, 43102, 43104 and 43105 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following compression-ignition engines and emission control systems produced by the manufacturer are certified as described below for use in off-road equipment. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	DISPLACEMENT (liters)	FUEL TYPE	USEFUL LIFE (hours)			
2005	5JDXL06.8080	6.8	Diesel	8000			
SPECIAL	FEATURES & EMISSION	CONTROL SYSTEMS	TYPICAL EQUIPMENT APPLICATION				
Direct Dies Electro	el Injection, Turbocharg onic Control Module, Sn	er, Charge Air Cooler, noke Puff Limiter	Loaders, Tractor				

The engine models and codes are attached.

The following are the exhaust certification standards (STD), or family emission limit(s) (FEL) as applicable, and certification levels (CERT) for hydrocarbon (HC), oxides of nitrogen (NOx), or non-methane hydrocarbon plus oxides of nitrogen (NMHC+NOx), carbon monoxide (CO), and particulate matter (PM) in grams per kilowatt-hour (g/kW-hr), and the opacity-of-smoke certification standards and certification levels in percent (%) during acceleration (Accel), lugging (Lug), and the peak value from either mode (Peak) for this engine family (Title 13, California Code of Regulations, (13 CCR) Section 2423):

RATED POWER	EMISSION STANDARD		EXHAUST (g/kW-hr)					OPACITY (%)		
CLASS	CATEGORY		HC	NOx	NMHC+NOx	СО	PM	ACCEL	LUG	PEAK
130 <u>&lt;</u> kW < 225	Tier 2	STD	N/A	N/A	6.6	3.5	0.20	20	15	50
·····		FEL		-	6.3	•	0.19		-	- 1
		CERT	-	-	6.1	1.2	0.13	16	6	36

BE IT FURTHER RESOLVED: That the family emission limit(s) (FEL) is an emission level declared by the manufacturer for use in any averaging, banking and trading program and in lieu of an emission standard for certification. It serves as the applicable emission standard for determining compliance of any engine within this engine family under 13 CCR Sections 2423 and 2427.

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the information and materials to demonstrate certification compliance with 13 CCR Section 2424 (emission control labels), and 13 CCR Sections 2425 and 2426 (emission control system warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Engines in this family that are produced for any other model-year are not covered by this Executive Order.

This Executive Order hereby supersedes Executive Order U-R-004-0195 dated June 22, 2004.

Executed at El Monte, California on this \_\_\_\_\_ day of March 2005.

Allen Lyons, Chief

Mobile Source Operations Division

## **Engine Model Summary Form**

Manufacturer:

Deere Power Systems Group of Deere and

Engine category:

Nonroad CI EPA Engine Family: 5JDXL06.8080

Mfr Family Name: 350HO

:ess Code:

New Submission

Affachment 10 2 u-R-004-0195-1

1.Engine Code	2.Engine Model	3.8HP@RPM (SAE Gross)	4.Fuel Rate: mm/stroke @ peak HP (for diesel only)	5.Fuel Rate: (lbs/hr) @ peak HP (for diesels only)	6.Torque & RPM (SEA Gross)			9.Emission Control Device Per SAE J1930
6068HRW54A	6068H 🛒 🣑	189.09@2100	92.00@2100	65.24@2100	622.42@1400 7	122@1400	57.54@1400	EM EC SPL PRATS
6068HDW57	· ·	177.02@2200	82.50@2200	§ 61.29@2200	612.10@1400	والمستحدث والمتصافحات والمتعدد والمراكبين والمراكبين والمتعدد	54.15@1400	EM EC SPL POFTE
6068HN051	6068H. ⇒ <b>/ h</b>	225.30@2400	81.50@2400 💸	77.61@2400	626.11@1800	104@1800	74.52@1800	EM EC SPLOPETC,
6068HDW61	6068H <b>\^o</b>	175.68@2180	83.00@2180		634.22@1400		57.08@1400	EM EC SPL®P\$ →
							OK NEEDA	

## **Engine Model Summary Form**

anutacturer:

Deere Power Systems Group of Deere and

igine category:

Nonroad Cl

PA Engine Family: 5JDXL06.8080

fe Family Name: 350HO

s Code:

**Running Change** 

Attachment 208 U-R-004-0195-1

	3.011	4.Fuel Rate: mm/stroke @ peak HP (for diesel only)	5.Fuel Rate: (lbs/hr) @ peak HP (for diesels only)	6.Torque @ RPM (SEA Gross)	7,Fuel Rate: mm/stroke@peak torque		9.Emission Control Device Per SAE J1930
Engine Code 2.Engine Model	(SAE Gross)		and the second control of the second	623.16@1500	119.6@1500	60.52@1500	≝EM EC SPL'0 ंे
√ 6068HTJ54 6068H	225.30@2000		63.94@2000			55.12@1400	EM EC SPL 0
6068HTJ55 6068H	189.09@2000					62.31@1400	EM EC SPL 0
\$3068HRW54B 6068H	206.52@2100	100.00@2100	70.77@2100				- A
<b>A</b>			arren i i i i i i i i i i i i i i i i i i i				The same of the
		1872			<u></u>	<u></u>	. S. 